

Wildlife Recorder Species Database – Update 117 November 2024

Contents

Introduction.....	2
Changes to the Bird Species Database in previous versions.....	3
Changes to the Bird Species Database since last update (version 116 August 2024)	4
Clements Taxonomy Changes	4
New Species and Sub-species.....	4
New Groups	9
Deleted Species and Sub-species	15
Deleted Groups	16
Splits	17
Lumps	25
Sub-Species Reassigned to New Species.....	26
Species Reassigned to New Species Family	27
Families Reassigned to New Orders	27
Common Name changes	28
Scientific name changes.....	34
IOC Taxonomy Changes.....	41
New Groups	41
Deleted Groups	47

Introduction

This update implements the following:

- Clements/eBird 2024 Update
- Corrections to distribution and distribution texts.

New

In species distribution, extinct species are separable from species of uncertain or historic occurrence. In previous versions this was not possible. This change allows the exclusion of extinct species from Species Checklists and the results of queries such as “Where To Go”.

This species update requires version 4.1.318 or later of Wildlife Recorder 4. This update is not compatible with Wildlife Recorder 3.

Taxonomy Support

Important notice for users of Howard and Moore and HBW taxonomies.

It has been some years since the publication of Howard and Moore and there seems to be no sign that a new version will appear. We will no longer be updating the HM taxonomy in future versions of the database. You may continue to use your existing version of H&M taxonomy, but it will no longer be updated.

Since the HBW databases have been taken over by Cornell (eBird) and will use the Clements/eBird taxonomy, we will no longer be updating the HBW taxonomy. You may continue to use your existing version of the HBW taxonomy, but it will no longer be updated.

Changes to the Bird Species Database in previous versions

A complete list of all the changes contained in each version of the species database can be found in the Wildlife Recorder User Area on our website.

Changes to the Bird Species Database since last update (version 116 August 2024)

Clements Taxonomy Changes

Implemented changes in Clements 2024 update. In addition to the changes noted below there are many species sequence changes in this update. For full details of the Clements changes see the [Clements Checklist website](#)

New Species and Sub-species

Species/Sub-species Name
Northern Red-fronted Tinkerbird [eupterus] (<i>Pogoniulus uropygialis eupterus</i>)
Dwarf Cassowary [westermanni] (<i>Casuarius bennetti westermanni</i>)
Dwarf Cassowary [bennetti] (<i>Casuarius bennetti bennetti</i>)
Japanese Pygmy Woodpecker [ijimae] (<i>Yungipicus kizuki ijimae</i>)
Japanese Pygmy Woodpecker [kurodae] (<i>Yungipicus kizuki kurodae</i>)
Striped Woodpecker (Bolivian) (<i>Dryobates lignarius puncticeps</i>)
Striped Woodpecker (Striped) (<i>Dryobates lignarius lignarius</i>)
Snow Partridge [lerwa] (<i>Lerwa lerwa lerwa</i>)
Snow Partridge [major] (<i>Lerwa lerwa major</i>)
Black Wood-Pigeon [stejnegeri] (<i>Columba janthina stejnegeri</i>)
Yellow-crested Cockatoo [paulandrewi] (<i>Cacatua sulphurea paulandrewi</i>)
Cobalt-rumped Parrotlet [flavescens] (<i>Forpus xanthopterygius flavescens</i>)
Cobalt-rumped Parrotlet [flavissimus] (<i>Forpus xanthopterygius flavissimus</i>)
Cobalt-rumped Parrotlet [xanthopterygius] (<i>Forpus xanthopterygius xanthopterygius</i>)
Willow Ptarmigan (Red Grouse) [hibernica] (<i>Lagopus lagopus hibernica</i>)
Silvery-cheeked Antshrike [niedeguidonae] (<i>Sakesphoroides cristatus niedeguidonae</i>)
Silvery-cheeked Antshrike [cristatus] (<i>Sakesphoroides cristatus cristatus</i>)
Short-billed Leaftosser [furfurosus] (<i>Sclerurus rufularis furfurosus</i>)
Black-tailed Leaftosser [caligineus] (<i>Sclerurus caudacutus caligineus</i>)
Sharp-tailed Grouse [hueyi] (<i>Tympanuchus phasianellus hueyi</i>)
Cordilleran Canastero [hilereti] (<i>Asthenes modesta hilereti</i>)
Cordilleran Canastero [cordobae] (<i>Asthenes modesta cordobae</i>)
Black-throated Thistletail [harterti] (<i>Asthenes harterti harterti</i>)
Black-throated Thistletail [bejaranoi] (<i>Asthenes harterti bejaranoi</i>)
Spectacled Prickletail [striaticollis] (<i>Siptornis striaticollis striaticollis</i>)
Spectacled Prickletail [nortoni] (<i>Siptornis striaticollis nortoni</i>)
Tepui Spinetail [cardonaorum] (<i>Cranioleuca demissa cardonaorum</i>)
Tepui Spinetail [demissa] (<i>Cranioleuca demissa demissa</i>)

Brown Cacholote [lophotes] (*Pseudoseisura lophotes lophotes*)
Brown Cacholote [argentina] (*Pseudoseisura lophotes argentina*)
White-throated Cacholote [ochroleuca] (*Pseudoseisura gutturalis ochroleuca*)
White-throated Cacholote [gutturalis] (*Pseudoseisura gutturalis gutturalis*)
White-tailed Tityra (*Tityra leucura*)
Tropical Kingbird (West Mexican) (*Tyrannus melancholicus occidentalis*)
Pilbara Grasswren [parvus] (*Amytornis whitei parvus*)
Sandhill Grasswren [aenigma] (*Amytornis oweni aenigma*)
Striated Grasswren [howei] (*Amytornis striatus howei*)
Striated Grasswren [striatus] (*Amytornis striatus striatus*)
Splendid Fairywren (Central) (*Malurus splendens callainus*)
Red-winged Francolin [crawshayi] (*Scleroptila levaillantii crawshayi*)
Red-winged Francolin [momboloensis] (*Scleroptila levaillantii momboloensis*)
White-eared Honeyeater [depauperata] (*Nesoptilotis leucotis depauperata*)
White-eared Honeyeater [thomasi] (*Nesoptilotis leucotis thomasi*)
White-eared Honeyeater [schoddei] (*Nesoptilotis leucotis schoddei*)
Brown Thornbill [samueli] (*Acanthiza pusilla samueli*)
Copperback Quail-Thrush [morganii] (*Cinclosoma clarum morganii*)
Mangrove Vireo (Northern Central America) [salvini] (*Vireo pallens salvini*)
Mangrove Vireo (Southern Central America) [angulensis] (*Vireo pallens angulensis*)
Mangrove Vireo (Southern Central America) [nicoyensis] (*Vireo pallens nicoyensis*)
Yellow-green Vireo [hypoleucus] (*Vireo flavoviridis hypoleucus*)
Black-naped Oriole (Sunda) [lamprochryseus] (*Oriolus chinensis lamprochryseus*)
Sulawesi Fantail [coomansi] (*Rhipidura teysmanni coomansi*)
White-collared Monarch [vidua] (*Symposiachrus vidua vidua*)
White-collared Monarch [squamulatus] (*Symposiachrus vidua squamulatus*)
Siberian Jay [sibericus] (*Perisoreus infaustus sibericus*)
Ashy Tailorbird [germaini] (*Orthotomus ruficeps germaini*)
Lanceolated Warbler [lanceolata] (*Locustella lanceolata lanceolata*)
Lanceolated Warbler [hendersonii] (*Locustella lanceolata hendersonii*)
Levaillant's Cisticola [elegans] (*Cisticola tinniens elegans*)
Buff-barred Warbler [vegetus] (*Phylloscopus pulcher vegetus*)
White-spectacled Warbler [ocularis] (*Phylloscopus intermedius ocularis*)
Thick-billed Green Pigeon [nipalensis] (*Treron curvirostra nipalensis*)
Thick-billed Green Pigeon [hainanus] (*Treron curvirostra hainanus*)
Thick-billed Green Pigeon [haliplous] (*Treron curvirostra haliplous*)
Thick-billed Green Pigeon [pegus] (*Treron curvirostra pegus*)
Thick-billed Green Pigeon [smicrus] (*Treron curvirostra smicrus*)
Sardinian Warbler [leucogastra] (*Curruca melanocephala leucogastra*)
Sardinian Warbler [valverdei] (*Curruca melanocephala valverdei*)

Gray-hooded Parrotbill [zappeyi] (*Suthora zappeyi zappeyi*)
Gray-hooded Parrotbill [erlangshanica] (*Suthora zappeyi erlangshanica*)
Ashy-throated Parrotbill [ganluoensis] (*Suthora alphonsiana ganluoensis*)
Wedge-tailed Pigeon [delacouri] (*Treron sphenurus delacouri*)
Wedge-tailed Pigeon [etorques] (*Treron sphenurus etorques*)
Streak-breasted Scimitar Babbler [styani] (*Pomatorhinus ruficollis styani*)
Collared Babbler [luciae] (*Gampsorhynchus torquatus luciae*)
Dusky Fulvetta [weigoldi] (*Schoeniparus brunneus weigoldi*)
Short-tailed Babbler (Glissando) (*Pellorneum malaccense saturatum*)
Buff-breasted Babbler [garoense] (*Pellorneum tickelli garoense*)
Eyebrowed Wren-Babbler [lucilleae] (*Napothera epilepidota lucilleae*)
Yunnan Fulvetta [laotiana] (*Alcippe fratercula laotiana*)
Streaked Laughingthrush [schachdarensis] (*Trochaloxyton lineatum schachdarensis*)
Bare-cheeked Babbler [gymnogenys] (*Turdoides gymnogenys gymnogenys*)
Bare-cheeked Babbler [kaokensis] (*Turdoides gymnogenys kaokensis*)
Spot-breasted Laughingthrush [laoensis] (*Garrulax merulinus laoensis*)
Southern House Wren (cis-Andean) [effutitus] (*Troglodytes aedon effutitus*)
Slaty-backed Nightingale-Thrush (Slaty-backed) [arcanus] (*Catharus fuscater arcanus*)
Slaty-backed Nightingale-Thrush (Slaty-backed) [tenebris] (*Catharus fuscater tenebris*)
Slaty-backed Nightingale-Thrush (Slaty-backed) [berlepschi] (*Catharus fuscater berlepschi*)
Slaty-backed Nightingale-Thrush (Slaty-backed) [nebulus] (*Catharus fuscater nebulus*)
Pale-breasted Thrush [upichiarum] (*Turdus leucomelas upichiarum*)
Red-legged Thrush (Cuban) [perditus] (*Turdus plumbeus perditus*)
Ryukyu Flycatcher [jakuschima] (*Ficedula owstoni jakuschima*)
Ryukyu Flycatcher [shonis] (*Ficedula owstoni shonis*)
Ryukyu Flycatcher [owstoni] (*Ficedula owstoni owstoni*)
Black Redstart (Eastern) [murinus] (*Phoenicurus ochruros murinus*)
Hainan Blue Flycatcher [dialilaemus] (*Cyornis hainanus dialilaemus*)
Coppery-tailed Coucal [songweensis] (*Centropus cupreicaudus songweensis*)
Coppery-tailed Coucal [cupreicaudus] (*Centropus cupreicaudus cupreicaudus*)
Red-billed Malkoha [pallidus] (*Zancluscorvus javanicus pallidus*)
Red-billed Malkoha [javanicus] (*Zancluscorvus javanicus javanicus*)
White-rumped Seedeater [pallens] (*Crithagra leucopygia pallens*)
Asian Koel [corvinus] (*Eudynamis scolopacea corvinus*)
Lapland Longspur [kamtschaticus] (*Calcarius lapponicus kamtschaticus*)
Lapland Longspur [subcalcaratus] (*Calcarius lapponicus subcalcaratus*)
Fan-tailed Cuckoo [meeki] (*Cacomantis flabelliformis meeki*)
Grey-crowned Palm Tanager [tetraopes] (*Phaenicophilus poliocephalus tetraopes*)
Long-tailed Meadowlark [obscurus] (*Leistes loyca obscurus*)
Dusky Long-tailed Cuckoo [mechowi] (*Cercococcyx mechowi mechowi*)

Dusky Long-tailed Cuckoo [lemaireae] (*Cercococcyx mechowi lemaireae*)
Spot-breasted Oriole [carolynae] (*Icterus pectoralis carolynae*)
Spot-breasted Oriole [guttulatus] (*Icterus pectoralis guttulatus*)
Black-polled Yellowthroat [speciosa] (*Geothlypis speciosa speciosa*)
Black-polled Yellowthroat [limnatis] (*Geothlypis speciosa limnatis*)
Black-throated Green Warbler [virens] (*Setophaga virens virens*)
Black-throated Green Warbler [waynei] (*Setophaga virens waynei*)
Timor Nightjar (*Caprimulgus ritae*)
Hooded Plover [tregellasi] (*Thinornis cucullatus tregellasi*)
Hooded Plover [cucullatus] (*Thinornis cucullatus cucullatus*)
Shore Plover [novaeseelandiae] (*Thinornis novaeseelandiae novaeseelandiae*)
Shore Plover [rossii] (*Thinornis novaeseelandiae rossii*)
Sulawesi Woodcock [heinrichi] (*Scolopax celebensis heinrichi*)
Sulawesi Woodcock [celebensis] (*Scolopax celebensis celebensis*)
American Flamingo [ruber] (*Phoenicopterus ruber ruber*)
American Flamingo [glyphorhynchus] (*Phoenicopterus ruber glyphorhynchus*)
White-chinned Petrel [aequinoctialis] (*Procellaria aequinoctialis aequinoctialis*)
White-chinned Petrel [steadii] (*Procellaria aequinoctialis steadii*)
Little Egret (Australasian) (*Egretta garzetta immaculata*)
Black-goggled Tanager [melanops] (*Trichothraupis melanops melanops*)
Black-goggled Tanager [griseonota] (*Trichothraupis melanops griseonota*)
Northern Turkey Vulture [meridionalis] (*Cathartes aura meridionalis*)
Red-tailed Hawk (abieticola) (*Buteo jamaicensis abieticola*)
Red-tailed Hawk (Sutton's) (*Buteo jamaicensis suttoni*)
Rusty-margined Guan [pseudonyma] (*Penelope superciliaris pseudonyma*)
Bar-tailed Trogon [francisci] (*Apaloderma vittatum francisci*)
Bar-tailed Trogon [delhoyoi] (*Apaloderma vittatum delhoyoi*)
Eurasian Hoopoe (Eurasian) [saturata] (*Upupa epops saturata*)
Finsch's Duck (*Chenonetta finschi*)
Mauritius Wood-Pigeon (*Columba thiriouxi*)
Rodrigues Blue-Pigeon (*Alectroenas payandeei*)
Hodgen's Waterhen (*Tribonyx hodgenorum*)
New Caledonian Gallinule (*Porphyrio kukwiedei*)
Reunion Gallinule (*Porphyrio caerulescens*)
Martinique Amazon (*Amazona martinicana*)
Guadeloupe Amazon (*Amazona violacea*)
Guadeloupe Parakeet (*Psittacara labati*)
Raiatea Starling (*Aplonis ulietensis*)
Reunion Fody (*Foudia delloni*)

New Groups

Group Name
Striped Woodpecker (Bolivian) (<i>Dryobates lignarius puncticeps</i>)
Striped Woodpecker (Striped) (<i>Dryobates lignarius lignarius</i>)
Sclater's Monal (White-tailed) (<i>Lophophorus sclateri arunachalensis</i>)
Sclater's Monal (Sclater's) (<i>Lophophorus sclateri sclateri/orientalis</i>)
Willow Ptarmigan (Red Grouse) (<i>Lagopus lagopus scotica/hibernica</i>)
Papuan Pitta (Northern) (<i>Erythropitta macklotii habenichti</i>)
Papuan Pitta (Southern) (<i>Erythropitta macklotii [macklotii-group]</i>)
Papuan Pitta (D'Entrecasteaux) (<i>Erythropitta macklotii finschii</i>)
Olive-crowned Crescentchest (Sierran) (<i>Melanopareia maximiliani maximiliani/argentina</i>)
Olive-crowned Crescentchest (Chaco) (<i>Melanopareia maximiliani pallida</i>)
Pale-breasted Spinetail (Pale-breasted) (<i>Synallaxis albescens [albescens-group]</i>)
Pale-breasted Spinetail (Austral) (<i>Synallaxis albescens australis</i>)
Ochre-bellied Flycatcher (assimilis) (<i>Mionectes oleagineus assimilis</i>)
Ochre-bellied Flycatcher (parcus) (<i>Mionectes oleagineus parcus</i>)
Ochre-bellied Flycatcher (pacificus) (<i>Mionectes oleagineus pacificus</i>)
Ochre-bellied Flycatcher (oleagineus Group) (<i>Mionectes oleagineus [oleagineus-group]</i>)
Western Olivaceous Flatbill (Western) (<i>Rhynchocyclus aequinoctialis [aequinoctialis-group]</i>)
Western Olivaceous Flatbill (Cryptic) (<i>Rhynchocyclus aequinoctialis cryptus</i>)
Eastern Olivaceous Flatbill (Guianan) (<i>Rhynchocyclus olivaceus guianensis/sordidus</i>)
Eastern Olivaceous Flatbill (Olivaceous) (<i>Rhynchocyclus olivaceus olivaceus</i>)
Mouse-colored Tyrannulet (Northern) (<i>Nesotriccus murinus incomtus/eremonomus</i>)
Mouse-colored Tyrannulet (Southern) (<i>Nesotriccus murinus murinus/wagae</i>)
Yellowish Flycatcher (Northern) (<i>Empidonax flavescens imperturbatus/salvini</i>)
Yellowish Flycatcher (Southern) (<i>Empidonax flavescens flavescens</i>)
Tropical Kingbird (West Mexican) (<i>Tyrannus melancholicus occidentalis</i>)
Tropical Kingbird (South American) (<i>Tyrannus melancholicus melancholicus/despotes</i>)
Tropical Kingbird (Middle American) (<i>Tyrannus melancholicus satrapa</i>)
Splendid Fairywren (Western) (<i>Malurus splendens splendens</i>)
Splendid Fairywren (Central) (<i>Malurus splendens callainus</i>)
Splendid Fairywren (Eastern) (<i>Malurus splendens melanotus/emmtorum</i>)
Oriental Cuckooshrike (Javan) (<i>Coracina javensis javensis</i>)
Oriental Cuckooshrike (Oriental) (<i>Coracina javensis [nipalensis-group]</i>)
Oriental Cuckooshrike (East Asian) (<i>Coracina javensis rexpineti</i>)
Wallacean Cuckooshrike (Kai) (<i>Coracina personata pollens</i>)
Wallacean Cuckooshrike (Flores) (<i>Coracina personata floris</i>)
Wallacean Cuckooshrike (Sumba) (<i>Coracina personata sumbensis</i>)
Wallacean Cuckooshrike (Timor) (<i>Coracina personata personata</i>)

Wallacean Cuckooshrike (Tanimbar) (*Coracina personata unimoda*)

Timor Cicadabird (Flores Sea) (*Edolisoma timoriense emancipatum/kalaotuae*)

Timor Cicadabird (Timor) (*Edolisoma timoriense timoriense*)

Black-bibbed Cicadabird (Luzon) (*Edolisoma mindanense lecroyae*)

Black-bibbed Cicadabird (Mindoro) (*Edolisoma mindanense elusum*)

Black-bibbed Cicadabird (Mindanao) (*Edolisoma mindanense mindanense/ripleyi*)

Black-bibbed Cicadabird (Sulu) (*Edolisoma mindanense everetti*)

Central Melanesian Cicadabird (Lihir) (*Edolisoma erythropygium ultimum*)

Central Melanesian Cicadabird (Central Melanesian) (*Edolisoma erythropygium erythropygium/saturatius*)

Central Melanesian Cicadabird (Pavuvu) (*Edolisoma erythropygium nisorium*)

North Moluccan Cicadabird (Tukangbesi) (*Edolisoma grayi pererratum*)

North Moluccan Cicadabird (North Moluccan) (*Edolisoma grayi grayi*)

Bismarck Cicadabird (Mussau) (*Edolisoma remotum matthiae*)

Bismarck Cicadabird (New Ireland) (*Edolisoma remotum remotum*)

Bismarck Cicadabird (Umboi) (*Edolisoma remotum rooki*)

Bismarck Cicadabird (New Britain) (*Edolisoma remotum heinrothi*)

Sangihe Cicadabird (Sangihe) (*Edolisoma salvadorii salvadorii*)

Sangihe Cicadabird (Talaud) (*Edolisoma salvadorii talautense*)

Mangrove Vireo (Southern Central America) (*Vireo pallens [pallens-group]*)

Brown-capped Vireo (Northern) (*Vireo leucophrys [amauronotus-group]*)

Brown-capped Vireo (Southern) (*Vireo leucophrys [leucophrys-group]*)

Yellow-green Vireo (Yellow-green) (*Vireo flavoviridis [flavoviridis-group]*)

Yellow-green Vireo (Tres Marias Is.) (*Vireo flavoviridis forreri*)

Fawn-breasted Whistler (Timor) (*Pachycephala orpheus orpheus*)

Supertramp Fantail (Lesser Sundas) (*Rhipidura semicollaris [semicollaris-group]*)

Supertramp Fantail (Pale-fronted) (*Rhipidura semicollaris elegantula*)

Supertramp Fantail (Babar) (*Rhipidura semicollaris reichenowi*)

Supertramp Fantail (Tanimbar) (*Rhipidura semicollaris hamadryas*)

Supertramp Fantail (Black-chested) (*Rhipidura semicollaris squamata/henrici*)

Chestnut-bellied Monarch (Bougainville) (*Monarcha castaneiventris erythrostickus*)

Black-winged Monarch (Arfak) (*Monarcha frater frater*)

Black-winged Monarch (Masked) (*Monarcha frater kunupi/periophthalmicus*)

Black-winged Monarch (Pearly) (*Monarcha frater canescens*)

Highland Lark (Western) (*Corypha kurrae henrici/batesi*)

Plains Lark (Kabali's) (*Corypha kabalii kabalii*)

Plains Lark (Malbrant's) (*Corypha kabalii malbranti*)

Rufous-naped Lark (Rufous-naped) (*Corypha africana [africana-group]*)

Red-winged Lark (Red-winged) (*Corypha hypermetra hypermetra*)

Red-winged Lark (Rift Valley) (*Corypha hypermetra gallarum*)

Yellow-bellied Eremomela (Yellow-bellied) (*Eremomela icteropygialis [icteropygialis-group]*)

Yellow-bellied Eremomela (Salvadori's) (*Eremomela icteropygialis salvadorii*)

African Red-rumped Swallow (melanocrissus Group) (*Cecropis melanocrissus [melanocrissus-group]*)

Eastern Red-rumped Swallow (Daurian) (*Cecropis daurica [daurica-group]*)

Penan Bulbul (Penan) (*Alophoixus ruficrissus ruficrissus/fowleri*)

Penan Bulbul (Meratus) (*Alophoixus ruficrissus meratusensis*)

Thick-billed Green-Pigeon (Thick-billed) (*Treron curvirostra [curvirostra-group]*)

Thick-billed Green-Pigeon (Barusan) (*Treron curvirostra hypothapsinus/smicrus*)

Yellow-footed Green-Pigeon (Yellow-bellied) (*Treron phoenicopterus chlorigaster/phillipsi*)

Yellow-footed Green-Pigeon (Gray-bellied) (*Treron phoenicopterus [phoenicopterus-group]*)

Ashy-bellied White-eye (Yellow-bellied) (*Zosterops citrinella unicus*)

Ashy-bellied White-eye (Ashy-bellied) (*Zosterops citrinella [citrinella-group]*)

Tawny-bellied Babbler (Tawny-bellied) (*Dumetia hyperythra hyperythra*)

Tawny-bellied Babbler (White-throated) (*Dumetia hyperythra albogularis/phillipsi*)

Rufous-fronted Babbler (Buff-chested) (*Cyanoderma rufifrons [ambiguum-group]*)

Rufous-fronted Babbler (Rufous-fronted) (*Cyanoderma rufifrons [rufifrons-group]*)

Rose-crowned Fruit-Dove (Gray-crowned) (*Ptilinopus regina xanthogaster/roseipileum*)

Rose-crowned Fruit-Dove (Rosy-crowned) (*Ptilinopus regina [regina-group]*)

Chestnut-crowned Laughingthrush (Chestnut-crowned) (*Trochalopteron erythrocephalum erythrocephalum/kali*)

Chestnut-crowned Laughingthrush (Gray-crowned) (*Trochalopteron erythrocephalum nigrimentum*)

Spotted Laughingthrush (Brown-cheeked) (*Ianthocincla ocellata [ocellata-group]*)

Spotted Laughingthrush (Black-headed) (*Ianthocincla ocellata artemisiae*)

Southern House Wren (Central American) (*Troglodytes musculus [intermedius-group]*)

Southern House Wren (North Andean) (*Troglodytes musculus [audax-group]*)

Southern House Wren (South Peruvian) (*Troglodytes musculus carabayae*)

Southern House Wren (South Peruvian) (*Troglodytes musculus carabayae*)

Band-backed Wren (Mesoamerican) (*Campylorhynchus zonatus [zonatus-group]*)

Band-backed Wren (Costa Rican) (*Campylorhynchus zonatus costaricensis/panamensis*)

Band-backed Wren (Colombian) (*Campylorhynchus zonatus brevirostris/curvirostris*)

Rufous-backed Wren (Sula Valley) (*Campylorhynchus capistratus castaneus*)

Rufous-backed Wren (Rufous-backed) (*Campylorhynchus capistratus [capistratus-group]*)

Plain-tailed Wren (Western) (*Pheugopedius euophrys euophrys*)

Plain-tailed Wren (Eastern) (*Pheugopedius euophrys longipes/atriceps*)

Jungle Myna (Blue-eyed) (*Acridotheres fuscus mahrattensis*)

Jungle Myna (Yellow-eyed) (*Acridotheres fuscus [fuscus-group]*)

Sundaic Island-Thrush (Sooty) (*Turdus poliocephalus fumidus/biesenbachi*)

Solomons Island-Thrush (Kolombangara) (*Turdus kulambangrae kulambangrae*)

Solomons Island-Thrush (Guadalcanal) (*Turdus kulambangrae sladeni*)
Vanikoro Island-Thrush (Rennell) (*Turdus vanikorensis rennellianus*)
Orange-bellied Flowerpecker (Orange-bellied) (*Dicaeum trigonostigma [trigonostigma-group]*)
Orange-bellied Flowerpecker (Orange-breasted) (*Dicaeum trigonostigma xanthopygium/dorsale*)
Orange-bellied Flowerpecker (Sibuyan) (*Dicaeum trigonostigma [sibuyanicum-group]*)
Orange-bellied Flowerpecker (Grey-throated) (*Dicaeum trigonostigma [cinereigulare-group]*)
Orange-bellied Flowerpecker (Sulu) (*Dicaeum trigonostigma sibuense/assimile*)
Mistletoebird (Australian) (*Dicaeum hirundinaceum hirundinaceum*)
Black Sunbird (Sangihe) (*Leptocoma aspasia talautensis/sangirensis*)
Black Sunbird (North Sulawesi) (*Leptocoma aspasia grayi*)
Black Sunbird (South Sulawesi) (*Leptocoma aspasia porphyrolaema*)
Black Sunbird (Moluccan) (*Leptocoma aspasia [aspasioides-group]*)
Black Sunbird (Kai) (*Leptocoma aspasia chlorolaema*)
Black Sunbird (Papuan) (*Leptocoma aspasia [aspasia-group]*)
Black Sunbird (Bismarck) (*Leptocoma aspasia [corinna-group]*)
Redpoll (Lesser) (*Acanthis flammea cabaret*)
Redpoll (exilipes) (*Acanthis flammea exilipes*)
Redpoll (hornemanni) (*Acanthis flammea hornemanni*)
Hooded Siskin (Guianan) (*Spinus magellanicus longirostris*)
Hooded Siskin (Andean) (*Spinus magellanicus [capitalis-group]*)
Hooded Siskin (Lowland) (*Spinus magellanicus [magellanicus-group]*)
Rosy Thrush-Tanager (Mexican) (*Rhodinocichla rosea schistacea*)
Rosy Thrush-Tanager (Panama) (*Rhodinocichla rosea eximia*)
Rosy Thrush-Tanager (Southern) (*Rhodinocichla rosea [rosea-group]*)
Fan-tailed Cuckoo (Sahul) (*Cacomantis flabelliformis [flabelliformis-group]*)
Fan-tailed Cuckoo (New Caledonian) (*Cacomantis flabelliformis pyrrophanus*)
Fan-tailed Cuckoo (Vanuatu) (*Cacomantis flabelliformis schistaceigularis*)
Fan-tailed Cuckoo (Fiji) (*Cacomantis flabelliformis simus*)
Stripe-headed Sparrow (Northern) (*Peucaea ruficauda acuminata*)
Stripe-headed Sparrow (Southern) (*Peucaea ruficauda [ruficauda-group]*)
Long-tailed Meadowlark (Sierran) (*Leistes loyca obscurus*)
Long-tailed Meadowlark (Long-tailed) (*Leistes loyca [loyca-group]*)
Carib Grackle (Carib) (*Quiscalus lugubris [lugubris-group]*)
Carib Grackle (Barbados) (*Quiscalus lugubris fortirostris*)
Orange-headed Tanager (Western) (*Thlypopsis sordida chrysopsis/orinocensis*)
Orange-headed Tanager (Eastern) (*Thlypopsis sordida sordida*)
White-shouldered Tanager (Puntarenas) (*Loriotus luctuosus nitidissimus*)
White-shouldered Tanager (Common) (*Loriotus luctuosa [luctuosa-group]*)
White-throated Shrike-Tanager (White-throated) (*Lanio leucothorax leucothorax*)

White-throated Shrike-Tanager (Black-rumped) (*Lanio leucothorax [melanopygius-group]*)

Blue-capped Tanager (Blue-bellied) (*Sporathraupis cyanocephala olivicyanea*)

Blue-capped Tanager (Blue-capped) (*Sporathraupis cyanocephala [cyanocephala-group]*)

Blue-capped Tanager (Venezuelan) (*Sporathraupis cyanocephala subcinerea/buesingi*)

Black-chested Mountain Tanager (Blue-rumped) (*Cnemathraupis eximia eximia/zimmeri*)

Black-chested Mountain Tanager (Moss-rumped) (*Cnemathraupis eximia chloronota/cyanocalyptra*)

Palm Tanager (Olive) (*Tangara palmarum [palmarum-group]*)

Palm Tanager (Violaceous) (*Tangara palmarum violilavata*)

Plumbeous Sierra-Finch (Northern) (*Geospizopsis unicolor nivaria/geospizopsis*)

Plumbeous Sierra-Finch (Peruvian) (*Geospizopsis unicolor inca*)

Plumbeous Sierra-Finch (Southern) (*Geospizopsis unicolor [unicolor-group]*)

Wedge-tailed Grass-Finch (Northern) (*Emberizoides herbicola [sphenurus-group]*)

Wedge-tailed Grass-Finch (Southern) (*Emberizoides herbicola herbicola*)

White-nest Swiftlet (Germain's) (*Aerodramus fuciphagus germani/amechanus*)

White-nest Swiftlet (White-nest) (*Aerodramus fuciphagus [fuciphagus-group]*)

Cinnamon Teal (Northern) (*Spatula cyanoptera septentrionalium*)

Cinnamon Teal (Andean) (*Spatula cyanoptera [orinoma-group]*)

Cinnamon Teal (Southern) (*Spatula cyanoptera cyanoptera*)

Red-wattled Lapwing (White-necked) (*Vanellus indicus [indicus-group]*)

Red-wattled Lapwing (Black-necked) (*Vanellus indicus atronuchalis*)

Least Bittern (Northern) (*Botaurus exilis exilis/pullus*)

Least Bittern (Southern) (*Botaurus exilis [erythromelas-group]*)

Little Egret (Australasian) (*Egretta garzetta immaculata*)

Red-tailed Hawk (abieticola) (*Buteo jamaicensis abieticola*)

Red-tailed Hawk (Sutton's) (*Buteo jamaicensis suttoni*)

Oriental Scops-Owl (Southern) (*Otus sunia [sunia-group]*)

Rusty-margined Guan (Blue-faced) (*Penelope superciliaris pseudonyma*)

Rusty-margined Guan (Gray-faced) (*Penelope superciliaris [superciliaris-group]*)

Australian Brushturkey (Purple-pouched) (*Alectura lathami purpureicollis*)

Australian Brushturkey (Yellow-pouched) (*Alectura lathami lathami*)

Partridge Pigeon (Yellow-faced) (*Geophaps smithii blaauwi*)

Partridge Pigeon (Red-faced) (*Geophaps smithii smithii*)

Sooty Barbthroat (Amapa) (*Threnetes niger loehkeni*)

Sooty Barbthroat (French Guiana) (*Threnetes niger niger*)

Giant Hummingbird (Northern) (*Patagona gigas peruviana*)

Giant Hummingbird (Southern) (*Patagona gigas gigas*)

Elliot's Storm-Petrel (Galapagos) (*Oceanites gracilis galapagoensis*)

Elliot's Storm-Petrel (Humboldt) (*Oceanites gracilis gracilis*)

Magnificent Frigatebird (Magnificent) (*Fregata magnificens rothschildi*)

Magnificent Frigatebird (Galapagos) (*Fregata magnificens magnificens*)
Common Black Hawk (Common) (*Buteogallus anthracinus anthracinus*)
Cuckoo-roller (Grande Comore) (*Leptosomus discolor gracilis*)
Cuckoo-roller (Anjouan) (*Leptosomus discolor intermedius*)
Cuckoo-roller (Malagasy) (*Leptosomus discolor discolor*)
Rufous Hornbill (Visayan) (*Buceros hydrocorax semigaleatus*)
Rufous Hornbill (Southern) (*Buceros hydrocorax mindanensis*)
Peregrine (Australian) (*Falco peregrinus macropus*)
Silvery-cheeked Antshrike (Northern) (*Sakesphoroides cristatus niedeguidonae*)
Silvery-cheeked Antshrike (Southern) (*Sakesphoroides cristatus cristatus*)
Banda Myzomela (Banda Islands) (*Myzomela boiei boiei*)
Banda Myzomela (Tanimbar) (*Myzomela boiei annabellae*)
Fiji Streaked Fantail (Viti Levu) (*Rhipidura layardi layardi*)
Fiji Streaked Fantail (Vanua Levu) (*Rhipidura layardi erythronota*)
Rook (Western) (*Corvus frugilegus frugilegus*)
Rook (Eastern) (*Corvus frugilegus pastinator*)
Seram Golden-Bulbul (Seram) (*Hypsipetes affinis affinis*)
Seram Golden-Bulbul (Ambon) (*Hypsipetes affinis flavicaudus*)
White-lored Gnatcatcher (Van Rossem's) (*Polioptila albiloris vanrossemi*)
White-lored Gnatcatcher (Central American) (*Polioptila albiloris albiloris*)
Ultramarine Flycatcher (Eyebrowed) (*Ficedula superciliaris superciliaris*)
Ultramarine Flycatcher (Eastern) (*Ficedula superciliaris aestigma*)
Red-crowned Ant-Tanager (Perija) (*Habia rubica perijana*)
Black-faced Grosbeak (Northern) (*Caryothraustes poliogaster poliogaster*)
Black-faced Grosbeak (Southern) (*Caryothraustes poliogaster scapularis*)
Morelet's Seedeater (Sharpe's) (*Sporophila moreletii sharpei*)
Morelet's Seedeater (Morelet's) (*Sporophila moreletii moreletii*)
Paramo Seedeater (Santa Marta) (*Catamenia homochroa oreophila*)
Paramo Seedeater (Paramo) (*Catamenia homochroa homochroa*)
Paramo Seedeater (Tepui) (*Catamenia homochroa duncani*)

Deleted Species and Sub-species

(N.B. These will still be in the database but marked “not in taxonomy”)

Species/Sub-species Name	Reason
Iris Lorikeet [rubripileum] (<i>Trichoglossus iris rubripileum</i>)	Included in nominate
Splendid Fairywren [musgravi] (<i>Malurus splendens musgravi</i>)	Included in <i>callainus</i>
Mottle-breasted Honeyeater [rara] (<i>Meliphaga mimikae rara</i>)	Synonymised with Mimic Honeyeater [flavida] (<i>Microptilotis analogus flavida</i>)
Scrub Honeyeater [setekwa] (<i>Meliphaga albonotata setekwa</i>)	Monotypic
Scrub Honeyeater [albonotata] (<i>Meliphaga albonotata albonotata</i>)	“
Elegant Honeyeater [stevensi] (<i>Meliphaga cinereifrons stvensi</i>)	“
Elegant Honeyeater [cinereifrons] (<i>Meliphaga cinereifrons cinereifrons</i>)	“
Short-tailed Babbler (Glissando) (<i>Pellorneum malaccense sordidum</i>)	Replaced by <i>Pellorneum malaccense saturatum</i>
Eyebrowed Wren-Babbler [mendeni] (<i>Napothera epilepidota mendeni</i>)	Included in <i>diluta</i>
Olive-flanked Robin-Chat (Olive-flanked) [gurue] (<i>Dessonornis anomalus gurue</i>)	Included in nominate
Little Egret (Australasian) (<i>Egretta garzetta nigripes</i>)	considered an intergrade between yellow-footed <i>Egretta garzetta garzetta</i> and black-footed Australian <i>Egretta garzetta</i> populations, and is thus replaced by <i>immaculata</i>
Black-tailed Trogon (Black-tailed) [occidentalis] (<i>Trogon melanurus occidentalis</i>)	Included in <i>eumorphus</i>
Common Black Hawk (Common) [utilensis] (<i>Buteogallus anthracinus utilensis</i>)	Included in nominate
Peregrine Falcon (Australian) [submelanogenys] (<i>Falco peregrinus submelanogenys</i>)	Included in <i>macropus</i>

Deleted Groups

(N.B. These will still be in the database but marked “not in taxonomy”)

Group Name	Reason
Large Cuckooshrike (Large) (<i>Coracina macei</i> [<i>nipalensis-group</i>])	<i>rexpineti</i> removed from group as a monotypic group
Wallacean Cuckooshrike (Wallacean) (<i>Coracina personata</i> [<i>personata-group</i>])	Group members are now monotypic groups
Common Cicadabird (Obi) (<i>Edolisoma tenuirostre obiense/pelingi</i>)	Group members split as distinct species
Slender-billed Crow (Sierra Madre) (<i>Corvus enca samarensis/sierramadrensis</i>)	“
Rufous-naped Lark (Rufous-naped) (<i>Corypha</i> (<i>Mirafra</i>) <i>africana</i> [<i>africana-group</i>])	Group members split between <i>Corypha africana</i> , <i>C. kurrae</i> , <i>C. athi</i> and <i>C. kabalii</i>
Red-winged Lark (Red-winged) (<i>Corypha</i> (<i>Mirafra</i>) <i>hypermetra</i> [<i>hypermetra-group</i>])	Group members split between <i>Corypha kidepoensis</i> and <i>C. hypermetra</i>
Island Thrush (Javan) (<i>Turdus poliocephalus javanicus/biesenbachi</i>)	Group members moved to other groups
Island Thrush (North Melanesian) (<i>Turdus poliocephalus heinrothi-group</i>)	“
Blue-throated Flycatcher (Blue-throated) (<i>Cyornis rubeculoides rubeculoides</i>)	ssp <i>dialilaemus</i> moved to <i>C. hainanus</i> so grouping no longer required
Blue-throated Flycatcher (Notch-throated) (<i>Cyornis rubeculoides dialilaemus/rogersi</i>)	“
Sunda Scops-Owl (Singapore) (<i>Otus lempiji cnephaeus</i>)	Moved to Collared Scops-Owl (<i>Otus lettia</i>) and no longer shown as a group
Oriental Scops-Owl (Oriental) (<i>Otus sunia</i> [<i>sunia-group</i>])	Group members split amongst <i>Otus sunia</i> [<i>sunia Group</i>] and <i>Otus</i> [<i>japonicus-group</i>]
Common Black Hawk (Common) (<i>Buteogallus anthracinus anthracinus/utilensis</i>)	<i>utilensis</i> is included in <i>anthracinus</i>
Rufous Hornbill (Southern) (<i>Buceros hydrocorax mindanensis/semigaleatus</i>)	<i>submelanogenys</i> is included in <i>macropus</i>
Fiji Streaked Fantail (Fiji) (<i>Rhipidura layardi layardi/erythronota</i>)	Group members now monotypic groups

Splits

Species	Split From
Spot-bellied Bobwhite (<i>Colinus leucopogon</i>) with ssp. <i>incanus</i> , <i>hypoleucus</i> , <i>leucopogon</i> , <i>leylandi</i> , <i>sclateri</i> , <i>dickeyi</i>	Crested Bobwhite (<i>Colinus cristatus</i>)
Western Yellow-billed Barbet (<i>Trachyphonus goffinii</i>) with ssp. <i>goffinii</i> , <i>togoensis</i>	Yellow-billed Barbet (<i>Trachyphonus purpuratus</i>)
Eastern Yellow-billed Barbet (<i>Trachyphonus purpuratus</i>) with ssp. <i>purpuratus</i> , <i>elgonensis</i>	“
Northern Red-fronted Tinkerbird (<i>Pogoniulus uropygialis</i>) with ssp. <i>uropygialis</i> , <i>affinis</i> , <i>eupterus</i>	Red-fronted Tinkerbird (<i>Pogoniulus pusillus</i>)
Southern Red-fronted Tinkerbird (<i>Pogoniulus pusillus</i>)	“
Guatemalan Flicker (<i>Colaptes mexicanoides</i>)	Northern Flicker (<i>Colaptes auratus</i>)
Piping Woodcreeper (<i>Deconychura typica</i>) with ssp. <i>typica</i> , <i>dariensis</i> , <i>minor</i>	Long-tailed Woodcreeper (<i>Deconychura longicauda</i>)
Whistling Woodcreeper (<i>Deconychura longicauda</i>)	“
Mournful Woodcreeper (<i>Deconychura pallida</i>) with ssp. <i>typica</i> , <i>dariensis</i> , <i>minor</i>	“
Northern Plain-Xenops (<i>Xenops mexicanus</i>) with ssp. <i>mexicanus</i> , <i>ridgwayi</i> , <i>littoralis</i> , <i>neglectus</i> , <i>olivaceus</i>	Plain Xenops (<i>Xenops minutus</i>)
Amazonian Plain-Xenops (<i>Xenops genibarbis</i>) with ssp. <i>remoratus</i> , <i>ruficaudus</i> , <i>obsoletus</i> , <i>genibarbis</i> , <i>alagoanus</i>	“
Atlantic Plain-Xenops (<i>Xenops minutus</i>)	“
Pilbara Grasswren (<i>Amytornis whitei</i>) with ssp. <i>parvus</i> , <i>whitei</i>	Rufous Grasswren (<i>Amytornis whitei</i>)
Sandhill Grasswren (<i>Amytornis oweni</i>) with ssp. <i>oweni</i> , <i>aenigma</i>	“
Moluccan Myzomela (<i>Myzomela simplex</i>) with ssp. <i>simplex</i> , <i>mortyana</i>	Dusky Myzomela (<i>Myzomela obscura</i>)
Red-tinged Myzomela (<i>Myzomela rubrotincta</i>)	“
Biak Myzomela (<i>Myzomela rubrobrunnea</i>)	“
Reddish Myzomela (<i>Myzomela erythrina</i>) with ssp. <i>lavongai</i> , <i>cantans</i> , <i>vinacea</i> , <i>erythrina</i>	Red Myzomela (<i>Myzomela cruentata</i>)
Indian Cuckooshrike (<i>Coracina macei</i>) with ssp. <i>macei</i> , <i>layardi</i>	Large Cuckooshrike (<i>Coracina macei</i>)
Malayan Cuckooshrike (<i>Coracina larutensis</i>)	“
Mindoro Cuckooshrike (<i>Coracina mindorensis</i>)	Bar-bellied Cuckooshrike (<i>Coracina striata</i>)
Visayan Cuckooshrike (<i>Coracina panayensis</i>)	“

Mindanao Cuckooshrike (<i>Coracina kochii</i>) with ssp. <i>boholensis</i> , <i>kochii</i>	“
Sulu Cuckooshrike (<i>Coracina guillemardi</i>)	“
Biak Triller (<i>Lalage leucoptera</i>)	Black-browed Triller (<i>Lalage atrovirens</i>)
Timor Cicadabird (<i>Edolisoma timoriense</i>) with ssp. <i>emancipatum</i> , <i>kalaotuae</i> , <i>timoriense</i>	Common Cicadabird (<i>Edolisoma tenuirostre</i>)
Pohnpei Cicadabird (<i>Edolisoma insperatum</i>)	“
Palau Cicadabird (<i>Edolisoma monacha</i>)	“
Yap Cicadabird (<i>Edolisoma nesiotis</i>)	“
Central Melanesian Cicadabird (<i>Edolisoma erythropygium</i>) with ssp. <i>ultimum</i> , <i>saturatius</i> , <i>erythropygium</i> , <i>nisorium</i>	“
Geelvink Cicadabird (<i>Edolisoma meyerii</i>) with ssp. <i>numforanum</i> , <i>meyerii</i>	“
Obi Cicadabird (<i>Edolisoma obiense</i>)	“
Banggai Cicadabird (<i>Edolisoma pelingi</i>)	“
North Moluccan Cicadabird (<i>Edolisoma grayi</i>) with ssp. <i>pererratum</i> , <i>grayi</i>	“
Bismarck Cicadabird (<i>Edolisoma remotum</i>) with ssp. <i>matthiae</i> , <i>remotum</i> , <i>rooki</i> , <i>heinrothi</i>	“
Rossel Cicadabird (<i>Edolisoma rostratum</i>)	“
South Moluccan Cicadabird (<i>Edolisoma amboinense</i>)	“
Sahul Cicadabird (<i>Edolisoma tenuirostre</i>) with ssp. <i>muellerii</i> , <i>nehrkorni</i> , <i>aruense</i> , <i>tagulanum</i> , <i>melvillense</i> , <i>tenuirostre</i>	“
Malaita Cicadabird (<i>Edolisoma tricolor</i>)	Solomons Cuckooshrike (<i>Edolisoma holopolium</i>)
Sangihe Cicadabird (<i>Edolisoma salvadorii</i>) with ssp. <i>salvadorii</i> , <i>talautense</i>	Sulawesi Cicadabird (<i>Edolisoma morio</i>)
Moluccan Whistler (<i>Pachycephala macrorhyncha</i>) with ssp. <i>pelengensis</i> , <i>clio</i> , <i>buruensis</i> , <i>macrorhyncha</i> , <i>fuscoflava</i>	Yellow-throated Whistler (<i>Pachycephala macrorhyncha</i>)
Selayar Whistler (<i>Pachycephala teysmanni</i>)	Tenggara Whistler (<i>Pachycephala calliope</i>)
Babar Whistler (<i>Pachycephala sharpei</i>)	Yellow-throated Whistler (<i>Pachycephala macrorhyncha</i>)
White-throated Fiji Whistler (<i>Pachycephala vitiensis</i>) with ssp. <i>kandavensis</i> , <i>lauana</i> , <i>vitiensis</i>	Fiji Whistler (<i>Pachycephala vitiensis</i>)
Yellow-throated Fiji Whistler (<i>Pachycephala graeffii</i>) with ssp. <i>koroana</i> , <i>torquata</i> , <i>ambigua</i> , <i>optata</i> , <i>graeffii</i> , <i>aurantiiventris</i> , <i>bella</i>	“
Nendo Whistler (<i>Pachycephala ornata</i>)	Temotu Whistler (<i>Pachycephala vanikorensis</i>)
Utupua Whistler (<i>Pachycephala utupuae</i>)	“

Vanikoro Whistler (<i>Pachycephala vanikorensis</i>)	“
Tenggara Paradise Flycatcher (<i>Terpsiphone floris</i>) with ssp. <i>sumbaensis</i> , <i>floris</i>	Blyth's Paradise-Flycatcher (<i>Terpsiphone affinis</i>)
Moluccan Spectacled Monarch (<i>Symposiachrus bimaculatus</i>) with ssp. <i>bimaculatus</i> , <i>diadematus</i> , <i>nigrimentum</i>	Spectacled Monarch (<i>Symposiachrus trivirgatus</i>)
Australian Spectacled Monarch (<i>Symposiachrus trivirgatus</i>) with ssp. <i>wellsi</i> , <i>trivirgatus</i> , <i>albiventris</i> , <i>melanorrhous</i> , <i>gouldii</i>	“
Louisiade Spectacled Monarch (<i>Symposiachrus melanopterus</i>)	“
Solomons Monarch (<i>Symposiachrus barbatus</i>)	Black-and-white Monarch (<i>Symposiachrus barbatus</i>)
Malaita Monarch (<i>Symposiachrus malaitae</i>)	“
Mussau Flycatcher (<i>Myiagra hebetior</i>)	Dull Flycatcher (<i>Myiagra hebetior</i>)
Velvet Flycatcher (<i>Myiagra eichhorni</i>) including ssp. <i>eichhorni</i> , <i>cervinicolor</i>	“
Malayan Black Magpie (<i>Platysmurus leucopterus</i>)	Black Magpie (<i>Platysmurus leucopterus</i>)
Bornean Black Magpie (<i>Platysmurus aterrimus</i>)	“
Northern Nutcracker (<i>Nucifraga caryocatactes</i>) with ssp. <i>caryocatactes</i> , <i>macrorhynchos</i> , <i>rothschildi</i> , <i>japonica</i>	Eurasian Nutcracker (<i>Nucifraga caryocatactes</i>)
Southern Nutcracker (<i>Nucifraga hemispila</i>) with ssp. <i>owstoni</i> , <i>interdicta</i> , <i>macella</i> , <i>yunnanensis</i> , <i>hemispila</i>	“
Sunda Crow (<i>Corvus enca</i>) with ssp. <i>compiler</i> , <i>enca</i>	Slender-billed Crow (<i>Corvus enca</i>)
Samar Crow (<i>Corvus samarensis</i>)	“
Sulawesi Crow (<i>Corvus celebensis</i>) with ssp. <i>celebensis</i> , <i>mangoli</i>	“
Vella Lavella Monarch (<i>Symposiachrus nigrotectus</i>) with ssp. <i>ganongae</i> , <i>nigrotectus</i>	“
Philippine Jungle Crow (<i>Corvus philippinus</i>)	Large-billed Crow (<i>Corvus macrorhynchos</i>)
Solomons Robin (<i>Petroica polymorpha</i>) with ssp. <i>septentrionalis</i> , <i>kulambangrae</i> , <i>dennisi</i> , <i>polymorpha</i>	Pacific Robin (<i>Petroica pusilla</i>)
Beesley's Lark (<i>Chersomanes beesleyi</i>)	Spike-heeled Lark (<i>Chersomanes albofasciata</i>)
Highland Lark (<i>Corypha kurrae</i>) with ssp. <i>kurrae</i> , <i>bamendae</i> , <i>stresemanni</i> , <i>henrici</i> , <i>batesi</i>	Rufous-naped Lark (<i>Corypha</i> (Mira) <i>africana</i>)
Plains Lark (<i>Corypha kabalii</i>) with ssp. <i>kabalii</i> , <i>malbranti</i>	“

Plateau Lark (<i>Corypha nigrescens</i>) with ssp. <i>nigrescens</i> , <i>nyikae</i>	“
Sentinel Lark (<i>Corypha athi</i>) with ssp. <i>athi</i> , <i>harterti</i>	“
Kidepo Lark (<i>Corypha kidepoensis</i>) with ssp. <i>kidepoensis</i> , <i>kathangorensis</i>	Red-winged Lark (<i>Corypha (Miraфра) hypermetra</i>)
Maasai Apalis (<i>Apalis stronachi</i>)	Karamoja Apalis (<i>Apalis karamojae</i>)
Huambo Cisticola (<i>Cisticola bailunduensis</i>)	Rock-loving Cisticola (<i>Cisticola aberrans</i>)
Lynes's Cisticola (<i>Cisticola distinctus</i>)	Wailing Cisticola (<i>Cisticola lais</i>)
Pale Crag-Martin (<i>Ptyonoprogne obsoleta</i>) with ssp. <i>presaharica</i> , <i>spatzi</i> , <i>buchanani</i> , <i>obsoleta</i> , <i>perpallida</i> , <i>pallida</i> , <i>arabica</i>	Rock Martin (<i>Ptyonoprogne fuligula</i>)
Red-throated Crag-Martin (<i>Ptyonoprogne rufigula</i>) with ssp. <i>pusilla</i> , <i>bansoensis</i> , <i>fusciventris</i>	“
Southern Crag-Martin (<i>Ptyonoprogne fuligula</i>) with ssp. <i>anderssoni</i> , <i>fuligula</i> , <i>pretoriae</i>	“
Pacific Swallow (<i>Hirundo javanica</i>) with ssp. <i>javanica</i> , <i>namiyei</i> , <i>frontalis</i> , <i>albescens</i> , <i>ambiens</i> , <i>subfusca</i>	Pacific Swallow (<i>Hirundo tahitica</i>)
Tahiti Swallow (<i>Hirundo tahitica</i>)	“
European Red-rumped Swallow (<i>Cecropis rufula</i>)	Red-rumped Swallow (<i>Cecropis daurica</i>)
African Red-rumped Swallow (<i>Cecropis melanocrissus</i>) with ssp. <i>domicella</i> , <i>kumboensis</i> , <i>melanocrissus</i> , <i>emini</i>	“
Eastern Red-rumped Swallow (<i>Cecropis daurica</i>) with ssp. <i>nipalensis</i> , <i>erythropygia</i> , <i>daurica</i> , <i>japonica</i>	“
Yellow-lored Bristlebill (<i>Bleda notatus</i>)	Lesser Bristlebill (<i>Bleda notatus</i>)
Yellow-eyed Bristlebill (<i>Bleda ugandae</i>)	“
Yellow-gorgeted Greenbul (<i>Atimastillas flavicollis</i>)	Yellow-throated Greenbul (<i>Atimastillas flavicollis</i>)
Pale-throated Greenbul (<i>Atimastillas flavigula</i>) with ssp. <i>soror</i> , <i>flavigula</i>	“
Kikuyu Mountain Greenbul (<i>Arizelocichla kikuyuensis</i>)	Eastern Mountain Greenbul (<i>Arizelocichla nigriceps</i>)
Black-headed Mountain Greenbul (<i>Arizelocichla nigriceps</i>) with ssp. <i>nigriceps</i> , <i>usambarae</i>	“
Olive-headed Greenbul (<i>Arizelocichla striifacies</i>) with ssp. <i>striifacies</i> , <i>olivaceiceps</i>	Stripe-cheeked Greenbul (<i>Arizelocichla milanjensis</i>)

Angola Greenbul (<i>Phyllastrephus viridiceps</i>)	White-throated Greenbul (<i>Phyllastrephus albigularis</i>)
Ethiopian White-Eye (<i>Zosterops poliogastrus</i>)	Heuglin's White-Eye (<i>Zosterops poliogastrus</i>)
Kafa White-Eye (<i>Zosterops kaffensis</i>) with ssp. <i>kaffensis</i> , <i>kulalensis</i>	“
Angola White-Eye (<i>Zosterops kasaicus</i>) with ssp. <i>kasaicus</i> , <i>heinrichi</i> , <i>quanzae</i>	Northern Yellow White-Eye (<i>Zosterops senegalensis</i>)
Red-eyed Scimitar Babbler (<i>Erythrogeus imberbis</i>) with ssp. <i>imberbis</i> , <i>celata</i>	Rusty-cheeked Scimitar-Babbler (<i>Erythrogeus erythrogeus</i>)
Marañon Gnatcatcher (<i>Polioptila maior</i>)	Tropical Gnatcatcher (<i>Polioptila plumbea</i>)
Northern House Wren (<i>Troglodytes aedon</i>) with ssp. <i>parkmanii</i> , <i>aedon</i> , <i>baldwini</i> , <i>cahooni</i> , <i>brunneicollis</i> , <i>compositus</i> , <i>nitidus</i>	House Wren (<i>Troglodytes aedon</i>)
Cozumel Wren (<i>Troglodytes beani</i>)	“
Kalinago Wren (<i>Troglodytes martinicensis</i>) with ssp. <i>guadeloupensis</i> , <i>rufescens</i> , <i>martinicensis</i>	“
St. Lucia Wren (<i>Troglodytes mesoleucus</i>)	“
St. Vincent Wren (<i>Troglodytes musicus</i>)	“
Grenada Wren (<i>Troglodytes grenadensis</i>)	“
Southern House Wren (<i>Troglodytes musculus</i>) with ssp. <i>intermedius</i> , <i>inquietus</i> , <i>carychrous</i> , <i>clarus</i> , <i>atopus</i> , <i>striatulus</i> , <i>columbae</i> , <i>albicans</i> , <i>tobagensis</i> , <i>audax</i> , <i>puna</i> , <i>rex</i> , <i>carabayae</i> , <i>tecellatus</i> , <i>atacamensis</i> , <i>musculus</i> , <i>bonariae</i> , <i>chilensis</i> , <i>effutitus</i>	“
Russet-naped Wren (<i>Campylorhynchus humilis</i>)	Rufous-naped Wren (<i>Campylorhynchus rufinucha</i>)
Veracruz Wren (<i>Campylorhynchus rufinucha</i>)	“
Rufous-backed Wren (<i>Campylorhynchus capistratus</i>) with ssp. <i>castaneus</i> , <i>nigricaudatus</i> , <i>xerophilus</i> , <i>nicaraguae</i> , <i>capistratus</i>	“
Gray-browed Wren (<i>Pheugopedius schulenbergi</i>)	Plain-tailed Wren (<i>Pheugopedius euophrys</i>)
Northern Chestnut-breasted Wren (<i>Cyphorhinus dichrous</i>)	Chestnut-breasted Wren (<i>Cyphorhinus thoracicus</i>)
Southern Chestnut-breasted Wren (<i>Cyphorhinus thoracicus</i>)	“
Martinique Thrasher (<i>Ramphocinclus brachyurus</i>)	White-breasted Thrasher (<i>Ramphocinclus brachyurus</i>)
St. Lucia Thrasher (<i>Ramphocinclus sanctaeluciae</i>)	“
Mindoro Island-Thrush (<i>Turdus mindorensis</i>)	Island Thrush (<i>Turdus poliocephalus</i>)

Luzon Island-Thrush (<i>Turdus thomassoni</i>) with ssp. <i>thomassoni</i> , <i>mayonensis</i>	“
Mindanao Island-Thrush (<i>Turdus nigrorum</i>) with ssp. <i>nigrorum</i> , <i>malindangensis</i> , <i>katanglad</i> , <i>kelleri</i>	“
Christmas Island-Thrush (<i>Turdus erythropleurus</i>)	“
Wallacean Island-Thrush (<i>Turdus schlegelii</i>) with ssp. <i>hygroscopus</i> , <i>celebensis</i> , <i>schlegelii</i> , <i>sterlingi</i>	“
Sundaic Island-Thrush (<i>Turdus javanicus</i>) with ssp. <i>loeseri</i> , <i>indrapuræ</i> , <i>fumidus</i> , <i>biesenbachi</i> , <i>javanicus</i> , <i>stresemanni</i> , <i>whiteheadi</i> , <i>seebohmi</i>	“
Moluccan Island-Thrush (<i>Turdus deningeri</i>) with ssp. <i>sukahujan</i> , <i>deningeri</i>	“
Papuan Island-Thrush (<i>Turdus papuensis</i>) with ssp. <i>versteegi</i> , <i>erebus</i> , <i>papuensis</i> , <i>keysseri</i> , <i>canescens</i>	“
Bismarck Island-Thrush (<i>Turdus heinrothi</i>) with ssp. <i>heinrothi</i> , <i>beehleri</i> , <i>tolokiwæ</i>	“
Bougainville Island-Thrush (<i>Turdus bougainvillei</i>)	“
Solomons Island-Thrush (<i>Turdus kulambangrae</i>) with ssp. <i>kulambangrae</i> , <i>sladeni</i>	“
Vanikoro Island-Thrush (<i>Turdus vanikorensis</i>) with ssp. <i>rennellianus</i> , <i>mareensis</i> , <i>vanikorensis</i> , <i>whitneyi</i> , <i>malekulæ</i> , <i>becki</i> , <i>placens</i> , <i>efatensis</i>	“
White-headed Island-Thrush (<i>Turdus pritzbueri</i>) with ssp. <i>albifrons</i> , <i>pritzbueri</i>	“
New Caledonian Island-Thrush (<i>Turdus xanthopus</i>)	“
Tasman Sea Island-Thrush (<i>Turdus poliocephalus</i>) with ssp. <i>vinitinctus</i> , <i>poliocephalus</i>	“
Samoan Island-Thrush (<i>Turdus samoensis</i>)	“
Fiji Island-Thrush (<i>Turdus ruficeps</i>) with ssp. <i>layardi</i> , <i>ruficeps</i> , <i>vitiensis</i> , <i>hades</i> , <i>tempesti</i>	“
Sri Lankan Shama (<i>Copsychus leggei</i>)	White-rumped Shama (<i>Copsychus malabaricus</i>)
Larwo Shama (<i>Copsychus omissus</i>) with ssp. <i>javanus</i> , <i>omissus</i>	“
Kangean Shama (<i>Copsychus nigricauda</i>)	“

Maratua Shama (<i>Copsychus barbouri</i>)	White-crowned Shama (<i>Copsychus stricklandii</i>)
Philippine Jungle Flycatcher (<i>Cyornis ruficauda</i>) with ssp. <i>samarensis</i> , <i>boholensis</i> , <i>zamboanga</i> , <i>ruficauda</i>	Chestnut-tailed Jungle Flycatcher (<i>Cyornis ruficauda</i>)
Sulu Jungle Flycatcher (<i>Cyornis ocularis</i>)	“
Crocker Jungle Flycatcher (<i>Cyornis ruficrissa</i>) with ssp. <i>ruficrissa</i> , <i>isola</i>	“
Sumatran Robin (<i>Myiomela sumatrana</i>)	Sunda Robin (<i>Myiomela diana</i>)
Javan Robin (<i>Myiomela diana</i>)	“
Qilian Bluetail (<i>Tarsiger albocoeeruleus</i>)	Red-flanked Bluetail (<i>Tarsiger cyanurus</i>)
Taiwan Bush-Robin (<i>Tarsiger formosanus</i>)	White-browed Bush-Robin (<i>Tarsiger indicus</i>)
Javan Flowerpecker (<i>Dicaeum sanguinolentum</i>)	Blood-breasted Flowerpecker (<i>Dicaeum sanguinolentum</i>)
Flores Flowerpecker (<i>Dicaeum rhodopygiale</i>)	“
Sumba Flowerpecker (<i>Dicaeum wilhelminae</i>)	“
Timor Flowerpecker (<i>Dicaeum hanieli</i>)	“
Yellow-chinned Sunbird (<i>Anthreptes rectirostris</i>)	Green Sunbird (<i>Anthreptes rectirostris</i>)
Gray-chinned Sunbird (<i>Anthreptes tephrolaemus</i>)	“
Gorgeous Sunbird (<i>Cinnyris melanogastrus</i>)	Beautiful Sunbird (<i>Cinnyris pulchellus</i>)
Abyssinian Sunbird (<i>Cinnyris habessinicus</i>) with ssp. <i>habessinicus</i> , <i>alter</i> , <i>turkanae</i>	Shining Sunbird (<i>Cinnyris habessinicus</i>)
Arabian Sunbird (<i>Cinnyris hellmayri</i>) with ssp. <i>kinneari</i> , <i>hellmayri</i>	“
Olive-capped Coua (<i>Coua olivaceiceps</i>)	Red-capped Coua (<i>Coua ruficeps</i>)
Burchell's Coucal (<i>Centropus burchellii</i>) with ssp. <i>fasciipygialis</i> , <i>burchellii</i>	White-browed Coucal (<i>Centropus superciliosus</i>)
Mentawai Malkoha (<i>Phaenicophaeus oeneicaudus</i>)	Chestnut-breasted Malkoha (<i>Phaenicophaeus curvirostris</i>)
Siberian Pipit (<i>Anthus japonicus</i>)	American Pipit (<i>Anthus rubescens</i>)
Stripe-breasted Seedeater (<i>Crithagra striatipectus</i>)	Reichard's Seedeater (<i>Crithagra reichardi</i>)
Indonesian Serin (<i>Chrysocorythus estherae</i>) with ssp. <i>vanderbilti</i> , <i>estherae</i> , <i>orientalis</i> , <i>renatae</i>	Mountain Serin (<i>Chrysocorythus estherae</i>)
Mindanao Serin (<i>Chrysocorythus mindanensis</i>)	“
Gray-crowned Goldfinch (<i>Carduelis caniceps</i>) with ssp. <i>parapanisi</i> , <i>subulata</i> , <i>caniceps</i> , <i>ultima</i>	European Goldfinch (<i>Carduelis carduelis</i>)
Pied Bronze-Cuckoo (<i>Chalcites crassirostris</i>)	Little Bronze-Cuckoo (<i>Chalcites minutillus</i>)
Marañon Sparrow (<i>Arremon nigriceps</i>)	Black-capped Sparrow (<i>Arremon abeillei</i>)

Sunda Brush Cuckoo (<i>Cacomantis sepulcralis</i>) with ssp. <i>sepulcralis</i> , <i>everetti</i>	Brush Cuckoo (<i>Cacomantis variolosus</i>)
Sulawesi Brush Cuckoo (<i>Cacomantis virescens</i>)	“
Sahul Brush Cuckoo (<i>Cacomantis variolosus</i>) with ssp. <i>major</i> , <i>tymbonomus</i> , <i>infaustus</i> , <i>obscuratus</i> , <i>variolosus</i> , <i>macrocerus</i> , <i>websteri</i> , <i>fortior</i>	“
Solomons Brush Cuckoo (<i>Cacomantis addendus</i>)	“
Manus Brush Cuckoo (<i>Cacomantis blandus</i>)	“
Choco Brushfinch (<i>Atlapetes crassus</i>)	Tricolored Brushfinch (<i>Atlapetes tricolor</i>)
Golden-crowned Brushfinch (<i>Atlapetes tricolor</i>)	“
Northern Slaty Brushfinch (<i>Atlapetes schistaceus</i>) with ssp. <i>schistaceus</i> , <i>tamae</i> , <i>fumidus</i> , <i>castaneifrons</i>	Slaty Brushfinch (<i>Atlapetes schistaceus</i>)
Peruvian Slaty Brushfinch (<i>Atlapetes taczanowskii</i>)	“
Karimui Owlet-Nightjar (<i>Aegotheles terborghi</i>)	Barred Owlet-Nightjar (<i>Aegotheles bennettii</i>)
Ecuadorian Rail (<i>Rallus aequatorialis</i>) with ssp. <i>aequatorialis</i> , <i>meyerdeschauenseei</i>	Virginia Rail (<i>Rallus limicola</i>)
American Herring Gull (<i>Larus smithsonianus</i>)	Herring Gull (<i>Larus argentatus</i>)
Vega Gull (<i>Larus vegae</i>)	“
Mongolian Gull (<i>Larus mongolicus</i>)	“
Scopoli's Shearwater (<i>Calonectris diomedea</i>)	Cory's Shearwater (<i>Calonectris diomedea</i>)
Cocos Booby (<i>Sula brewsteri</i>) with ssp. <i>brewsteri</i> , <i>etesiaca</i>	Brown Booby (<i>Sula leucogaster</i>)
Western Barn Owl (<i>Tyto alba</i>) with ssp. <i>alba</i> , <i>guttata</i> , <i>ernesti</i> , <i>erlangeri</i> , <i>schmitzi</i> , <i>gracilirostris</i> , <i>poensis</i> , <i>detorta</i> , <i>thomensis</i>	Barn Owl (<i>Tyto alba</i>)
Eastern Barn Owl (<i>Tyto javanica</i>) with ssp. <i>stertens</i> , <i>javanica</i> , <i>sumbaensis</i> , <i>delicatula</i> , <i>meekei</i> , <i>interposita</i> , <i>crassirostris</i>	“
American Barn Owl (<i>Tyto furcata</i>) with ssp. <i>pratincola</i> , <i>guatemalae</i> , <i>bondi</i> , <i>contempta</i> , <i>hellmayri</i> , <i>tuidara</i> , <i>furcata</i> , <i>bargei</i> , <i>insularis</i> , <i>nigrescens</i> , <i>punctatissima</i>	“
Jamaican Petrel (<i>Pterodroma caribbaea</i>)	Black-capped Petrel (<i>Pterodroma hasitata</i>)
Amaui (<i>Myadestes woahensis</i>)	Olomao (<i>Myadestes lanaiensis</i>)

Lumps

Species	Lumped into
North Papuan Pitta (<i>Erythropitta habenichti</i>)	Papuan Pitta (<i>Erythropitta macklotii</i>)
South Papuan Pitta (<i>Erythropitta macklotii</i>)	“
Northern Mouse-colored Tyrannulet (<i>Nesotriccus incomtus</i>)	Mouse-colored Tyrannulet (<i>Nesotriccus murinus</i>)
Southern Mouse-colored Tyrannulet (<i>Nesotriccus murinus</i>)	“
Western Whistler (<i>Pachycephala fuliginosa</i>)	Golden Whistler (<i>Pachycephala pectoralis</i>)
Bougainville Monarch (<i>Monarcha erythrostrictus</i>)	Chestnut-bellied Monarch (<i>Monarcha castaneiventris</i>)
Cinereous Tit (<i>Parus cinereus</i>)	Asian Tit (<i>Parus cinereus</i>)
Japanese Tit (<i>Parus minor</i>)	“
Ash's Lark (<i>Corypha (Mirafr) ashi</i>)	Somali Lark (<i>Corypha (Mirafr) somalica</i>)
Salvadori's Eremomela (<i>Eremomela salvadorii</i>)	Yellow-bellied Eremomela (<i>Eremomela icteropygialis</i>)
Striated Swallow (<i>Cecropis striolata</i>)	Eastern Red-rumped Swallow (<i>Cecropis daurica</i>)
Buff-chested Babbler (<i>Cyanoderma ambiguum</i>)	Rufous-fronted Babbler (<i>Cyanoderma rufifrons</i>)
Lesser Redpoll (<i>Acanthis cabaret</i>)	Redpoll (<i>Acanthis flammea</i>)
Hoary Redpoll (<i>Acanthis hornemanni</i>) with ssp. <i>exilipes</i> , <i>hornemanni</i>	“
Sulawesi Swiftlet (<i>Aerodramus sororum</i>)	Moluccan Swiftlet (<i>Aerodramus infuscatus</i>)
Halmahera Swiftlet (<i>Aerodramus infuscatus</i>)	“
Seram Swiftlet (<i>Aerodramus ceramensis</i>)	“
Germain's Swiftlet (<i>Aerodramus germani</i>)	White-nest Swiftlet (<i>Aerodramus fuciphagus</i>)

Sub-Species Reassigned to New Species

Subspecies	Moved to
Large Cuckooshrike (Large) [nipalensis] (<i>Coracina macei nipalensis</i>)	Oriental Cuckooshrike (<i>Coracina javensis</i>)
Large Cuckooshrike (Large) [andamana] (<i>Coracina macei andamana</i>)	“
Large Cuckooshrike (Large) [siamensis] (<i>Coracina macei siamensis</i>)	“
Large Cuckooshrike (Large) [larvivora] (<i>Coracina macei larvivora</i>)	“
Large Cuckooshrike (Large) [rexpineti] (<i>Coracina macei rexpineti</i>)	“
Common Cicadabird (Slender-billed) [edithae] (<i>Edolisoma tenuirostre edithae</i>)	Sulawesi Cicadabird (<i>Edolisoma morio</i>)
Yellow-throated Whistler (Banda Sea) (<i>Pachycephala macrorhyncha par/compar</i>)	Fawn-breasted Whistler (<i>Pachycephala orpheus</i>)
Yellow-throated Whistler (Banda Sea) [compar] (<i>Pachycephala macrorhyncha compar</i>)	“
Yellow-throated Whistler (Banda Sea) [par] (<i>Pachycephala macrorhyncha par</i>)	“
Yellow-throated Whistler (Timor) (<i>Pachycephala macrorhyncha calliope</i>)	Tenggara Whistler (<i>Pachycephala calliope</i>)
Rusty-breasted Whistler (Rusty-breasted) (<i>Pachycephala fulvotincta [fulvotincta-group]</i>)	“
Yellow-throated Whistler (Damar) (<i>Pachycephala macrorhyncha dammeriana</i>)	Black-tailed Whistler (<i>Pachycephala melanura</i>)
Pink-breasted Flowerpecker (Aru) (<i>Dicaeum keiense ignicolle</i>)	Mistletoebird (<i>Dicaeum hirundinaceum</i>)
Blue-throated Flycatcher (Notch-throated) [dialilaemus] (<i>Cyornis rubeculoides dialilaemus</i>)	Hainan Blue Flycatcher (<i>Cyornis hainanus</i>)
Sunda Scops-Owl (Singapore) (<i>Otus lempiji cnephaeus</i>)	Collared Scops-Owl (<i>Otus lettia</i>)

Species Reassigned to New Species Family

Genus	Moved from	Moved to
<i>Onychorhynchus</i>	Sharpbill and Allies (<i>Oxyruncidae</i>)	Royal Flycatchers and Allies (<i>Onychorhynchidae</i>)
<i>Terenotriccus</i>	“	“
<i>Myiobius</i>	“	“
<i>Salpornis</i>	Treecreepers (<i>Certhiidae</i>)	Spotted Creepers (<i>Salpornithidae</i>)
<i>Erythrocercus</i>	Bush Warblers and Allies (<i>Scotocercidae</i>)	Yellow Flycatchers (<i>Erythrocercidae</i>)
<i>Pinarornis</i>	Old World Flycatchers (<i>Muscicapidae</i>)	Thrushes and Allies (<i>Turdidae</i>)

Families Reassigned to New Orders

Family	Moved from	Moved to
Potoos (<i>Nyctibiidae</i>)	<i>Caprimulgiformes</i>	<i>Nyctibiiformes</i>
Oilbird (<i>Steatornithidae</i>)	“	<i>Steatornithiformes</i>
Frogmouths (<i>Podargidae</i>)	“	<i>Podargiformes</i>
Owlet-nightjars (<i>Aegothelidae</i>)	“	<i>Aegotheliformes</i>
Swifts (<i>Apodidae</i>)	“	<i>Apodiformes</i>
Treeswifts (<i>Hemiprocnidae</i>)	“	“
Hummingbirds (<i>Trochilidae</i>)	“	“

Common Name changes

Old Common Name	New Common Name
Golden Whistler (Golden) (<i>Pachycephala pectoralis</i> [<i>pectoralis</i> -group])	Golden Whistler (Eastern)
Common Redpoll (<i>Acanthis flammea</i>)	Redpoll
Common Eider (Faeroe Is.) (<i>Somateria mollissima faeroeensis</i>)	Common Eider (Faroe Is.)
Sclater's Monal (Sclater's) (<i>Lophophorus sclateri sclateri/orientalis</i>)	Sclater's Monal (Band-tailed)
Severtzov's Grouse (<i>Tetrastes sewerzowi</i>)	Chinese Grouse
Delegorgue's Pigeon (<i>Columba delegorguei</i>)	Eastern Bronze-naped Pigeon
Bronze-naped Pigeon (<i>Columba iriditorques</i>)	Western Bronze-naped Pigeon
Mackinlay's Cuckoo-Dove (<i>Macropygia mackinlayi</i>)	Spot-breasted Cuckoo-Dove
Marquesas Ground Dove (<i>Pampusana rubescens</i>)	Marquesan Ground Dove
Velvet Dove (<i>Ptilinopus layardi</i>)	Whistling Dove
Marquesas Imperial-Pigeon (<i>Ducula galeata</i>)	Nuku Hiva Imperial-Pigeon
Peale's Imperial-Pigeon (<i>Ducula latrans</i>)	Barking Imperial-Pigeon
Chatham Island Pigeon (<i>Hemiphaga chathamensis</i>)	Chatham Islands Pigeon
Houbara Bustard (<i>Chlamydotis undulata</i>)	African Houbara
Macqueen's Bustard (<i>Chlamydotis macqueenii</i>)	Asian Houbara
Moluccan Cuckoo (<i>Cacomantis aeruginosus</i>)	Moluccan Brush Cuckoo
Barred Long-tailed Cuckoo (Njobo's) (<i>Cercococcyx montanus montanus</i>)	Barred Long-tailed Cuckoo (Njombo's)
Sandhill Crane (canadensis) (<i>Antigone canadensis canadensis</i>)	Sandhill Crane (Lesser)
Sandhill Crane (tabida/rowani) (<i>Antigone canadensis tabida/rowani</i>)	Sandhill Crane (Greater)
Sandhill Crane (pulla) (<i>Antigone canadensis pulla</i>)	Sandhill Crane (Mississippi)
Sandhill Crane (pratensis) (<i>Antigone canadensis pratensis</i>)	Sandhill Crane (Florida)
Sandhill Crane (nesiotes) (<i>Antigone canadensis nesiotes</i>)	Sandhill Crane (Cuban)
Chatham Oystercatcher (<i>Haematopus chathamensis</i>)	Chatham Islands Oystercatcher
Snowy Plover (nivosus) (<i>Anarhynchus nivosus nivosus</i>)	Snowy Plover (Northern)
Snowy Plover (occidentalis) (<i>Charadrius nivosus occidentalis</i>)	Snowy Plover (Humboldt)

Black-tailed Godwit (islandica) (<i>Limosa limosa islandica</i>)	Black-tailed Godwit (Icelandic)
Black-tailed Godwit (limosa) (<i>Limosa limosa limosa</i>)	Black-tailed Godwit (European)
Snares Island Snipe (<i>Coenocorypha huegeli</i>)	Snares Snipe
Rock Sandpiper (ptilocnemis) (<i>Calidris ptilocnemis ptilocnemis</i>)	Rock Sandpiper (Pribilof Is.)
Rock Sandpiper (quarta) (<i>Calidris ptilocnemis quarta</i>)	Rock Sandpiper (Kuril Is.)
Rock Sandpiper (tschuktschorum) (<i>Calidris ptilocnemis tschuktschorum</i>)	Rock Sandpiper (Bering Strait)
Rock Sandpiper (couesi) (<i>Calidris ptilocnemis couesi</i>)	Rock Sandpiper (Aleutian)
Cape Petrel (<i>Daption capense</i>)	Pintado Petrel
Chatham Petrel (<i>Pterodroma axillaris</i>)	Chatham Islands Petrel
Audubon's Shearwater (<i>Puffinus lherminieri</i>)	Sargasso Shearwater
Long-tailed Cormorant (<i>Microcarbo africanus</i>)	Reed Cormorant
Great Bittern (<i>Botaurus stellaris</i>)	Eurasian Bittern
Osprey (haliaetus) (<i>Pandion haliaetus haliaetus</i>)	Osprey (Eurasian)
Osprey (carolinensis) (<i>Pandion haliaetus carolinensis</i>)	Osprey (American)
Osprey (ridgwayi) (<i>Pandion haliaetus ridgwayi</i>)	Osprey (Caribbean)
Banded Snake-Eagle (<i>Circaetus cinerascens</i>)	Western Banded Snake-Eagle
Fasciated Snake-Eagle (<i>Circaetus fasciolatus</i>)	Southern Banded Snake-Eagle
Spot-tailed Sparrowhawk (<i>Tachyspiza trinotata</i>)	Spot-tailed Goshawk
Imitator Goshawk (<i>Tachyspiza imitator</i>)	Imitator Sparrowhawk
Black Sparrowhawk (<i>Astur melanoleucus</i>)	Black Goshawk
Doria's Goshawk (<i>Megatriorchis doriae</i>)	Doria's Hawk
Southern Boobook (<i>Ninox boobook</i>)	Australian Boobook
Marquesas Kingfisher (<i>Todiramphus godeffroyi</i>)	Marquesan Kingfisher
Madagascar Bee-Eater (<i>Merops superciliosus</i>)	Olive Bee-eater
Rufous-crowned Roller (<i>Coracias naevius</i>)	Purple Roller
Cassin's Honeyguide (<i>Prodotiscus insignis</i>)	Cassin's Honeybird
Green-backed Honeyguide (<i>Prodotiscus zambesiae</i>)	Green-backed Honeybird
Wahlberg's Honeyguide (<i>Prodotiscus regulus</i>)	Brown-backed Honeybird
Rufous-necked Wryneck (<i>Jynx ruficollis</i>)	Red-throated Wryneck
Lesser Yellownape (Malayan) (<i>Picus chlorolophus rodgeri/vanheysti</i>)	Lesser Yellownape (Sunda)
Reichenow's Woodpecker (<i>Campethera scriptoricauda</i>)	Speckle-throated Woodpecker

Ducorps's Cockatoo (<i>Cacatua ducorpsii</i>)	Solomons Corella
Festive Parrot (<i>Amazona festiva</i>)	Festive Amazon
Vinaceous-breasted Parrot (<i>Amazona vinacea</i>)	Vinaceous-breasted Amazon
Tucuman Parrot (<i>Amazona tucumana</i>)	Tucuman Amazon
Red-spectacled Parrot (<i>Amazona pretrei</i>)	Red-spectacled Amazon
Red-crowned Parrot (<i>Amazona viridigenalis</i>)	Red-crowned Amazon
Lilac-crowned Parrot (<i>Amazona finschi</i>)	Lilac-crowned Amazon
Red-lored Parrot (<i>Amazona autumnalis</i>)	Red-lored Amazon
Blue-cheeked Parrot (<i>Amazona dufresniana</i>)	Blue-cheeked Amazon
Red-browed Parrot (<i>Amazona rhodocorytha</i>)	Red-browed Amazon
Red-necked Parrot (<i>Amazona arausiaca</i>)	Red-necked Amazon
St. Lucia Parrot (<i>Amazona versicolor</i>)	St. Lucia Amazon
Yellow-naped Parrot (<i>Amazona auropalliata</i>)	Yellow-naped Amazon
Yellow-headed Parrot (<i>Amazona oratrix</i>)	Yellow-headed Amazon
Yellow-crowned Parrot (<i>Amazona ochrocephala</i>)	Yellow-crowned Amazon
Yellow-shouldered Parrot (<i>Amazona barbadensis</i>)	Yellow-shouldered Amazon
Turquoise-fronted Parrot (<i>Amazona aestiva</i>)	Turquoise-fronted Amazon
Black-billed Parrot (<i>Amazona agilis</i>)	Black-billed Amazon
White-fronted Parrot (<i>Amazona albifrons</i>)	White-fronted Amazon
Yellow-lored Parrot (<i>Amazona xantholora</i>)	Yellow-lored Amazon
Yellow-billed Parrot (<i>Amazona collaria</i>)	Yellow-billed Amazon
Cuban Parrot (<i>Amazona leucocephala</i>)	Cuban Amazon
Hispaniolan Parrot (<i>Amazona ventralis</i>)	Hispaniolan Amazon
Puerto Rican Parrot (<i>Amazona vittata</i>)	Puerto Rican Amazon
Mealy Parrot (<i>Amazona farinosa</i>)	Mealy Amazon
Kawall's Parrot (<i>Amazona kawalli</i>)	Kawall's Amazon
Imperial Parrot (<i>Amazona imperialis</i>)	Imperial Amazon
Red-tailed Parrot (<i>Amazona brasiliensis</i>)	Red-tailed Amazon
St. Vincent Parrot (<i>Amazona guildingii</i>)	St. Vincent Amazon
Orange-winged Parrot (<i>Amazona amazonica</i>)	Orange-winged Amazon
Scaly-naped Parrot (<i>Amazona mercenarius</i>)	Scaly-naped Amazon
Black-legged Kittiwake (tridactyla) (<i>Rissa tridactyla tridactyla</i>)	Black-legged Kittiwake (Atlantic)
Black-legged Kittiwake (pollicaris) (<i>Rissa tridactyla pollicaris</i>)	Black-legged Kittiwake (Pacific)
Snethlage's Tody-Tyrant (Snethlage's) (<i>Hemitriccus minor minor/snethlageae</i>)	Snethlage's Tody-Tyrant (E of Madeira)
Tumbes Tyrannulet (<i>Nesotriccus tumbezanus</i>)	Tumbesian Tyrannulet
Nutting's Flycatcher (flavidior) (<i>Myiarchus nuttingi flavidior</i>)	Nutting's Flycatcher (Salvadoran)

Chatham Island Bellbird (<i>Anthornis melanocephala</i>)	Chatham Islands Bellbird
Streaky-breasted Honeyeater (<i>Meliphaga reticulata</i>)	Streak-breasted Honeyeater
Mottle-breasted Honeyeater (<i>Meliphaga mimikae</i>)	Mottled Honeyeater
Gibber Chat (<i>Ashbyia lovensis</i>)	Gibberbird
Orange-breasted Myzomela (<i>Myzomela jugularis</i>)	Sulphur-breasted Myzomela
Chattering Giant-Honeyeater (<i>Gymnomyza viridis</i>)	Yellow-billed Giant-Honeyeater
Chatham Island Gerygone (<i>Gerygone albofrontata</i>)	Chatham Islands Gerygone
Comoros Cuckooshrike (<i>Ceblepyris cucullatus</i>)	Comoro Cuckooshrike
Bar-bellied Cuckooshrike (Bar-bellied) (<i>Coracina striata [striata-group]</i>)	Bar-bellied Cuckooshrike (Philippine)
White Helmetshrike (<i>Prionops plumatus</i>)	White-crested Helmetshrike
Comoro Drongo (<i>Dicrurus fuscipennis</i>)	Grande Comore Drongo
Marquesas Monarch (<i>Pomarea mendozae</i>)	Marquesan Monarch
Fatuhiva Monarch (<i>Pomarea whitneyi</i>)	Fatu Hiva Monarch
Loetoe Monarch (<i>Carterornis castus</i>)	Tanimbar Monarch
Truk Monarch (<i>Metabolus rugensis</i>)	Chuuk Monarch
Black-chinned Monarch (<i>Symposiachrus boanensis</i>)	Boano Monarch
White-tailed Monarch (<i>Symposiachrus leucurus</i>)	Kai Monarch
White-tipped Monarch (<i>Symposiachrus everetti</i>)	Tanahjampea Monarch
Black-tipped Monarch (<i>Symposiachrus loricatus</i>)	Buru Monarch
White-breasted Monarch (<i>Symposiachrus menckei</i>)	Mussau Monarch
Black-tailed Monarch (<i>Symposiachrus verticalis</i>)	Bismarck Monarch
Black-bibbed Monarch (<i>Symposiachrus mundus</i>)	Banda Sea Monarch
Oceanic Flycatcher (<i>Myiagra oceanica</i>)	Chuuk Flycatcher
Velvet Flycatcher (Dyaul) (<i>Myiagra eichhorni cervinicolor</i>)	Velvet Flycatcher (Djaul)
Chatham Robin (<i>Petroica traversi</i>)	Black Robin
Cape Lark (<i>Certhilauda curvirostris</i>)	Cape Long-billed Lark
Rusty Bush Lark (<i>Calendulauda rufa</i>)	Rusty Lark
Cape Crombec (<i>Sylvietta rufescens</i>)	Long-billed Crombec
Greencap Eremomela (<i>Eremomela scotops</i>)	Green-capped Eremomela
Yellow-rumped Eremomela (<i>Eremomela gregalis</i>)	Karoo Eremomela
Kopje Warbler (<i>Euryptila subcinnamomea</i>)	Cinnamon-breasted Warbler
Red-headed Cisticola (<i>Cisticola subruficapilla</i>)	Gray-backed Cisticola
Cloud-scraping Cisticola (<i>Cisticola dambo</i>)	Dambo Cisticola
Rimitara Reed Warbler (<i>Acrocephalus rimitarae</i>)	Rimatara Reed Warbler

Yellow-browed Oxylabes (<i>Crossleyia xanthophrys</i>)	Madagascar Yellowbrow
Stripe-cheeked Bulbul (<i>Arizelocichla milanjensis</i>)	Stripe-cheeked Greenbul
Truk White-Eye (<i>Rukia ruki</i>)	Teardrop White-eye
Javan Gray-throated White-Eye (<i>Heleia javanica</i>)	Javan Heleia
Gray-hooded White-Eye (<i>Heleia pinaiae</i>)	Gray-hooded Heleia
Pygmy White-Eye (<i>Heleia squamifrons</i>)	Pygmy Heleia
Mindanao White-Eye (<i>Heleia goodfellowi</i>)	Mindanao Heleia
Streak-headed White-Eye (<i>Heleia squamiceps</i>)	Sulawesi Heleia
White-browed White-Eye (<i>Heleia superciliaris</i>)	Eyebrowed Heleia
Dark-crowned White-Eye (<i>Heleia doherthyi</i>)	Dark-crowned Heleia
Timor White-Eye (<i>Heleia muelleri</i>)	Timor Heleia
Flores White-Eye (<i>Heleia crassirostris</i>)	Flores Heleia
Yellow-spectacled White-Eye (<i>Heleia wallacei</i>)	Yellow-spectacled Heleia
Layard's White-Eye (<i>Zosterops explorer</i>)	Fiji White-eye
Gray-throated White-Eye (<i>Zosterops rendovae</i>)	Makira White-eye
Great Kai White-Eye (<i>Zosterops grayi</i>)	Kai Besar White-eye
Little Kai White-Eye (<i>Zosterops uropygialis</i>)	Kai Kecil White-eye
Ganongga White-Eye (<i>Zosterops splendidus</i>)	Ranongga White-eye
Gray-faced Liocichla (<i>Liocichla omeiensis</i>)	Emei Shan Liocichla
Steere's Liocichla (<i>Liocichla steerii</i>)	Taiwan Liocichla
Blue-gray Gnatcatcher (obscura Group) (<i>Polioptila caerulea [obscura-group]</i>)	Blue-gray Gnatcatcher (Western)
Blue-gray Gnatcatcher (caerulea) (<i>Polioptila caerulea caerulea</i>)	Blue-gray Gnatcatcher (Eastern)
Eurasian Wren (Faeroe) (<i>Troglodytes troglodytes borealis</i>)	Eurasian Wren (Faeroe)
Norfolk Starling (<i>Aplonis fusca</i>)	Tasman Starling
Sundaic Island-Thrush (Javan) (<i>Turdus javanicus javanicus</i>)	Sundaic Island-Thrush (Central Javan)
Fiji Island-Thrush (Satanic) (<i>Turdus ruficeps hades</i>)	Fiji Island-Thrush (Gau)
Ussher's Dusky Flycatcher (<i>Artomyias ussher</i>)	Ussher's Flycatcher
Red-backed Scrub-Robin (<i>Cercotrichas leucophrys</i>)	White-browed Scrub-Robin
Olive-flanked Ground Robin (<i>Dessonornis anomalus</i>)	Olive-flanked Robin-Chat
Cholo Alethe (<i>Chamaetylas choloensis</i>)	Thyolo Alethe
Mountain Wheatear (<i>Myrmecocichla monticola</i>)	Mountain Chat
White-bellied Flowerpecker (<i>Dicaeum hypoleucum</i>)	Buzzing Flowerpecker
White-breasted Sunbird (<i>Cinnyris talatala</i>)	White-bellied Sunbird

Gray-headed Social-Weaver (<i>Pseudonigrita arnaudi</i>)	Gray-capped Social-Weaver
Ballman's Malimbe (<i>Malimbus ballmanni</i>)	Gola Malimbe
Clarke's Weaver (<i>Ploceus golangi</i>)	Kilifi Weaver
Salvadori's Weaver (<i>Ploceus dichrocephalus</i>)	Juba Weaver
Forest Weaver (<i>Ploceus bicolor</i>)	Dark-backed Weaver
Peters's Twinspot (<i>Hypargos niveoguttatus</i>)	Red-throated Twinspot
Reichenow's Firefinch (<i>Lagonosticta umbrinodorsalis</i>)	Chad Firefinch
Baka Indigobird (<i>Vidua larvaticola</i>)	Barka Indigobird
Variable Indigobird (<i>Vidua funerea</i>)	Dusky Indigobird
Olive-rumped Serin (<i>Crithagra rothschildi</i>)	Arabian Serin
Tanzania Seed-eater (<i>Crithagra melanochroa</i>)	Kipengere Seed-eater
White-winged Crossbill (bifasciata) (<i>Loxia leucoptera bifasciata</i>)	White-winged Crossbill (Eurasian)
White-winged Crossbill (leucoptera) (<i>Loxia leucoptera leucoptera</i>)	White-winged Crossbill (American)
Gray-hooded Bush Tanager (rubrirostris) (<i>Cnemoscopus rubrirostris rubrirostris</i>)	Gray-hooded Bush Tanager (Red-billed)
Gray-hooded Bush Tanager (chrysogaster) (<i>Cnemoscopus rubrirostris chrysogaster</i>)	Gray-hooded Bush Tanager (Black-billed)

Scientific name changes

Old Scientific Name	New Scientific Name
Great Spotted Kiwi (<i>Apteryx haastii</i>)	<i>Apteryx maxima</i>
Kakapo (<i>Strigops habroptila</i>)	<i>Strigops habroptilus</i>
Bourke's Parrot (<i>Neophema bourkii</i>)	<i>Neopsephotus bourkii</i>
Dusky-cheeked Fig-Parrot (<i>Cyclopsitta melanogenia</i>)	<i>Nannopsittacus melanogenia</i>
Blue-fronted Fig-Parrot (<i>Cyclopsitta guliemitertii</i>)	<i>Nannopsittacus guliemitertii</i>
Black-fronted Fig-Parrot (<i>Cyclopsitta nigrifrons</i>)	<i>Nannopsittacus nigrifrons</i>
Western Yellow-billed Barbet (<i>Trachyphonus goffinii</i>)	<i>Trachylaemus goffinii</i>
Eastern Yellow-billed Barbet (<i>Trachyphonus purpuratus</i>)	<i>Trachylaemus purpuratus</i>
Large Fig-Parrot (<i>Psittaculirostris desmarestii</i>)	<i>Cyclopsitta desmarestii</i>
Edwards's Fig-Parrot (<i>Psittaculirostris edwardsii</i>)	<i>Cyclopsitta edwardsii</i>
Salvadori's Fig-Parrot (<i>Psittaculirostris salvadorii</i>)	<i>Cyclopsitta salvadorii</i>
Striated Lorikeet (<i>Synorhacma multistriata</i>)	<i>Charmosyna multistriata</i>
Duchess Lorikeet (<i>Charmosynoides margarethae</i>)	<i>Vini margarethae</i>
Little Lorikeet (<i>Parvipsitta pusilla</i>)	<i>Psitteuteles pusillus</i>
Purple-crowned Lorikeet (<i>Parvipsitta porphyrocephala</i>)	<i>Psitteuteles porphyrocephalus</i>
Dusky Lory (<i>Pseudeos fuscata</i>)	<i>Chalcopsitta fuscata</i>
Cardinal Lory (<i>Pseudeos cardinalis</i>)	<i>Chalcopsitta cardinalis</i>
Large Fig-Parrot (Large) [intermedius] (<i>Cyclopsitta desmarestii intermedius</i>)	<i>Cyclopsitta desmarestii intermedia</i>
Musk Lorikeet (<i>Glossopsitta concinna</i>)	<i>Trichoglossus concinnus</i>
Mindanao Lorikeet (<i>Saudareos johnstoniae</i>)	<i>Trichoglossus johnstoniae</i>
Iris Lorikeet (<i>Saudareos iris</i>)	<i>Trichoglossus iris</i>
Ornate Lorikeet (<i>Saudareos ornata</i>)	<i>Trichoglossus ornatus</i>
Yellow-cheeked Lorikeet (<i>Saudareos meyeri</i>)	<i>Trichoglossus meyeri</i>
Sula Lorikeet (<i>Saudareos flavoviridis</i>)	<i>Trichoglossus flavoviridis</i>
Blue-streaked Lory (<i>Eos reticulata</i>)	<i>Trichoglossus reticulatus</i>
Blue-eared Lory (<i>Eos semilarvata</i>)	<i>Trichoglossus semilarvatus</i>
Red Lory (<i>Eos bornea</i>)	<i>Trichoglossus borneus</i>
Black-winged Lory (<i>Eos cyanogenia</i>)	<i>Trichoglossus cyanogenius</i>
Red-and-blue Lory (<i>Eos histrio</i>)	<i>Trichoglossus histrio</i>
Violet-necked Lory (<i>Eos squamata</i>)	<i>Trichoglossus squamatus</i>
Green Broadbill [viridis] (<i>Calyptomena viridis viridis</i>)	<i>Calyptomena viridis gloriosa</i>
Green Broadbill [caudacuta] (<i>Calyptomena viridis caudacuta</i>)	<i>Calyptomena viridis viridis</i>
Slaty-winged Foliage-Gleaner (<i>Philydor fuscipenne</i>)	<i>Neophilydor fuscipenne</i>

Rufous-rumped Foliage-Gleaner (<i>Philydor erythrocercum</i>)	<i>Neophilydor erythronotum</i>
Araripe Manakin (<i>Antilophia bokermanni</i>)	<i>Chiroxiphia bokermanni</i>
Helmeted Manakin (<i>Antilophia galeata</i>)	<i>Chiroxiphia galeata</i>
White-fronted Tyrannulet (<i>Phyllomyias zeledoni</i>)	<i>Acrochordopus zeledoni</i>
Rough-legged Tyrannulet (<i>Phyllomyias burmeisteri</i>)	<i>Acrochordopus burmeisteri</i>
Black-capped Tyrannulet (<i>Phyllomyias nigrocapillus</i>)	<i>Tyranniscus nigrocapillus</i>
Ashy-headed Tyrannulet (<i>Phyllomyias cinereiceps</i>)	<i>Tyranniscus cinereiceps</i>
Tawny-rumped Tyrannulet (<i>Phyllomyias uropygialis</i>)	<i>Tyranniscus uropygialis</i>
Streak-breasted Honeyeater (<i>Territornis reticulata</i>)	<i>Meliphaga reticulata</i>
Kimberley Honeyeater (<i>Territornis fordiana</i>)	<i>Meliphaga fordiana</i>
White-lined Honeyeater (<i>Territornis albilineata</i>)	<i>Meliphaga albilineata</i>
Orange-cheeked Honeyeater (<i>Oreornis chrysogenys</i>)	<i>Meliphaga chrysogenys</i>
Forest Honeyeater (<i>Microptilotis montanus</i>)	<i>Meliphaga montana</i>
Mottled Honeyeater (<i>Microptilotis mimikae</i>)	<i>Meliphaga mimikae</i>
Yellow-gaped Honeyeater (<i>Microptilotis flavirictus</i>)	<i>Meliphaga flavirictus</i>
Mountain Honeyeater (<i>Microptilotis orientalis</i>)	<i>Meliphaga orientalis</i>
Scrub Honeyeater (<i>Microptilotis albonotatus</i>)	<i>Meliphaga albonotata</i>
Mimic Honeyeater (<i>Microptilotis analogus</i>)	<i>Meliphaga analoga</i>
Tagula Honeyeater (<i>Microptilotis vicina</i>)	<i>Meliphaga vicina</i>
Graceful Honeyeater (<i>Microptilotis gracilis</i>)	<i>Meliphaga gracilis</i>
Cryptic Honeyeater (<i>Microptilotis imitatrix</i>)	<i>Meliphaga imitatrix</i>
Elegant Honeyeater (<i>Microptilotis cinereifrons</i>)	<i>Meliphaga cinereifrons</i>
Mountain Mouse-Warbler (<i>Crateroscelis robusta</i>)	<i>Origma robusta</i>
Rusty Mouse-Warbler (<i>Crateroscelis murina</i>)	<i>Origma murina</i>
Comoro Cuckooshrike (<i>Coracina cucullata</i>)	<i>Ceblepyris cucullatus</i>
Madagascar Cuckooshrike (<i>Coracina cinerea</i>)	<i>Ceblepyris cinereus</i>
Grauer's Cuckooshrike (<i>Coracina graueri</i>)	<i>Ceblepyris graueri</i>
Gray Cuckooshrike (<i>Coracina caesia</i>)	<i>Ceblepyris caesius</i>
White-breasted Cuckooshrike (<i>Coracina pectoralis</i>)	<i>Ceblepyris pectoralis</i>
Halmahera Cuckooshrike (<i>Celebesia parvula</i>)	<i>Coracina parvula</i>
Pygmy Cuckooshrike (<i>Celebesia abbotti</i>)	<i>Celebesica abbotti</i>
New Caledonian Cuckooshrike (<i>Analisoma analis</i>)	<i>Edolisoma anale</i>
Blackish Cuckooshrike (<i>Analisoma coerulescens</i>)	<i>Edolisoma coerulescens</i>
White-winged Cuckooshrike (<i>Analisoma ostenta</i>)	<i>Edolisoma ostentum</i>
Mangrove Vireo (Northern Central America) (<i>Vireo pallens ochraceus/semiflavus</i>)	<i>Vireo pallens [ochraceus-group]</i>
Mangrove Vireo (Northern Central America) (<i>Vireo pallens [ochraceus-group]</i>)	<i>Vireo pallens [semiflavus-group]</i>
Chestnut Wattle-Eye (<i>Platysteira castanea</i>)	<i>Dyaphorophyia castanea</i>

West African Wattle-Eye (<i>Platysteira hormophora</i>)	<i>Dyaphorophya hormophora</i>
White-spotted Wattle-Eye (<i>Platysteira tonsa</i>)	<i>Dyaphorophya tonsa</i>
Gray-green Bushshrike (<i>Telophorus bocagei</i>)	<i>Chlorophoneus bocagei</i>
Sulphur-breasted Bushshrike (<i>Telophorus sulfureopectus</i>)	<i>Chlorophoneus sulfureopectus</i>
Olive Bushshrike (<i>Telophorus olivaceus</i>)	<i>Chlorophoneus olivaceus</i>
Many-colored Bushshrike (<i>Telophorus multicolor</i>)	<i>Chlorophoneus multicolor</i>
Black-fronted Bushshrike (<i>Telophorus nigrifrons</i>)	<i>Chlorophoneus nigrifrons</i>
Mount Kupe Bushshrike (<i>Telophorus kupeensis</i>)	<i>Chlorophoneus kupeensis</i>
Santa Cruz Fantail (<i>Rhipidura melaenolaema</i>)	<i>Rhipidura melanolaema</i>
Vogelkop Lophorina (<i>Lophorina niedda</i>)	<i>Lophorina superba</i>
Vogelkop Lophorina [inopinata] (Vogelkop Lophorina [inopinata] (<i>Lophorina niedda inopinata</i>))	Vogelkop Lophorina [superba] (<i>Lophorina superba superba</i>)
Greater Lophorina (<i>Lophorina superba</i>)	Greater Lophorina (<i>Lophorina latipennis</i>)
Greater Lophorina [superba] (<i>Lophorina superba superba</i>)	Greater Lophorina [feminina] (<i>Lophorina latipennis feminina</i>)
Yellow-billed Shrike (<i>Lanius corvinus</i>)	<i>Corvinella corvina</i>
Magpie Shrike (<i>Lanius melanoleucus</i>)	<i>Urolestes melanoleucus</i>
Black-throated Magpie-Jay (<i>Calocitta colliei</i>)	<i>Cyanocorax colliei</i>
White-throated Magpie-Jay (<i>Calocitta formosa</i>)	<i>Cyanocorax formosus</i>
Brown Jay (<i>Psilorhinus morio</i>)	<i>Cyanocorax morio</i>
Eurasian Jackdaw (<i>Corvus monedula</i>)	<i>Colbeus monedula</i>
Daurian Jackdaw (<i>Corvus dauuricus</i>)	<i>Coloeus dauuricus</i>
Collared Crow (<i>Corvus pectoralis</i>)	<i>Corvus torquatus</i>
Black-chinned Robin (<i>Heteromyias brachyurus</i>)	<i>Leucophantes brachyurus</i>
Rusty Lark (<i>Mirafra rufa</i>)	<i>Calendulauda rufa</i>
Gillett's Lark (<i>Mirafra gilletti</i>)	<i>Calendulauda gilletti</i>
Burmese Bushlark (<i>Mirafra microptera</i>)	<i>Plocealauda microptera</i>
Indochinese Bushlark (<i>Mirafra erythrocephala</i>)	<i>Plocealauda erythrocephala</i>
Jerdon's Bushlark (<i>Mirafra affinis</i>)	<i>Plocealauda affinis</i>
Indian Bushlark (<i>Mirafra erythroptera</i>)	<i>Plocealauda erythroptera</i>
Bengal Bushlark (<i>Mirafra assamica</i>)	<i>Plocealauda assamica</i>
Collared Lark (<i>Mirafra collaris</i>)	<i>Amirafra collaris</i>
Flappet Lark (<i>Mirafra rufocinnamomea</i>)	<i>Amirafra rufocinnamomea</i>
Angola Lark (<i>Mirafra angolensis</i>)	<i>Amirafra angolensis</i>
Cape Clapper Lark (<i>Mirafra apiata</i>)	<i>Corypha apiata</i>
Eastern Clapper Lark (<i>Mirafra fasciolata</i>)	<i>Corypha fasciolata</i>
Rufous-naped Lark (<i>Mirafra africana</i>)	<i>Corypha Africana</i>
Somali Long-billed Lark (<i>Mirafra somalica</i>)	<i>Corypha somalica</i>
Red-winged Lark (<i>Mirafra hypermetra</i>)	<i>Corypha hypermetra</i>

Sharpe's Lark (<i>Mirafra sharpii</i>)	Russet Lark (<i>Corypha sharpii</i>)
Dusky Tetraka (<i>Xanthomixis tenebrosa</i>)	<i>Crossleyia tenebrosa</i>
Nicobar Bulbul (<i>Ixos nicobariensis</i>)	<i>Hypsipetes nicobariensis</i>
Brown-eared Bulbul [harterti] (<i>Hypsipetes amaurotis harterti</i>)	<i>Hypsipetes amaurotis nagamichii</i>
Reed Parrotbill (<i>Calamornis heudei</i>)	<i>Paradoxornis heudei</i>
Great Parrotbill (<i>Conostoma aemodium</i>)	<i>Paradoxornis aemodius</i>
Brown Parrotbill (<i>Cholornis unicolor</i>)	<i>Paradoxornis unicolor</i>
Three-toed Parrotbill (<i>Cholornis paradoxus</i>)	<i>Paradoxornis paradoxus</i>
Gray-headed Parrotbill (<i>Psittiparus gularis</i>)	<i>Paradoxornis gularis</i>
Black-headed Parrotbill (<i>Psittiparus margaritae</i>)	<i>Paradoxornis margaritae</i>
White-breasted Parrotbill (<i>Psittiparus ruficeps</i>)	<i>Paradoxornis ruficeps</i>
Rufous-headed Parrotbill (<i>Psittiparus bakeri</i>)	<i>Paradoxornis bakeri</i>
Red-billed Oxpecker (<i>Buphagus erythrorynchus</i>)	<i>Buphagus erythroryncha</i>
Sulawesi Thrush (<i>Cataponera turdoides</i>)	<i>Turdus turdoides</i>
Böhm's Flycatcher (<i>Bradornis boehmi</i>)	<i>Myopornis boehmi</i>
Ussher's Flycatcher (<i>Bradornis ussheri</i>)	<i>Artomyias ussheri</i>
Sooty Flycatcher (<i>Bradornis fuliginosus</i>)	<i>Artomyias fuliginosa</i>
Herero Chat (<i>Melaenornis herero</i>)	<i>Namibornis herero</i>
Silverbird (<i>Melaenornis semipartitus</i>)	<i>Empidornis semipartitus</i>
Fiscal Flycatcher (<i>Melaenornis silens</i>)	<i>Sigelus silens</i>
Karoo Scrub-Robin (<i>Cercotrichas coryphoeus</i>)	<i>Tychaedon coryphoeus</i>
Forest Scrub-Robin (<i>Cercotrichas leucosticta</i>)	<i>Tychaedon leucosticte</i>
Brown Scrub-Robin (<i>Cercotrichas signata</i>)	<i>Tychaedon signata</i>
Bearded Scrub-Robin (<i>Cercotrichas quadrivirgata</i>)	<i>Tychaedon quadrivirgata</i>
Miombo Scrub-Robin (<i>Cercotrichas barbata</i>)	<i>Tychaedon barbata</i>
Mountain Robin-Chat (<i>Cossypha isabellae</i>)	<i>Cossyphicula isabellae</i>
Archer's Robin-Chat (<i>Cossypha archeri</i>)	<i>Dessonornis archeri</i>
Olive-flanked Robin-Chat (<i>Cossypha anomala</i>)	<i>Dessonornis anomalus</i>
Cape Robin-Chat (<i>Cossypha caffra</i>)	<i>Dessonornis caffer</i>
White-throated Robin-Chat (<i>Cossypha humeralis</i>)	<i>Dessonornis humeralis</i>
Violet Turaco (<i>Musophaga violacea</i>)	<i>Tauraco violaceus</i>
Ross's Turaco (<i>Musophaga rossae</i>)	<i>Tauraco rossae</i>
Olive-backed Flowerpecker (<i>Prionochilus olivaceus</i>)	<i>Pachyglossa olivacea</i>
Thick-billed Flowerpecker (<i>Dicaeum agile</i>)	<i>Pachyglossa agilis</i>
Brown-backed Flowerpecker (<i>Dicaeum everetti</i>)	<i>Pachyglossa everetti</i>
Whiskered Flowerpecker (<i>Dicaeum proprium</i>)	<i>Pachyglossa propria</i>
Yellow-vented Flowerpecker (<i>Dicaeum chrysorrheum</i>)	<i>Pachyglossa chrysorrhea</i>

Yellow-bellied Flowerpecker (<i>Dicaeum melanozanthum</i>)	<i>Pachyglossa melanozantha</i>
White-throated Flowerpecker (<i>Dicaeum vincens</i>)	<i>Pachyglossa vincens</i>
Star Finch (<i>Bathilda ruficauda</i>)	<i>Emblema ruficauda</i>
Plum-headed Finch (<i>Aidemosyne modesta</i>)	<i>Emblema modesta</i>
African Pipit (African) [spurium] (<i>Anthus cinnamomeus spurium</i>)	<i>Anthus cinnamomeus spurium</i>
Long-billed Cuckoo (<i>Chrysococcyx megarhynchus</i>)	<i>Chalcites megarhynchus</i>
Horsfield's Bronze-Cuckoo (<i>Chrysococcyx basalis</i>)	<i>Chalcites basalis</i>
Black-eared Cuckoo (<i>Chrysococcyx osculans</i>)	<i>Chalcites osculans</i>
Rufous-throated Bronze-Cuckoo (<i>Chrysococcyx ruficollis</i>)	<i>Chalcites ruficollis</i>
Shining Bronze-Cuckoo (<i>Chrysococcyx lucidus</i>)	<i>Chalcites lucidus</i>
White-eared Bronze-Cuckoo (<i>Chrysococcyx meyerii</i>)	<i>Chalcites meyerii</i>
Little Bronze-Cuckoo (<i>Chrysococcyx minutillus</i>)	<i>Chalcites minutillus</i>
Pallid Cuckoo (<i>Cacomantis pallidus</i>)	<i>Heteroscenes pallidus</i>
White-crowned Cuckoo (<i>Cacomantis leucolophus</i>)	<i>Caliechthrus leucolophus</i>
Red-throated Ant-Tanager (<i>Habia fuscicauda</i>)	<i>Driophlox fuscicauda</i>
Sooty Ant-Tanager (<i>Habia gutturalis</i>)	<i>Driophlox gutturalis</i>
Black-cheeked Ant-Tanager (<i>Habia atrimaxillaris</i>)	<i>Driophlox atrimaxillaris</i>
Crested Ant-Tanager (<i>Habia cristata</i>)	<i>Driophlox cristata</i>
Roraiman Nightjar (<i>Setopagis whitelyi</i>)	<i>Tepuiornis whitelyi</i>
Tschudi's Nightjar (<i>Systellura decussata</i>)	<i>Quechuavis decussata</i>
Spot-tailed Nightjar (<i>Hydropsalis maculicaudus</i>)	<i>Antiurus maculicaudus</i>
Mangrove Hummingbird (<i>Amazilia boucardi</i>)	<i>Chrysuronia boucardi</i>
African Crane (<i>Crex egregia</i>)	<i>Crexopsis egregia</i>
Striped Crane (<i>Amaurornis marginalis</i>)	<i>Aenigmatolimnas marginalis</i>
Black-banded Crane (<i>Anurolimnas fasciatus</i>)	<i>Rufirallus fasciatus</i>
Red-and-white Crane (<i>Laterallus leucopyrrhus</i>)	<i>Rufirallus leucopyrrhus</i>
Rufous-faced Crane (<i>Laterallus xenopterus</i>)	<i>Rufirallus xenopterus</i>
Chestnut-headed Crane (<i>Rufirallus castaneiceps</i>)	<i>Anurolimnas castaneiceps</i>
Inaccessible Island Rail (<i>Atlantisia rogersi</i>)	<i>Laterallus rogersi</i>
Speckled Rail (<i>Coturnicops notatus</i>)	<i>Laterallus notatus</i>
Yellow-breasted Crane (<i>Hapalocrex flaviventer</i>)	<i>Laterallus flaviventer</i>
Dot-winged Crane (<i>Porzana spiloptera</i>)	<i>Laterallus spilopterus</i>
Hooded Plover (<i>Charadrius cucullatus</i>)	<i>Thinornis cucullatus</i>
Black-fronted Dotterel (<i>Charadrius melanops</i>)	<i>Thinornis melanops</i>
Shore Plover (<i>Charadrius novaeseelandiae</i>)	<i>Thinornis novaeseelandiae</i>
Forbes's Plover (<i>Charadrius forbesi</i>)	<i>Thinornis forbesi</i>
Three-banded Plover (<i>Charadrius tricollaris</i>)	<i>Thinornis tricollaris</i>

Little Ringed Plover (<i>Charadrius dubius</i>)	<i>Thinornis dubius</i>
Long-billed Plover (<i>Charadrius placidus</i>)	<i>Thinornis placidus</i>
Australian Pratincole (<i>Stiltia isabella</i>)	<i>Glareola Isabella</i>
Guanay Cormorant (<i>Leucocarbo bougainvillii</i>)	<i>Leucocarbo bougainvilliorum</i>
Stripe-backed Bittern (<i>Ixobrychus involucris</i>)	<i>Botaurus involucris</i>
Least Bittern (<i>Ixobrychus exilis</i>)	<i>Botaurus exilis</i>
Black Bittern (<i>Ixobrychus flavicollis</i>)	<i>Botaurus flavicollis</i>
Cinnamon Bittern (<i>Ixobrychus cinnamomeus</i>)	<i>Botaurus cinnamomeus</i>
Schrenck's Bittern (<i>Ixobrychus eurhythmus</i>)	<i>Botaurus eurhythmus</i>
Dwarf Bittern (<i>Ixobrychus sturmi</i>)	<i>Botaurus sturmi</i>
Little Bittern (<i>Ixobrychus minutus</i>)	<i>Botaurus minutus</i>
Yellow Bittern (<i>Ixobrychus sinensis</i>)	<i>Botaurus sinensis</i>
Black-backed Bittern (<i>Ixobrychus dubius</i>)	<i>Botaurus dubius</i>
New Zealand Bittern (<i>Ixobrychus novaezealandiae</i>)	<i>Botaurus novaezealandiae</i>
Western Cattle Egret (<i>Bubulcus ibis</i>)	Western Cattle-Egret (<i>Ardea ibis</i>)
Eastern Cattle Egret (<i>Bubulcus coromandus</i>)	Eastern Cattle-Egret (<i>Ardea coromanda</i>)
Congo Snake-Eagle (<i>Dryotriorchis spectabilis</i>)	Congo Snake-Eagle (<i>Circaetus spectabilis</i>)
Crested Goshawk (<i>Accipiter trivirgatus</i>)	<i>Lophospiza trivirgata</i>
Sulawesi Goshawk (<i>Accipiter griseiceps</i>)	<i>Lophospiza griseiceps</i>
African Goshawk (<i>Accipiter tachiro</i>)	<i>Aerospiza tachiro</i>
Chestnut-flanked Sparrowhawk (<i>Accipiter castanilius</i>)	<i>Aerospiza castanilius</i>
Red-thighed Sparrowhawk (<i>Accipiter erythropus</i>)	<i>Tachyspiza erythropus</i>
Little Sparrowhawk (<i>Accipiter minullus</i>)	<i>Tachyspiza minulla</i>
Besra (<i>Accipiter virgatus</i>)	<i>Tachyspiza virgata</i>
Small Sparrowhawk (<i>Accipiter nanus</i>)	<i>Tachyspiza nanus</i>
Rufous-necked Sparrowhawk (<i>Accipiter erythrauchen</i>)	<i>Tachyspiza erythrauchen</i>
Collared Sparrowhawk (<i>Accipiter cirrocephalus</i>)	<i>Tachyspiza cirrocephala</i>
New Britain Sparrowhawk (<i>Accipiter brachyurus</i>)	<i>Tachyspiza brachyura</i>
Vinous-breasted Sparrowhawk (<i>Accipiter rhodogaster</i>)	<i>Tachyspiza rhodogaster</i>
Japanese Sparrowhawk (<i>Accipiter gularis</i>)	<i>Tachyspiza gularis</i>
Shikra (<i>Accipiter badius</i>)	<i>Tachyspiza badia</i>
Nicobar Sparrowhawk (<i>Accipiter butleri</i>)	<i>Tachyspiza butleri</i>
Levant Sparrowhawk (<i>Accipiter brevipes</i>)	<i>Tachyspiza brevipes</i>
Chinese Sparrowhawk (<i>Accipiter soloensis</i>)	<i>Tachyspiza soloensis</i>
Frances's Sparrowhawk (<i>Accipiter francesiae</i>)	<i>Tachyspiza francesiae</i>
Spot-tailed Goshawk (<i>Accipiter trinotatus</i>)	<i>Tachyspiza trinotata</i>
Gray-headed Goshawk (<i>Accipiter poliocephalus</i>)	<i>Tachyspiza poliocephala</i>
New Britain Goshawk (<i>Accipiter princeps</i>)	<i>Tachyspiza princeps</i>

Imitator Sparrowhawk (<i>Accipiter imitator</i>)	<i>Tachyspiza imitator</i>
Gray Goshawk (<i>Accipiter novaehollandiae</i>)	<i>Tachyspiza novaehollandiae</i>
Variable Goshawk (<i>Accipiter hiogaster</i>)	<i>Tachyspiza hiogaster</i>
Black-mantled Goshawk (<i>Accipiter melanochlamys</i>)	<i>Tachyspiza melanochlamys</i>
Pied Goshawk (<i>Accipiter albogularis</i>)	<i>Tachyspiza albogularis</i>
Fiji Goshawk (<i>Accipiter rufitorques</i>)	<i>Tachyspiza rufitorques</i>
Moluccan Goshawk (<i>Accipiter henicogrammus</i>)	<i>Tachyspiza henicogramma</i>
Slaty-mantled Goshawk (<i>Accipiter luteschistaceus</i>)	<i>Tachyspiza luteschistacea</i>
New Caledonian Goshawk (<i>Accipiter haplochrous</i>)	<i>Tachyspiza haplochroa</i>
Brown Goshawk (<i>Accipiter fasciatus</i>)	<i>Tachyspiza fasciata</i>
Bicolored Hawk (<i>Accipiter bicolor</i>)	<i>Astur bicolor</i>
Chilean Hawk (<i>Accipiter chilensis</i>)	<i>Astur chilensis</i>
Cooper's Hawk (<i>Accipiter cooperii</i>)	<i>Astur cooperii</i>
Gundlach's Hawk (<i>Accipiter gundlachi</i>)	<i>Astur gundlachi</i>
Eurasian Goshawk (<i>Accipiter gentilis</i>)	<i>Astur gentilis</i>
American Goshawk (<i>Accipiter atricapillus</i>)	<i>Astur atricapillus</i>
Meyer's Goshawk (<i>Accipiter meyerianus</i>)	<i>Astur meyerianus</i>
Black Goshawk (<i>Accipiter melanoleucus</i>)	<i>Astur melanoleucus</i>
Henst's Goshawk (<i>Accipiter henstii</i>)	<i>Astur henstii</i>
Bar-tailed Trogon [camerunensis] (<i>Apaloderma vittatum camerunensis</i>)	<i>Apaloderma vittatum camerunense</i>

IOC Taxonomy Changes

Implemented changes and corrections to species groups to align with changes in Clements/eBird 2024 update.

Complete review of groupings, all groups not reflected by groupings in latest Clements/eBird update have been removed.

New Groups

Group Name
Olive-crowned Crescentchest (Sierran) (<i>Melanopareia maximiliani maximiliani/argentina</i>)
Olive-crowned Crescentchest (Chaco) (<i>Melanopareia maximiliani pallida</i>)
Pale-breasted Spinetail (Pale-breasted) (<i>Synallaxis albescens [albescens-group]</i>)
Pale-breasted Spinetail (Austral) (<i>Synallaxis albescens australis</i>)
Ochre-bellied Flycatcher (assimilis) (<i>Mionectes oleagineus assimilis</i>)
Ochre-bellied Flycatcher (parcus) (<i>Mionectes oleagineus parcus</i>)
Ochre-bellied Flycatcher (pacificus) (<i>Mionectes oleagineus pacificus</i>)
Ochre-bellied Flycatcher (oleagineus Group) (<i>Mionectes oleagineus [oleagineus-group]</i>)
Western Olivaceous Flatbill (Western) (<i>Rhynchocyclus aequinoctialis [aequinoctialis-group]</i>)
Western Olivaceous Flatbill (Cryptic) (<i>Rhynchocyclus aequinoctialis cryptus</i>)
Eastern Olivaceous Flatbill (Guianan) (<i>Rhynchocyclus olivaceus guianensis/sordidus</i>)
Eastern Olivaceous Flatbill (Olivaceous) (<i>Rhynchocyclus olivaceus olivaceus</i>)
Yellowish Flycatcher (Northern) (<i>Empidonax flavescens imperturbatus/salvini</i>)
Yellowish Flycatcher (Southern) (<i>Empidonax flavescens flavescens</i>)
Tropical Kingbird (South American) (<i>Tyrannus melancholicus melancholicus/despotes</i>)
Tropical Kingbird (Middle American) (<i>Tyrannus melancholicus satrapa</i>)
Oriental Cuckooshrike (Oriental) (<i>Coracina javensis [nipalensis-group]</i>)
Oriental Cuckooshrike (East Asian) (<i>Coracina javensis rexpineti</i>)
Wallacean Cuckooshrike (Kai) (<i>Coracina personata pollens</i>)
Wallacean Cuckooshrike (Flores) (<i>Coracina personata floris</i>)
Wallacean Cuckooshrike (Sumba) (<i>Coracina personata sumbensis</i>)
Wallacean Cuckooshrike (Timor) (<i>Coracina personata personata</i>)
Wallacean Cuckooshrike (Tanimbar) (<i>Coracina personata unimoda</i>)
Timor Cicadabird (Flores Sea) (<i>Edolisoma timoriense emancipatum/kalaotuae</i>)
Timor Cicadabird (Timor) (<i>Edolisoma timoriense timoriense</i>)
Black-bibbed Cicadabird (Luzon) (<i>Edolisoma mindanense lecrovae</i>)
Black-bibbed Cicadabird (Mindoro) (<i>Edolisoma mindanense elusum</i>)
Black-bibbed Cicadabird (Mindanao) (<i>Edolisoma mindanense mindanense/ripleyi</i>)
Black-bibbed Cicadabird (Sulu) (<i>Edolisoma mindanense everetti</i>)

Central Melanesian Cicadabird (Lihir) (<i>Edolisoma erythropygium ultimum</i>)
Central Melanesian Cicadabird (Central Melanesian) (<i>Edolisoma erythropygium erythropygium/saturatus</i>)
Central Melanesian Cicadabird (Pavuvu) (<i>Edolisoma erythropygium nisorium</i>)
North Moluccan Cicadabird (Tukangbesi) (<i>Edolisoma grayi pererratum</i>)
North Moluccan Cicadabird (North Moluccan) (<i>Edolisoma grayi grayi</i>)
Bismarck Cicadabird (Mussau) (<i>Edolisoma remotum matthiae</i>)
Bismarck Cicadabird (New Ireland) (<i>Edolisoma remotum remotum</i>)
Bismarck Cicadabird (Umboi) (<i>Edolisoma remotum rooki</i>)
Bismarck Cicadabird (New Britain) (<i>Edolisoma remotum heinrothi</i>)
Sangihe Cicadabird (Sangihe) (<i>Edolisoma salvadorii salvadorii</i>)
Sangihe Cicadabird (Talaud) (<i>Edolisoma salvadorii talautense</i>)
Yellow-green Vireo (Yellow-green) (<i>Vireo flavoviridis [flavoviridis-group]</i>)
Yellow-green Vireo (Tres Marias Is.) (<i>Vireo flavoviridis forreri</i>)
Supertramp Fantail (Lesser Sundas) (<i>Rhipidura semicollaris [semicollaris-group]</i>)
Supertramp Fantail (Pale-fronted) (<i>Rhipidura semicollaris elegantula</i>)
Supertramp Fantail (Babar) (<i>Rhipidura semicollaris reichenowi</i>)
Supertramp Fantail (Tanimbar) (<i>Rhipidura semicollaris hamadryas</i>)
Supertramp Fantail (Black-chested) (<i>Rhipidura semicollaris squamata/henrici</i>)
Black-winged Monarch (Arfak) (<i>Monarcha frater frater</i>)
Black-winged Monarch (Masked) (<i>Monarcha frater kunupi/periophthalmicus</i>)
Black-winged Monarch (Pearly) (<i>Monarcha frater canescens</i>)
Highland Lark (Western) (<i>Corypha kurrae henrici/batesi</i>)
Plains Lark (Kabali's) (<i>Corypha kabalii kabalii</i>)
Plains Lark (Malbrant's) (<i>Corypha kabalii malbranti</i>)
Rufous-naped Lark (Rufous-naped) (<i>Corypha africana [africana-group]</i>)
Red-winged Lark (Red-winged) (<i>Corypha hypermetra hypermetra</i>)
Red-winged Lark (Rift Valley) (<i>Corypha hypermetra gallarum</i>)
African Red-rumped Swallow (melanocrissus Group) (<i>Cecropis melanocrissus [melanocrissus-group]</i>)
Penan Bulbul (Penan) (<i>Alophoixus ruficrissus ruficrissus/fowleri</i>)
Penan Bulbul (Meratus) (<i>Alophoixus ruficrissus meratusensis</i>)
Thick-billed Green-Pigeon (Thick-billed) (<i>Treron curvirostra [curvirostra-group]</i>)
Thick-billed Green-Pigeon (Barusan) (<i>Treron curvirostra hypothapsinus/smicrus</i>)
Yellow-footed Green-Pigeon (Yellow-bellied) (<i>Treron phoenicopterus chlorigaster/phillipsi</i>)
Yellow-footed Green-Pigeon (Gray-bellied) (<i>Treron phoenicopterus [phoenicopterus-group]</i>)
Ashy-bellied White-eye (Yellow-bellied) (<i>Zosterops citrinella unicus</i>)
Ashy-bellied White-eye (Ashy-bellied) (<i>Zosterops citrinella [citrinella-group]</i>)
Tawny-bellied Babbler (Tawny-bellied) (<i>Dumetia hyperythra hyperythra</i>)
Tawny-bellied Babbler (White-throated) (<i>Dumetia hyperythra albogularis/phillipsi</i>)

Rose-crowned Fruit Dove (Grey-crowned) (*Ptilinopus regina xanthogaster/roseipileum*)
Rose-crowned Fruit Dove (Rosy-crowned) (*Ptilinopus regina [regina-group]*)
Chestnut-crowned Laughingthrush (Chestnut-crowned) (*Trochalopteron erythrocephalum erythrocephalum/kali*)
Chestnut-crowned Laughingthrush (Grey-crowned) (*Trochalopteron erythrocephalum nigrimentum*)
Spotted Laughingthrush (Brown-cheeked) (*Ianthocincla ocellata [ocellata-group]*)
Spotted Laughingthrush (Black-headed) (*Ianthocincla ocellata artemisiae*)
Southern House Wren (Central American) (*Troglodytes musculus [intermedius-group]*)
Southern House Wren (North Andean) (*Troglodytes musculus [audax-group]*)
Southern House Wren (South Peruvian) (*Troglodytes musculus carabayae*)
Southern House Wren (South Peruvian) (*Troglodytes musculus carabayae*)
Band-backed Wren (Mesoamerican) (*Campylorhynchus zonatus [zonatus-group]*)
Band-backed Wren (Costa Rican) (*Campylorhynchus zonatus costaricensis*)
Band-backed Wren (Colombian) (*Campylorhynchus zonatus [brevirostris-group]*)
Rufous-backed Wren (Sula Valley) (*Campylorhynchus capistratus castaneus*)
Rufous-backed Wren (Rufous-backed) (*Campylorhynchus capistratus [capistratus-group]*)
Plain-tailed Wren (Western) (*Pheugopedius euophrys euophrys*)
Plain-tailed Wren (Eastern) (*Pheugopedius euophrys longipes/atriceps*)
Jungle Myna (Blue-eyed) (*Acridotheres fuscus mahrattensis*)
Jungle Myna (Yellow-eyed) (*Acridotheres fuscus [fuscus-group]*)
Solomons Island Thrush (Kolombangara) (*Turdus kulambangrae kulambangrae*)
Solomons Island Thrush (Guadalcanal) (*Turdus kulambangrae sladeni*)
Vanikoro Island Thrush (Rennell) (*Turdus vanikorensis rennellianus*)
Orange-bellied Flowerpecker (Orange-bellied) (*Dicaeum trigonostigma [trigonostigma-group]*)
Orange-bellied Flowerpecker (Orange-breasted) (*Dicaeum trigonostigma xanthopygium/dorsale*)
Orange-bellied Flowerpecker (Sibuyan) (*Dicaeum trigonostigma [sibuyanicum-group]*)
Orange-bellied Flowerpecker (Grey-throated) (*Dicaeum trigonostigma [cinereigulare-group]*)
Orange-bellied Flowerpecker (Sulu) (*Dicaeum trigonostigma sibuense/assimile*)
Black Sunbird (Sangihe) (*Leptocoma aspasia talautensis/sangirensis*)
Black Sunbird (North Sulawesi) (*Leptocoma aspasia grayi*)
Black Sunbird (South Sulawesi) (*Leptocoma aspasia porphyrolaema*)
Black Sunbird (Moluccan) (*Leptocoma aspasia [aspasioides-group]*)
Black Sunbird (Kai) (*Leptocoma aspasia chlorolaema*)
Black Sunbird (Papuan) (*Leptocoma aspasia [aspasia-group]*)
Black Sunbird (Bismarck) (*Leptocoma aspasia [corinna-group]*)
Redpoll (flammea) (*Acanthis flammea flammea*)
Redpoll (rostrata) (*Acanthis flammea rostrata*)
Redpoll (Lesser) (*Acanthis flammea cabaret*)

Redpoll (exilipes) (*Acanthis flammea exilipes*)

Redpoll (hornemanni) (*Acanthis flammea hornemanni*)

Hooded Siskin (Guianan) (*Spinus magellanicus longirostris*)

Hooded Siskin (Andean) (*Spinus magellanicus [capitalis-group]*)

Hooded Siskin (Lowland) (*Spinus magellanicus [magellanicus-group]*)

Rosy Thrush-Tanager (Mexican) (*Rhodinocichla rosea schistacea*)

Rosy Thrush-Tanager (Panama) (*Rhodinocichla rosea eximia*)

Rosy Thrush-Tanager (Southern) (*Rhodinocichla rosea [rosea-group]*)

Fan-tailed Cuckoo (Sahul) (*Cacomantis flabelliformis [flabelliformis-group]*)

Fan-tailed Cuckoo (New Caledonian) (*Cacomantis flabelliformis pyrrophanus*)

Fan-tailed Cuckoo (Vanuatu) (*Cacomantis flabelliformis schistaceigularis*)

Fan-tailed Cuckoo (Fiji) (*Cacomantis flabelliformis simus*)

Stripe-headed Sparrow (Northern) (*Peucaea ruficauda acuminata*)

Stripe-headed Sparrow (Southern) (*Peucaea ruficauda [ruficauda-group]*)

Long-tailed Meadowlark (Sierran) (*Leistes loyca obscurus*)

Long-tailed Meadowlark (Long-tailed) (*Leistes loyca [loyca-group]*)

Carib Grackle (Carib) (*Quiscalus lugubris [lugubris-group]*)

Carib Grackle (Barbados) (*Quiscalus lugubris fortirostris*)

Orange-headed Tanager (Western) (*Thlypopsis sordida chrysopsis/orinocensis*)

Orange-headed Tanager (Eastern) (*Thlypopsis sordida sordida*)

White-shouldered Tanager (Puntarenas) (*Loriotus luctuosus nitidissimus*)

White-shouldered Tanager (Common) (*Loriotus luctuosa [luctuosa-group]*)

White-throated Shrike-Tanager (White-throated) (*Lanio leucothorax leucothorax*)

White-throated Shrike-Tanager (Black-rumped) (*Lanio leucothorax [melanopygius-group]*)

Blue-capped Tanager (Blue-bellied) (*Sporathraupis cyanocephala olivicyanea*)

Blue-capped Tanager (Blue-capped) (*Sporathraupis cyanocephala [cyanocephala-group]*)

Blue-capped Tanager (Venezuelan) (*Sporathraupis cyanocephala subcinerea/buesingi*)

Black-chested Mountain Tanager (Blue-rumped) (*Cnemathraupis eximia eximia/zimmeri*)

Black-chested Mountain Tanager (Moss-rumped) (*Cnemathraupis eximia chloronota/cyanocalyptra*)

Palm Tanager (Olive) (*Tangara palmarum [palmarum-group]*)

Palm Tanager (Violaceous) (*Tangara palmarum violilavata*)

Wedge-tailed Grass-Finch (Northern) (*Emberizoides herbicola [sphenurus-group]*)

Wedge-tailed Grass-Finch (Southern) (*Emberizoides herbicola herbicola*)

Cinnamon Teal (Northern) (*Spatula cyanoptera septentrionalium*)

Cinnamon Teal (Andean) (*Spatula cyanoptera [orinoma-group]*)

Cinnamon Teal (Southern) (*Spatula cyanoptera cyanoptera*)

Red-wattled Lapwing (White-necked) (*Vanellus indicus [indicus-group]*)

Red-wattled Lapwing (Black-necked) (*Vanellus indicus atronuchalis*)

Least Bittern (Northern) (*Botaurus exilis exilis/pullus*)

Least Bittern (Southern) (*Botaurus exilis [erythromelas-group]*)

Red-tailed Hawk (Sutton's) (*Buteo jamaicensis suttoni*)

Oriental Scops Owl (Southern) (*Otus sunia [sunia-group]*)

Oriental Scops Owl (Northern) (*Otus sunia [japonicus-group]*)

Rusty-margined Guan (Blue-faced) (*Penelope superciliaris pseudonyma*)

Rusty-margined Guan (Gray-faced) (*Penelope superciliaris [superciliaris-group]*)

Australian Brushturkey (Purple-pouched) (*Alectura lathami purpureicollis*)

Australian Brushturkey (Yellow-pouched) (*Alectura lathami lathami*)

Partridge Pigeon (Yellow-faced) (*Geophaps smithii blaauwi*)

Partridge Pigeon (Red-faced) (*Geophaps smithii smithii*)

Sooty Barbthroat (Amapa) (*Threnetes niger loehkeni*)

Sooty Barbthroat (French Guiana) (*Threnetes niger niger*)

Giant Hummingbird (Northern) (*Patagona gigas peruviana*)

Giant Hummingbird (Southern) (*Patagona gigas gigas*)

Elliot's Storm-Petrel (Galapagos) (*Oceanites gracilis galapagoensis*)

Elliot's Storm-Petrel (Humboldt) (*Oceanites gracilis gracilis*)

Magnificent Frigatebird (Magnificent) (*Fregata magnificens rothschildi*)

Magnificent Frigatebird (Galapagos) (*Fregata magnificens magnificens*)

Cuckoo-roller (Grande Comore) (*Leptosomus discolor gracilis*)

Cuckoo-roller (Anjouan) (*Leptosomus discolor intermedius*)

Cuckoo-roller (Malagasy) (*Leptosomus discolor discolor*)

Rufous Hornbill (Visayan) (*Buceros hydrocorax semigaleatus*)

Rufous Hornbill (Southern) (*Buceros hydrocorax mindanensis*)

Silvery-cheeked Antshrike (Northern) (*Sakesphoroides cristatus niedeguidonae*)

Silvery-cheeked Antshrike (Southern) (*Sakesphoroides cristatus cristatus*)

Banda Myzomela (Banda Islands) (*Myzomela boiei boiei*)

Banda Myzomela (Tanimbar) (*Myzomela boiei annabellae*)

Fiji Streaked Fantail (Viti Levu) (*Rhipidura layardi layardi*)

Fiji Streaked Fantail (Vanua Levu) (*Rhipidura layardi erythronota*)

Rook (Western) (*Corvus frugilegus frugilegus*)

Rook (Eastern) (*Corvus frugilegus pastinator*)

Seram Golden Bulbul (Seram) (*Hypsipetes affinis affinis*)

Seram Golden Bulbul (Ambon) (*Hypsipetes affinis flavicaudus*)

White-lored Gnatcatcher (Van Rossem's) (*Polioptila albiloris vanrossemi*)

White-lored Gnatcatcher (Central American) (*Polioptila albiloris albiloris*)

Ultramarine Flycatcher (Eyebrowed) (*Ficedula superciliaris superciliaris*)

Ultramarine Flycatcher (Eastern) (*Ficedula superciliaris aestigma*)

Red-crowned Ant-Tanager (Perija) (*Habia rubica perijana*)

Black-faced Grosbeak (Northern) (*Caryothraustes poliogaster poliogaster*)

Black-faced Grosbeak (Southern) (*Caryothraustes poliogaster scapularis*)

Morelet's Seedeater (Sharpe's) (*Sporophila moreletii sharpei*)
Morelet's Seedeater (Morelet's) (*Sporophila moreletii moreletii/mutanda*)
Paramo Seedeater (Santa Marta) (*Catamenia homochroa oreophila*)
Paramo Seedeater (Paramo) (*Catamenia homochroa homochroa*)
Paramo Seedeater (Tepui) (*Catamenia homochroa duncani*)
Black-bellied Storm Petrel (Subantarctic) (*Fregetta tropica tropica*)
Black-bellied Storm Petrel (Gough) (*Fregetta tropica melanoleuca*)
Black-throated Toucanet (Black-billed) (*Aulacorhynchus atrogularis cyanolaemus*)
Black-throated Toucanet (Black-throated) (*Aulacorhynchus atrogularis atrogularis/dimidiatus*)
Black-fronted Fig Parrot (Black-fronted) (*Cyclopsitta nigrifrons nigrifrons*)
Black-fronted Fig-Parrot (Creamy-breasted) (*Cyclopsitta nigrifrons amabilis*)
Timneh Parrot (Timneh) (*Psittacus timneh timneh*)
Timneh Parrot (Principe) (*Psittacus timneh princeps*)
Ochre-bellied Flycatcher (pacificus) (*Mionectes oleagineus pacificus*)
Spangled Drongo (Seram) (*Dicrurus bracteatus amboinensis*)
White-rumped Shama (White-rumped) (*Copsychus malabaricus [malabaricus-group]*)
White-rumped Shama (Barusan) (*Copsychus malabaricus [melanurus-group]*)
Green Imperial Pigeon (Rufous-naped) (*Ducula aenea paulina*)

Deleted Groups

(N.B. These will still be in the database but marked “not in taxonomy”)

Group Name	Reason
Oriental Cuckooshrike (Large) (<i>Coracina javensis nipalensis-group</i>)	Group concept changed as <i>rexpineti</i> is removed and becomes a monotypic group
Wallacean Cuckooshrike (Wallacean) (<i>Coracina personata personata-group</i>)	Group members are now monotypic groups
Orange-bellied Flowerpecker (Orange-breasted) (<i>Dicaeum trigonostigma dorsale-group</i>)	Group members moved to other groups
Redpoll (Common) (<i>Acanthis flammea flammea/rostrata</i>)	Group members are now monotypic groups
Redpoll (Arctic) (<i>Acanthis flammea hornemanni/exilipes</i>)	“
Carib Grackle (Lesser Antilles) (<i>Quiscalus lugubris fortirostris/contrusus</i>)	<i>fortirostris</i> becomes a monotypic group}
Blue-capped Tanager (Aragua) (<i>Sporathraupis cyanocephala olivicyanea-group</i>)	Group members moved to other groups
Oriental Scops Owl (Oriental) (<i>Otus sunia sunia-group</i>)	Group members split amongst Otus sunia [sunia Group] and Otus [japonicus-group]
Rufous Hornbill (Southern) (<i>Buceros hydrocorax mindanensis/semigaleatus</i>)	Group members are now monotypic groups
Fiji Streaked Fantail (Fiji) (<i>Rhipidura layardi layardi/erythronota</i>)	“
Red-crowned Ant-Tanager (Northern) (<i>Habia rubica rubicoides-group</i>)	ssp. <i>rosea</i> , <i>affinis</i> moved to their own group
Paramo Seedeater (Paramo) (<i>Catamenia homochroa homochroa/duncani</i>)	Group members are now monotypic groups
Common Pheasant (Black-necked) (<i>Phasianus colchicus colchicus-group</i>)	Group no longer listed by Clements/eBird
Common Pheasant (White-winged) (<i>Phasianus colchicus chrysomelas-group</i>)	“
Common Pheasant (Kyrghyz) (<i>Phasianus colchicus mongolicus/turcestanicus</i>)	“
Common Pheasant (Tarim Basin) (<i>Phasianus colchicus shawii/tarimensis</i>)	“
Common Pheasant (Grey-rumped) (<i>Phasianus colchicus torquatus-group</i>)	“

Green Imperial Pigeon (Rufous-naped) (<i>Ducula aenea paulina/intermedia</i>)	HBW group replaced by other groups in Clements/eBird
Hairy Woodpecker (Bahamas) (<i>Leuconotopicus villosus maynardi/piger</i>)	HBW group conflict <i>maynardi</i> , <i>pilger</i> are included in <i>villosus</i> -group
Variegated Antpitta (Variegated) (<i>Grallaria varia [varia-group]</i>)	HBW group not accepted by Clements/eBird
Variegated Antpitta (Imperial) (<i>Grallaria varia imperator/intercedens</i>)	“
Thicket Antpitta (Thicket) (<i>Myrmothera dives dives/barbacoae</i>)	H&M group not accepted by Clements/eBird
Thicket Antpitta (Flammulated) (<i>Myrmothera dives flammulata</i>)	“
White-chinned Woodcreeper (White-chinned) (<i>Dendrocincla merula merula/obidensis</i>)	HBW group not accepted by Clements/eBird
White-chinned Woodcreeper (Blue-eyed) (<i>Dendrocincla merula [castanoptera-group]</i>)	“
Straight-billed Woodcreeper (Plain-throated) (<i>Dendroplex picus [picirostris-group]</i>)	“
Straight-billed Woodcreeper (Straight-billed) (<i>Dendroplex picus [picus-group]</i>)	“
Red-billed Scythebill (venezuelensis/brevipennis) (<i>Campylorhamphus trochilirostris venezuelensis/brevipennis</i>)	“
Red-billed Scythebill (thoracicus/zarumillanus) (<i>Campylorhamphus trochilirostris thoracicus/zarumillanus</i>)	H&M group not accepted by Clements/eBird
Red-billed Scythebill (trochilirostris Group) (<i>Campylorhamphus trochilirostris [trochilirostris-group]</i>)	“
Narrow-billed Woodcreeper (angustirostris Group) (<i>Lepidocolaptes angustirostris [angustirostris-group]</i>)	HBW group not accepted by Clements/eBird
Narrow-billed Woodcreeper (bivittatus Group) (<i>Lepidocolaptes angustirostris [bivittatus-group]</i>)	“
Montane Woodcreeper (lacrymiger Group) (<i>Lepidocolaptes lacrymiger [lacrymiger-group]</i>)	HBW group not accepted by Clements/eBird
Montane Woodcreeper (warscewicz Group) (<i>Lepidocolaptes lacrymiger [warscewicz-group]</i>)	“
Rufous-rumped Foliage-gleaner (Rufous-rumped) (<i>Neophilydor erythrocerum [erythrocerum-group]</i>)	“
Rusty-crowned Tit Spinetail (Rusty-crowned) (<i>Leptasthenura pileata pileata/latistriata</i>)	“
Dusky Spinetail (Dusky) (<i>Synallaxis moesta moesta/obscura</i>)	H&M group not accepted by Clements/eBird
Azara's Spinetail (Elegant) (<i>Synallaxis azarae [elegantior-group]</i>)	HBW group not accepted by Clements/eBird

Azara's Spinetail (Azara's) (<i>Synallaxis azarae</i> [<i>azarae-group</i>])	“
Azara's Spinetail (Buff-browed) (<i>Synallaxis azarae superciliosa/samaipatae</i>)	“
Handsome Fruiteater (rubidior/pariae) (<i>Pipreola formosa rubidior/pariae</i>)	“
Planalto/Yungas Tyrannulet sp. (<i>Phyllomyias fasciatus/weedeni</i>)	“
Northern Scrub Flycatcher (Smooth) (<i>Sublegatus arenarum</i> [<i>glaber-group</i>])	“
Brown Honeyeater (Brown) (<i>Lichmera indistincta</i> [<i>indistincta-group</i>])	group not listed by Clements/eBird
Tawny-breasted Honeyeater (Greenish) (<i>Xanthotis flaviventer flaviventer/fusciventris</i>)	“
Tawny-breasted Honeyeater (Bare-faced) (<i>Xanthotis flaviventer</i> [<i>filiger-group</i>])	“
Small Minivet (Small) (<i>Pericrocotus cinnamomeus</i> [<i>cinnamomeus-group</i>])	“
Dusky-capped Greenlet (Dusky-capped) (<i>Pachysylvia hypoxantha</i> [<i>hypoxantha-group</i>])	“
Dusky-capped Greenlet (Amazon) (<i>Pachysylvia hypoxantha inornata/albigula</i>)	“
Black Butcherbird (quoyi/alecto) (<i>Melloria quoyi quoyi/alecto</i>)	“
Black Butcherbird (spaldingi-group) (<i>Melloria quoyi</i> [<i>spaldingi-group</i>])	“
Rosy-patched Bushshrike (Rosy-patched) (<i>Telophorus cruentus</i> [<i>cruentus-group</i>])	“
Hooded Robin (Eastern) (<i>Melanodryas cucullata</i> [<i>cucullata-group</i>])	“
White-faced Robin (leucops Group) (<i>Tregellasia leucops</i> [<i>leucops-group</i>])	“
White-faced Robin (heurnii Group) (<i>Tregellasia leucops</i> [<i>heurni-group</i>])	“
White-faced Robin (auricularis/wahgiensis) (<i>Tregellasia leucops auricularis/wahgiensis</i>)	“
Marsh Tit (Eurasian) (<i>Poecile palustris</i> [<i>palustris-group</i>])	“
Marsh Tit (Asian) (<i>Poecile palustris</i> [<i>brevirostris-group</i>])	“
Streak-breasted Scimitar-Babbler (reconditus-group) (<i>Pomatorhinus ruficollis</i> [<i>reconditus-group</i>])	“
Masked Gnatcatcher (Masked) (<i>Polioptila dumicola dumicola/saturata</i>)	“

Russet Nightingale Thrush (Russet) (<i>Catharus occidentalis</i> [<i>occidentalis-group</i>])	“
Blue-throated Flycatcher (Notch-throated) (<i>Cyornis rubeculoides dialilaemus/rogersi</i>)	Group not listed in Clements since ssp <i>dialilaemus</i> moved to <i>C. hainanus</i>
White-fronted Black-chat (frontalis/pachyrhyncha) (<i>Oenanthe albifrons frontalis/pachyrhyncha</i>)	group not listed by Clements/eBird
White-fronted Black-chat (albifrons-group) (<i>Oenanthe albifrons [albifrons-group]</i>)	“
Midget Flowerpecker (Midget) (<i>Dicaeum aeneum aeneum/becki</i>)	“
Brown-throated Sunbird (Plain-throated) (<i>Anthreptes malacensis [chorigaster-group]</i>)	“
Brown-throated Sunbird (Brown-throated) (<i>Anthreptes malacensis [malacensis-group]</i>)	“
Olive Sunbird (Western) (<i>Cyanomitra olivacea [obscura-group]</i>)	“
Olive Sunbird (Eastern) (<i>Cyanomitra olivacea [olivacea-group]</i>)	“
Village Indigobird (Green) (<i>Vidua chalybeata chalybeata/neumanni</i>)	“
Village Indigobird (South African) (<i>Vidua chalybeata [okavangoensis-group]</i>)	“
Hellmayr's Pipit (Hellmayr's) (<i>Anthus hellmayri hellmayri/dabbenei</i>)	“
Eurasian Reed Bunting (Northern) (<i>Schoeniclus schoeniclus [schoeniclus-group]</i>)	“
Eurasian Reed Bunting (Central Asian) (<i>Schoeniclus schoeniclus [incognitus-group]</i>)	“
Eurasian Reed Bunting (Southern) (<i>Schoeniclus schoeniclus [witherbyi-group]</i>)	“
Grasshopper Sparrow (Western) (<i>Ammodramus savannarum perpallidus/ammolegus</i>)	“
Olive Sparrow (Yucatan) (<i>Arremonops rufivirgatus verticalis/rhyptothorax</i>)	“
Velvet-fronted Grackle (Velvet-fronted) (<i>Lamprosar tanagrinus [tanagrinus-group]</i>)	“
Spectacled Whitestart (Rufous-crowned) (<i>Myioborus melanocephalus ruficoronatus/griseonuchus</i>)	“
Spectacled Whitestart (Spectacled) (<i>Myioborus melanocephalus [melanocephalus-group]</i>)	“
Northern Cardinal (coccineus-group) (<i>Cardinalis cardinalis [coccineus-group]</i>)	“

Northern Cardinal (igneus-group) (<i>Cardinalis cardinalis</i> [igneus-group])	“
Fulvous-crested Tanager (Fulvous-crested) (<i>Tachyphonus surinamus</i> [surinamus-group])	“
Golden-crowned Tanager (Golden-crowned) (<i>Iridosornis rufivertex</i> [rufivertex-group])	“
Diuca Finch (Common) (<i>Diuca diuca</i> [diuca-group])	“
Band-tailed Sierra Finch (Northern) (<i>Rhopospina alaudina</i> [humboldti-group])	“
Band-tailed Sierra Finch (Southern) (<i>Rhopospina alaudina alaudina/venturii</i>)	“
Band-tailed Seedeater (Northern) (<i>Catamenia analis</i> [analoides-group])	“
Band-tailed Seedeater (Southern) (<i>Catamenia analis</i> [analis-group])	“