

# Wildlife Recorder Species Database – Update 116 August 2024

## Contents

Introduction.....	2
Changes to the Bird Species Database in previous versions.....	3
Changes to the Bird Species Database since last update (version 115 January 2024) .....	4
Clements Taxonomy Changes .....	4
IOC Taxonomy Changes.....	5
New Species and Sub-species .....	5
New Groups .....	6
Deleted Species and Sub-species .....	7
Deleted Groups .....	8
Splits .....	9
Lumps .....	15
Species Reassigned to New Families.....	16
Sub-Species Reassigned to New Species.....	16
Common Name changes .....	17
Scientific name changes.....	19
New Distribution Areas .....	22

## Introduction

This update implements the following:

- IOC World Bird List 14.2
- New Distribution Areas
- Corrections to distribution and distribution texts.

## New

In species distribution, extinct species are separable from species of uncertain or historic occurrence. In previous versions this was not possible. This change allows the exclusion of extinct species from Species Checklists and the results of queries such as “Where To Go”.

This species update requires version 4.1.318 or later of Wildlife Recorder 4. This update is not compatible with Wildlife Recorder 3.

## Taxonomy Support

Important notice for users of Howard and Moore and HBW taxonomies.

It has been some years since the publication of Howard and Moore and there seems to be no sign that a new version will appear. We will no longer be updating the HM taxonomy in future versions of the database. You may continue to use your existing version of H&M taxonomy, but it will no longer be updated.

Since the HBW databases have been taken over by Cornell (eBird) and will use the Clements/eBird taxonomy, we will no longer be updating the HBW taxonomy. You may continue to use your existing version of the HBW taxonomy, but it will no longer be updated.

## **Changes to the Bird Species Database in previous versions**

A complete list of all the changes contained in each version of the species database can be found in the Wildlife Recorder User Area on our website.

## **Changes to the Bird Species Database since last update (version 115 January 2024)**

### ***Clements Taxonomy Changes***

No changes.

## IOC Taxonomy Changes

Implemented changes in IOC 14.2 taxonomy. In addition to the changes noted below there are many species sequence changes in this update. For full details of the IOC changes see the [IOC website](#)

### New Species and Sub-species

Species/Sub-species Name
Timor Nightjar ( <i>Caprimulgus ritae</i> )
Dusky Long-tailed Cuckoo [mechowi] ( <i>Cercococcyx mechowi mechowi</i> )
Dusky Long-tailed Cuckoo [lemaireae] ( <i>Cercococcyx mechowi lemaireae</i> )
Marquesan Swamphen ( <i>Porphyrio paepae</i> )
Collared Scops Owl [cnephaeus] ( <i>Otus lettia cnephaeus</i> )
Silvery-cheeked Antshrike [niedeguidonae] ( <i>Sakesphoroides cristatus niedeguidonae</i> )
Silvery-cheeked Antshrike [cristatus] ( <i>Sakesphoroides cristatus cristatus</i> )
Greater Lophorina [feminina] ( <i>Lophorina latipennis feminina</i> )
Plains Lark [irwini] ( <i>Corypha kabalii irwini</i> )
Larwo Shama [javanus] ( <i>Copsychus omissus javanus</i> )
Larwo Shama [omissus] ( <i>Copsychus omissus omissus</i> )
White-rumped Shama [hypolizus] ( <i>Copsychus malabaricus hypolizus</i> )
White-rumped Shama [opisthochrus] ( <i>Copsychus malabaricus opisthochrus</i> )
Qilian Bluetail ( <i>Tarsiger albocoeruleus</i> )
Sunda Scops Owl [condorensis] ( <i>Otus lempiji condorensis</i> )
Sunda Scops Owl [hypnodes] ( <i>Otus lempiji hypnodes</i> )
Eurasian Hoopoe [saturata] ( <i>Upupa epops saturata</i> )
White-tailed Tityra ( <i>Tityra leucura</i> )
Yellow-green Vireo [insulanus] ( <i>Vireo flavoviridis insulanus</i> )
Black-throated Green Warbler [virens] ( <i>Setophaga virens virens</i> )
Black-throated Green Warbler [waynei] ( <i>Setophaga virens waynei</i> )

## New Groups

Group Name
Moluccan Swiftlet (Halmahera) ( <i>Aerodramus infuscatus infuscatus</i> )
Moluccan Swiftlet (Sulawesi) ( <i>Aerodramus infuscatus sororum</i> )
Moluccan Swiftlet (Seram) ( <i>Aerodramus infuscatus ceramensis</i> )
Edible-nest Swiftlet (Edible-nest) ( <i>Aerodramus fuciphagus [fuciphagus-group]</i> )
Edible-nest Swiftlet (Germain's) ( <i>Aerodramus fuciphagus germani/amechanus</i> )
Fawn-breasted Whistler (Fawn-breasted) ( <i>Pachycephala orpheus orpheus</i> )
Mangrove Golden Whistler (Damar) ( <i>Pachycephala melanura dammeriana</i> )
Mangrove Golden Whistler [melanura-Group] ( <i>Pachycephala melanura [melanura-group]</i> )
Chestnut-bellied Monarch (Bougainville) ( <i>Monarcha castaneiventris erythrostickus</i> )
Velvet Flycatcher (Velvet) ( <i>Myiagra eichhorni eichhorni</i> )
Velvet Flycatcher (Dyaul) ( <i>Myiagra eichhorni cervinicolor</i> )
Vogelkop Lophorina (superba) ( <i>Lophorina superba superba</i> )
Vogelkop Lophorina (Crescent-caped) ( <i>Lophorina superba niedda</i> )
Cinereous Tit (Cinereous) ( <i>Parus cinereus [cinereus-group]</i> )
Fawn-colored Lark (Foxy) ( <i>Calendulauda africanoides alopex/intercedens</i> )
Fawn-colored Lark (Fawn-colored) ( <i>Calendulauda africanoides [africanoides-group]</i> )
Dune Lark (Dune) ( <i>Calendulauda erythrochlamys erythrochlamys</i> )
Somali Lark (Somali) ( <i>Corypha somalica somalica</i> )
Somali Lark (Ash's) ( <i>Corypha somalica ashii</i> )
Olive-headed Greenbul (Stripe-faced) ( <i>Arizelocichla striifacies striifacies</i> )
Olive-headed Greenbul (Olive-headed) ( <i>Arizelocichla striifacies olivaceiceps</i> )
Eastern Red-rumped Swallow (daurica-group) ( <i>Cecropis daurica [daurica-group]</i> )
Eastern Red-rumped Swallow (Striated) ( <i>Cecropis daurica [striolata-group]</i> )
Lazy Cisticola (Rock-loving) ( <i>Cisticola aberrans [emini-group]</i> )
Lazy Cisticola (Lazy) ( <i>Cisticola aberrans [aberrans-group]</i> )
Yellow-bellied Eremomela (Yellow-bellied) ( <i>Eremomela icteropygialis [icteropygialis-group]</i> )
Yellow-bellied Eremomela (Salvadori's) ( <i>Eremomela icteropygialis salvadorii</i> )
Rufous-fronted Babbler (Buff-chested) ( <i>Cyanoderma rufifrons [ambiguum-group]</i> )
Rufous-fronted Babbler (Rufous-fronted) ( <i>Cyanoderma rufifrons [rufifrons-group]</i> )
Redpoll (Common) ( <i>Acanthis flammea flammea/rostrata</i> )
Redpoll (Lesser) ( <i>Acanthis flammea cabaret</i> )
Redpoll (Arctic) ( <i>Acanthis flammea hornemanni/exilipes</i> )
Common Black Hawk (Common) ( <i>Buteogallus anthracinus anthracinus</i> )

## Deleted Species and Sub-species

(N.B. These will still be in the database but marked “not in taxonomy”)

Species/Sub-species Name	Reason
Crescent-caped Lophorina [inopinata] ( <i>Lophorina niedda inopinata</i> )	Not listed in IOC 14.2
Somali Lark [rochei] ( <i>Corypha somalica rochei</i> )	Synonym of <i>ashi</i>
Yellow-green Vireo [perplexus] ( <i>Vireo flavoviridis perplexus</i> )	Included in nominate
Yellow-green Vireo [vanrossemi] ( <i>Vireo flavoviridis vanrossemi</i> )	“
Thick-billed Green Pigeon [nasica] ( <i>Treron curvirostra nasica</i> )	“
Thick-billed Green Pigeon [erimacrus] ( <i>Treron curvirostra erimacrus</i> )	“
Common Black Hawk (Common) [utilensis] ( <i>Buteogallus anthracinus utilensis</i> )	“

## Deleted Groups

(N.B. These will still be in the database but marked “not in taxonomy”)

Species/Sub-species Name	Reason
Rock Martin (Red-throated) ( <i>Ptyonoprogne rufigula rufigula/bansoensis</i> )	Grouping no longer valid
Island Thrush (North Melanesian) ( <i>Turdus poliocephalus [heinrothi-group]</i> )	Group members moved to other species split from <i>T. poliocephalus</i>
White-rumped Shama (White-rumped) ( <i>Copsychus malabaricus [malabaricus-group]</i> )	Group members moved to split species <i>Copsychus malabaricus</i> , <i>C. leggei</i> , <i>C. nigricauda</i> and <i>C. omissus</i>
White-rumped Shama (Barusan) ( <i>Copsychus malabaricus melanurus/mirabilis</i> )	“
Blood-breasted Flowerpecker (Blood-breasted) ( <i>Dicaeum sanguinolentum sanguinolentum/rhodopygiale</i> )	<i>Dicaeum sanguinolentum</i> , <i>D. rhodopygiale</i> , <i>D. wilhelminae</i> and <i>D. hanieli</i> are treated as distinct species. Group members moved to split species.
Common Black Hawk (Common) ( <i>Buteogallus anthracinus anthracinus/utilensis</i> )	<i>utilensis</i> is included in <i>anthracinus</i> so group not required



## Splits

Species	Split From
Red Grouse ( <i>Lagopus scotica</i> )	Willow Ptarmigan ( <i>Lagopus lagopus</i> )
Karimui Owlet-Nightjar ( <i>Aegotheles terborghi</i> )	Barred Owlet-Nightjar ( <i>Aegotheles bennettii</i> )
Olive-capped Coua ( <i>Coua olivaceiceps</i> )	Red-capped Coua ( <i>Coua ruficeps</i> )
Mentawai Malkoha ( <i>Phaenicophaeus oeneicaudus</i> )	Chestnut-breasted Malkoha ( <i>Phaenicophaeus curvirostris</i> )
Pied Bronze Cuckoo ( <i>Chalcites crassirostris</i> )	Little Bronze Cuckoo ( <i>Chalcites minutillus</i> )
Sunda Brush Cuckoo ( <i>Cacomantis sepulcralis</i> ) with ssp. <i>sepulcralis</i> , <i>everetti</i>	Rusty-breasted Cuckoo ( <i>Cacomantis sepulcralis</i> )
Sulawesi Brush Cuckoo ( <i>Cacomantis virescens</i> )	“
Sahul Brush Cuckoo ( <i>Cacomantis variolosus</i> ) with ssp. <i>major</i> , <i>tymbonomus</i> , <i>infaustus</i> , <i>obscuratus</i> , <i>variolosus</i> , <i>macrocerus</i> , <i>websteri</i> , <i>fortior</i>	Brush Cuckoo ( <i>Cacomantis variolosus</i> )
Manus Brush Cuckoo ( <i>Cacomantis blandus</i> )	“
Solomons Brush Cuckoo ( <i>Cacomantis addendus</i> )	“
Mongolian Gull ( <i>Larus mongolicus</i> )	Vega Gull ( <i>Larus vegae</i> )
Cocos Booby ( <i>Sula brewsteri</i> )	Brown Booby ( <i>Sula leucogaster</i> )
Western Yellow-billed Barbet ( <i>Trachyphonus goffinii</i> ) with ssp. <i>goffinii</i> , <i>togoensis</i>	Yellow-billed Barbet ( <i>Trachyphonus purpuratus</i> )
Eastern Yellow-billed Barbet ( <i>Trachyphonus purpuratus</i> ) with ssp. <i>purpuratus</i> , <i>elgonensis</i>	“
Red-fronted Tinkerbird ( <i>Pogoniulus pusillus</i> ) with ssp. <i>uropygialis</i> , <i>affinis</i>	Red-fronted Tinkerbird ( <i>Pogoniulus pusillus</i> )
Southern Red-fronted Tinkerbird ( <i>Pogoniulus pusillus</i> )	“
Guatemalan Flicker ( <i>Colaptes mexicanoides</i> )	Northern Flicker ( <i>Colaptes auratus</i> )
Northern Plain Xenops ( <i>Xenops mexicanus</i> ) with ssp. <i>mexicanus</i> , <i>ridgwayi</i> , <i>littoralis</i> , <i>olivaceus</i> , <i>neglectus</i>	Plain Xenops ( <i>Xenops genibarbis</i> )
Amazonian Plain Xenops ( <i>Xenops genibarbis</i> ) with ssp. <i>remoratus</i> , <i>ruficaudus</i> , <i>obsoletus</i> , <i>genibarbis</i> , <i>alagoanus</i>	“
Pilbara Grasswren ( <i>Amytornis whitei</i> ) with ssp. <i>parvus</i> , <i>whitei</i>	Rufous Grasswren ( <i>Amytornis whitei</i> )
Sandhill Grasswren ( <i>Amytornis oweni</i> ) with ssp. <i>oweni</i> , <i>aenigma</i>	“
Mindoro Cuckooshrike ( <i>Coracina mindorensis</i> )	Bar-bellied Cuckooshrike ( <i>Coracina striata</i> )
Visayan Cuckooshrike ( <i>Coracina panayensis</i> )	“

Mindanao Cuckooshrike ( <i>Coracina kochii</i> ) with ssp. <i>boholensis</i> , <i>kochii</i>	“
Sulu Cuckooshrike ( <i>Coracina guillemardi</i> )	“
Indian Cuckooshrike ( <i>Coracina macei</i> ) with ssp. <i>macei</i> , <i>layardi</i>	Large Cuckooshrike ( <i>Coracina macei</i> )
Oriental Cuckooshrike ( <i>Coracina javensis</i> ) with ssp. <i>javensis</i> , <i>nipalensis</i> , <i>andamana</i> , <i>larvivora</i> , <i>siamensis</i> , <i>rexpineti</i>	“
Malayan Cuckooshrike ( <i>Coracina larutensis</i> )	“
Solomons Cicadabird ( <i>Edolisoma holopolium</i> ) with ssp. <i>holopolium</i> , <i>pygmaeum</i>	Solomons Cuckooshrike ( <i>Edolisoma holopolium</i> )
Malaita Cicadabird ( <i>Edolisoma tricolor</i> )	“
Sangihe Cicadabird ( <i>Edolisoma salvadorii</i> ) with ssp. <i>salvadorii</i> , <i>talautense</i>	Sulawesi Cicadabird ( <i>Edolisoma morio</i> )
Bismarck Cicadabird ( <i>Edolisoma remotum</i> )	Grey-capped Cicadabird ( <i>Edolisoma remotum</i> )
Central Melanesian Cicadabird ( <i>Edolisoma erythropygium</i> ) with ssp. <i>ultimum</i> , <i>saturatius</i> , <i>nisorium</i> , <i>erythropygium</i>	“
Sahul Cicadabird ( <i>Edolisoma tenuirostre</i> ) with ssp. <i>nehrkorni</i> , <i>aruense</i> , <i>muellerii</i> , <i>tagulanum</i> , <i>melvillense</i> , <i>tenuirostre</i>	Common Cicadabird ( <i>Edolisoma tenuirostre</i> )
Rossel Cicadabird ( <i>Edolisoma rostratum</i> )	“
Geelvink Cicadabird ( <i>Edolisoma meyerii</i> ) with ssp. <i>numforanum</i> , <i>meyerii</i>	“
Banggai Cicadabird ( <i>Edolisoma pelingi</i> )	“
Obi Cicadabird ( <i>Edolisoma obiense</i> )	“
North Moluccan Cicadabird ( <i>Edolisoma grayi</i> ) with ssp. <i>pererratum</i> , <i>grayi</i>	“
South Moluccan Cicadabird ( <i>Edolisoma amboinense</i> )	“
Timor Cicadabird ( <i>Edolisoma timoriense</i> ) with ssp. <i>kalaotuae</i> , <i>emancipatum</i> , <i>timoriense</i>	“
Selayar Whistler ( <i>Pachycephala teysmanni</i> )	Rusty-breasted Whistler ( <i>Pachycephala calliope</i> )
Babar Whistler ( <i>Pachycephala sharpei</i> )	Yellow-throated Whistler ( <i>Pachycephala macrorhyncha</i> )
White-throated Fiji Whistler ( <i>Pachycephala vitiensis</i> ) with ssp. <i>kandavensis</i> , <i>lauana</i> , <i>vitiensis</i>	Fiji Whistler ( <i>Pachycephala vitiensis</i> )
Yellow-throated Fiji Whistler ( <i>Pachycephala graeffii</i> ) with ssp. <i>bella</i> , <i>koroana</i> , <i>torquata</i> , <i>aurantiiventris</i> , <i>ambigua</i> , <i>optata</i> , <i>graeffii</i>	“
Nendo Whistler ( <i>Pachycephala ornata</i> )	Temotu Whistler ( <i>Pachycephala vanikorensis</i> )
Utupua Whistler ( <i>Pachycephala utupuae</i> )	“

Vanikoro Whistler ( <i>Pachycephala vanikorensis</i> )	“
Malaita Monarch ( <i>Symposiachrus malitae</i> )	Solomons Monarch ( <i>Symposiachrus barbatus</i> )
Vella Lavella Monarch ( <i>Symposiachrus nigrotectus</i> ) with ssp. <i>ganongae</i> , <i>nigrotectus</i>	Kolombangara Monarch ( <i>Symposiachrus browni</i> )
Northern Nutcracker ( <i>Nucifraga caryocatactes</i> ) with ssp. <i>caryocatactes</i> , <i>macrorhynchos</i> , <i>rothschildi</i> , <i>japonica</i>	Spotted Nutcracker ( <i>Nucifraga caryocatactes</i> )
Southern Nutcracker ( <i>Nucifraga hemispila</i> ) with ssp. <i>hemispila</i> , <i>macella</i> , <i>interdicta</i> , <i>owstoni</i>	“
Sunda Crow ( <i>Corvus enca</i> ) with ssp. <i>compilator</i> , <i>enca</i>	Slender-billed Crow ( <i>Corvus enca</i> )
Sulawesi Crow ( <i>Corvus celebensis</i> ) with ssp. <i>celebensis</i> , <i>mangoli</i>	“
Sierra Madre Crow ( <i>Corvus sierramadrensis</i> )	Small Crow ( <i>Corvus samarensis</i> )
Samar Crow ( <i>Corvus samarensis</i> )	“
Philippine Crow ( <i>Corvus philippinus</i> )	Large-billed Crow ( <i>Corvus macrorhynchos</i> )
Vogelkop Lophorina ( <i>Lophorina superba</i> )	Greater Lophorina ( <i>Lophorina superba</i> )
Greater Lophorina ( <i>Lophorina latipennis</i> ) with ssp. <i>feminina</i> , <i>addenda</i> , <i>latipennis</i>	“
Kidepo Lark ( <i>Corypha kidepoensis</i> ) with ssp. <i>kathangorensis</i> , <i>kidepoensis</i>	Red-winged Lark ( <i>Corypha hypermetra</i> )
Highland Lark ( <i>Corypha kurrae</i> ) with ssp. <i>henrici</i> , <i>batesi</i> , <i>stresemanni</i> , <i>bamendae</i>	Rufous-naped Lark ( <i>Corypha africana</i> )
Sentinel Lark ( <i>Corypha athi</i> ) with ssp. <i>athi</i> , <i>harterti</i>	“
Plains Lark ( <i>Corypha kabalii</i> ) with ssp. <i>malbranti</i> , <i>kabalii</i> , <i>irwini</i>	“
Plateau Lark ( <i>Corypha nigrescens</i> ) with ssp. <i>nigrescens</i> , <i>nyikae</i>	“
Yellow-gorgeted Greenbul ( <i>Atimastillas flavicollis</i> )	Yellow-throated Leaflove ( <i>Atimastillas flavicollis</i> )
Pale-throated Greenbul ( <i>Atimastillas flavigula</i> ) with ssp. <i>soror</i> , <i>flavigula</i>	“
Angola Greenbul ( <i>Phyllastrephus viridiceps</i> )	White-throated Greenbul ( <i>Phyllastrephus albigularis</i> )
Red-throated Rock Martin ( <i>Ptyonoprogne rufigula</i> ) with ssp. <i>pusilla</i> , <i>bansoensis</i> , <i>rufigula</i>	Rock Martin ( <i>Ptyonoprogne fuligula</i> )
Large Rock Martin ( <i>Ptyonoprogne fuligula</i> ) with ssp. <i>pretoriae</i> , <i>anderssoni</i> , <i>fuligula</i>	“
Pacific Swallow ( <i>Hirundo javanica</i> ) with ssp. <i>javanica</i> , <i>namiyei</i> , <i>frontalis</i> , <i>albescens</i> , <i>ambiens</i> , <i>subfusca</i>	Pacific Swallow ( <i>Hirundo tahitica</i> )

Tahiti Swallow ( <i>Hirundo tahitica</i> )	“
European Red-rumped Swallow ( <i>Cecropis rufula</i> )	Red-rumped Swallow ( <i>Cecropis daurica</i> )
Eastern Red-rumped Swallow ( <i>Cecropis daurica</i> ) with ssp. <i>daurica</i> , <i>japonica</i> , <i>nipalensis</i> , <i>erythropygia</i>	“
African Red-rumped Swallow ( <i>Cecropis melanocrissus</i> ) with ssp. <i>melanocrissus</i> , <i>kumboensis</i> , <i>emini</i>	“
Huambo Cisticola ( <i>Cisticola bailunduensis</i> )	Rock-loving Cisticola ( <i>Cisticola emini</i> )
Maasai Apalis ( <i>Apalis stronachi</i> )	Karamoja Apalis ( <i>Apalis karamojae</i> )
Ethiopian White-Eye ( <i>Zosterops poliogastrus</i> )	Heuglin's White-Eye ( <i>Zosterops poliogastrus</i> )
Kafa White-Eye ( <i>Zosterops kaffensis</i> ) with ssp. <i>kulalensis</i> , <i>kaffensis</i>	“
Angola White-Eye ( <i>Zosterops kasaicus</i> ) with ssp.	Northern Yellow White-Eye ( <i>Zosterops senegalensis</i> )
Red-eyed Scimitar Babbler ( <i>Erythrogeus imberbis</i> ) with ssp. <i>imberbis</i> , <i>celata</i>	Rusty-cheeked Scimitar Babbler ( <i>Erythrogeus erythrogeus</i> )
Grey-browed Wren ( <i>Pheugopedius schulenbergi</i> )	Plain-tailed Wren ( <i>Pheugopedius euophrys</i> )
Northern House Wren ( <i>Troglodytes aedon</i> ) with ssp. <i>parkmanii</i> , <i>aedon</i> , <i>cahooni</i> , <i>brunneicollis</i>	House Wren ( <i>Troglodytes aedon</i> )
Southern House Wren ( <i>Troglodytes musculus</i> ) with ssp. <i>intermedius</i> , <i>peninsularis</i> , <i>inquietus</i> , <i>carychrous</i> , <i>pallidipes</i> , <i>tobagensis</i> , <i>atopus</i> , <i>effutitus</i> , <i>striatulus</i> , <i>columbae</i> , <i>clarus</i> , <i>albicans</i> , <i>musculus</i> , <i>bonariae</i> , <i>puna</i> , <i>audax</i> , <i>carabayae</i> , <i>tecellatus</i> , <i>rex</i> , <i>atacamensis</i> , <i>chilensis</i>	“
Cozumel Wren ( <i>Troglodytes beani</i> )	“
Kalinago Wren ( <i>Troglodytes martinicensis</i> ) with ssp. <i>mesoleucus</i> , <i>musicus</i> , <i>grenadensis</i>	“
St. Lucia Wren ( <i>Troglodytes mesoleucus</i> )	“
St. Vincent Wren ( <i>Troglodytes musicus</i> )	“
Grenada Wren ( <i>Troglodytes grenadensis</i> )	“
Northern Chestnut-breasted Wren ( <i>Cyphorhinus dichrous</i> )	Chestnut-breasted Wren ( <i>Cyphorhinus thoracicus</i> )
Southern Chestnut-breasted Wren ( <i>Cyphorhinus thoracicus</i> )	“
Maranon Gnatcatcher ( <i>Polioptila maior</i> )	Tropical Gnatcatcher ( <i>Polioptila plumbea</i> )
Martinique Thrasher ( <i>Ramphocinclus brachyurus</i> )	White-breasted Thrasher ( <i>Ramphocinclus brachyurus</i> )

St. Lucia Thrasher ( <i>Ramphocinclus sanctaeluciae</i> )	“
Mindoro Island Thrush ( <i>Turdus mindorensis</i> )	Island Thrush ( <i>Turdus poliocephalus</i> )
Luzon Island Thrush ( <i>Turdus thomassoni</i> ) with ssp. <i>thomassoni</i> , <i>mayonensis</i>	“
Mindanao Island Thrush ( <i>Turdus nigrorum</i> ) with ssp. <i>nigrorum</i> , <i>malindangensis</i> , <i>katanglad</i> , <i>kelleri</i>	“
Wallacean Island Thrush ( <i>Turdus schlegelii</i> ) with ssp. <i>schlegelii</i> , <i>sterlingi</i> , <i>celebensis</i> , <i>hygrosopus</i>	“
Christmas Island Thrush ( <i>Turdus erythropleurus</i> )	“
Sundaic Island Thrush ( <i>Turdus javanicus</i> ) with ssp. <i>seebohmi</i> , <i>stresemanni</i> , <i>whiteheadi</i> , <i>javanicus</i> , <i>fumidus</i> , <i>indrapurae</i> , <i>loeseri</i>	“
Moluccan Island Thrush ( <i>Turdus deningeri</i> ) with ssp. <i>sukahujan</i> , <i>deningeri</i>	“
Papuan Island Thrush ( <i>Turdus papuensis</i> ) with ssp. <i>versteegi</i> , <i>papuensis</i> , <i>canescens</i>	“
Bismarck Island Thrush ( <i>Turdus heinrothi</i> ) with ssp. <i>beehleri</i> , <i>tolokiwae</i> , <i>heinrothi</i>	“
Bougainville Island Thrush ( <i>Turdus bougainvillei</i> )	“
Solomons Island Thrush ( <i>Turdus kulambangra</i> ) with ssp. <i>kulambangrae</i> , <i>sladeni</i>	“
Vanikoro Island Thrush ( <i>Turdus vanikorensis</i> ) with ssp. <i>rennellianus</i> , <i>efatensis</i> , <i>vanikorensis</i> , <i>whitneyi</i> , <i>malekulae</i> , <i>becki</i> , <i>mareensis</i> , <i>placens</i>	“
White-headed Island Thrush ( <i>Turdus pritzbueri</i> ) with ssp. <i>albifrons</i> , <i>pritzbueri</i>	“
New Caledonian Island Thrush (l)	“
Tasman Sea Island Thrush ( <i>Turdus poliocephalus</i> ) with ssp. <i>vinitinctus</i> , <i>poliocephalus</i>	“
Samoan Island Thrush ( <i>Turdus samoensis</i> )	“
Fiji Island Thrush ( <i>Turdus ruficeps</i> ) with ssp. <i>hades</i> , <i>ruficeps</i> , <i>tempesti</i> , <i>vitiensis</i> , <i>layardi</i>	“
Larwo Shama ( <i>Copsychus omissus</i> ) with ssp. <i>javanus</i> , <i>omissus</i>	White-rumped Shama ( <i>Copsychus malabaricus</i> )
Kangean Shama ( <i>Copsychus nigricauda</i> )	“
Sri Lanka Shama ( <i>Copsychus leggei</i> )	“
Maratua Shama ( <i>Copsychus barbouri</i> )	White-crowned Shama ( <i>Copsychus stricklandii</i> )

Taiwan Bush Robin ( <i>Tarsiger formosanus</i> )	White-browed Bush Robin ( <i>Tarsiger indicus</i> )
Qilian Bluetail ( <i>Tarsiger albocoeruleus</i> )	Red-flanked Bluetail ( <i>Tarsiger cyanurus</i> )
Javan Flowerpecker ( <i>Dicaeum sanguinolentum</i> )	Blood-breasted Flowerpecker ( <i>Dicaeum sanguinolentum</i> )
Flores Flowerpecker ( <i>Dicaeum rhodopygiale</i> )	“
Sumba Flowerpecker ( <i>Dicaeum wilhelminae</i> )	“
Timor Flowerpecker ( <i>Dicaeum hanieli</i> )	“
Gorgeous Sunbird ( <i>Cinnyris melanogastrus</i> )	Beautiful Sunbird ( <i>Cinnyris pulchellus</i> )
Siberian Pipit ( <i>Anthus japonicus</i> )	Buff-bellied Pipit ( <i>Anthus rubescens</i> )
American Pipit ( <i>Anthus rubescens</i> ) with ssp. <i>rubescens</i> , <i>alticola</i>	“
Grey-crowned Goldfinch ( <i>Carduelis caniceps</i> ) with ssp. <i>parapanisi</i> , <i>subulata</i> , <i>caniceps</i> , <i>ultima</i>	European Goldfinch ( <i>Carduelis carduelis</i> )
Maranon Sparrow ( <i>Arremon nigriceps</i> )	Black-capped Sparrow ( <i>Arremon abeillei</i> )
Taczanowski's Brushfinch ( <i>Atlapetes taczanowskii</i> )	Slaty Brushfinch ( <i>Atlapetes schistaceus</i> )

## Lumps

Species	Lumped into
Halmahera Swiftlet ( <i>Aerodramus infuscatus</i> )	Moluccan Swiftlet ( <i>Aerodramus infuscatus</i> )
Sulawesi Swiftlet ( <i>Aerodramus sororum</i> )	“
Seram Swiftlet ( <i>Aerodramus ceramensis</i> )	“
Germain's Swiftlet ( <i>Aerodramus germani</i> ) with ssp. <i>germani</i> , <i>amechanus</i>	Edible-nest Swiftlet ( <i>Aerodramus fuciphagus</i> )
Macquarie Parakeet ( <i>Cyanoramphus erythrotis</i> )	Red-crowned Parakeet ( <i>Cyanoramphus novaezelandiae</i> )
Bougainville Monarch ( <i>Monarcha erythrostickus</i> )	Chestnut-bellied Monarch ( <i>Monarcha castaneiventris</i> )
Dyaul Flycatcher ( <i>Myiagra cervinicolor</i> )	Velvet Flycatcher ( <i>Myiagra eichhorni</i> )
Crescent-caped Lophorina ( <i>Lophorina niedda</i> )	Vogelkop Lophorina ( <i>Lophorina superba</i> )
Japanese Tit ( <i>Parus minor</i> )	Cinereous Tit ( <i>Parus cinereus</i> )
Foxy Lark ( <i>Calendulauda alopex</i> )	Fawn-colored Lark ( <i>Calendulauda africanoides</i> )
Barlow's Lark ( <i>Calendulauda barlowi</i> )	Dune Lark ( <i>Calendulauda erythrochlamys</i> )
Ash's Lark ( <i>Corypha ashi</i> )	Somali Lark ( <i>Corypha somalica</i> )
Olive-headed Greenbul ( <i>Arizelocichla olivaceiceps</i> )	Olive-headed Greenbul ( <i>Arizelocichla striifacies</i> )
Stripe-faced Greenbul ( <i>Arizelocichla striifacies</i> )	“
Striated Swallow ( <i>Cecropis striolata</i> )	Eastern Red-rumped Swallow ( <i>Cecropis daurica</i> )
West African Swallow ( <i>Cecropis domicella</i> )	African Red-rumped Swallow ( <i>Cecropis melanocrissus</i> )
Rock-loving Cisticola (Rock-loving) ( <i>Cisticola emini</i> [emini-group])	Rock-loving Cisticola ( <i>Cisticola aberrans</i> )
Salvadori's Eremomela ( <i>Eremomela salvadorii</i> )	Yellow-bellied Eremomela ( <i>Eremomela icteropygialis</i> )
Buff-chested Babbler ( <i>Cyanoderma ambiguum</i> )	Rufous-fronted Babbler ( <i>Cyanoderma rufifrons</i> )
Common Redpoll ( <i>Acanthis flammea</i> )	Redpoll ( <i>Acanthis flammea</i> )
Lesser Redpoll ( <i>Carduelis cabaret</i> )	“
Arctic Redpoll ( <i>Carduelis hornemanni</i> )	“

## Species Reassigned to New Families

Species	Old Family	New Family
Indian Spotted Creeper ( <i>Salpornis spilonota</i> )	Certhiidae	Salpornithidae
African Spotted Creeper ( <i>Salpornis salvadori</i> )	“	“

## Sub-Species Reassigned to New Species

Subspecies	Moved to
Common Cicadabird (Slender-billed) [edithae] ( <i>Edolisoma tenuirostre edithae</i> )	Sulawesi Cicadabird ( <i>Edolisoma morio</i> )
Common Cicadabird [matthiae] ( <i>Edolisoma tenuirostre matthiae</i> )	Bismarck Cicadabird ( <i>Edolisoma remotum</i> )
Common Cicadabird [heinrothi] ( <i>Edolisoma tenuirostre heinrothi</i> )	“
Common Cicadabird [rooki] ( <i>Edolisoma tenuirostre rooki</i> )	“
Yellow-throated Whistler (Banda Sea) [par] ( <i>Pachycephala macrorhyncha par</i> )	Fawn-breasted Whistler ( <i>Pachycephala orpheus</i> )
Yellow-throated Whistler (Banda Sea) [compar] ( <i>Pachycephala macrorhyncha compar</i> )	“
Yellow-throated Whistler (Timor) ( <i>Pachycephala macrorhyncha calliope</i> )	Rusty-breasted Whistler ( <i>Pachycephala calliope</i> )
Yellow-throated Whistler (Damar) ( <i>Pachycephala macrorhyncha dammeriana</i> )	Mangrove Golden Whistler ( <i>Pachycephala melanura</i> )
Pale Crag Martin [pusilla] ( <i>Ptyonoprogne obsoleta pusilla</i> )	Red-throated Rock Martin ( <i>Ptyonoprogne rufigula</i> )



## Common Name changes

Old Common Name	New Common Name
Moluccan Cuckoo ( <i>Cacomantis aeruginosus</i> )	Moluccan Brush Cuckoo
Verreaux's Monal-Partridge ( <i>Tetraophasis obscurus</i> )	Chestnut-throated Monal-Partridge
Szechenyi's Monal-Partridge ( <i>Tetraophasis szechenyii</i> )	Buff-throated Monal-Partridge
Island Swiftlet ( <i>Aerodramus inquietus</i> )	Caroline Swiftlet
Racket-tailed Coquette ( <i>Discosura longicaudus</i> )	Racket-tipped Thorntail
Houbara Bustard ( <i>Chlamydotis undulata</i> )	African Houbara
Macqueen's Bustard ( <i>Chlamydotis macqueenii</i> )	Asian Houbara
Mackinlay's Cuckoo-Dove ( <i>Macropygia mackinlayi</i> )	Spot-breasted Cuckoo-Dove
Tongan Ground Dove ( <i>Pampusana stairi</i> )	Shy Ground Dove
Orange Fruit Dove ( <i>Ptilinopus victor</i> )	Orange Dove
Golden Fruit Dove ( <i>Ptilinopus luteovirens</i> )	Golden Dove
Whistling Fruit Dove ( <i>Ptilinopus layardi</i> )	Whistling Dove
Marquesan Imperial Pigeon ( <i>Ducula galeata</i> )	Nuku Hiva Imperial Pigeon
Chatham Pigeon ( <i>Hemiphaga chathamensis</i> )	Chatham Islands Pigeon
Chatham Rail ( <i>Cabalus modestus</i> )	Chatham Islands Rail
Chatham Oystercatcher ( <i>Haematopus chathamensis</i> )	Chatham Islands Oystercatcher
Chatham Snipe ( <i>Coenocorypha pusilla</i> )	Chatham Islands Snipe
Cape Petrel ( <i>Daption capense</i> )	Pintado Petrel
Chatham Petrel ( <i>Pterodroma axillaris</i> )	Chatham Islands Petrel
Audubon's Shearwater ( <i>Puffinus lherminieri</i> )	Sargasso Shearwater
Chatham Shag ( <i>Leucocarbo onslowi</i> )	Chatham Islands Shag
Doria's Goshawk ( <i>Megatriorchis doriae</i> )	Doria's Hawk
Hombroon's Kingfisher ( <i>Actenoides hombronii</i> )	Blue-capped Kingfisher
Winchell's Kingfisher ( <i>Todiramphus winchelli</i> )	Rufous-lore Kingfisher
Solomons Cockatoo ( <i>Cacatua ducorpsii</i> )	Solomons Corella
Chatham Parakeet ( <i>Cyanoramphus forbesi</i> )	Chatham Islands Parakeet
White-throated Xenops ( <i>Xenops minutus</i> )	Atlantic Plain Xenops
Chatham Bellbird ( <i>Anthornis melanocephala</i> )	Chatham Islands Bellbird
Giant Honeyeater ( <i>Gymnomyza brunneirostris</i> )	Duetting Giant Honeyeater
Yellow-billed Honeyeater ( <i>Gymnomyza viridis</i> )	Yellow-billed Giant Honeyeater
Chatham Gerygone ( <i>Gerygone albofrontata</i> )	Duetting Giant Honeyeater
Chatham Gerygone ( <i>Gerygone albofrontata</i> )	Chatham Islands Gerygone
Black-bibbed Monarch ( <i>Symposiachrus mundus</i> )	Banda Sea Monarch
Black-tailed Monarch ( <i>Symposiachrus verticalis</i> )	Bismarck Monarch

Oceanic Flycatcher ( <i>Myiagra oceanica</i> )	Chuuk Flycatcher
Philippine Crow ( <i>Corvus philippinus</i> )	Philippine Jungle Crow
Cameroon Greenbul ( <i>Arizelocichla montana</i> )	Cameroon Mountain Greenbul
Western Greenbul ( <i>Arizelocichla tephrolaema</i> )	Western Mountain Greenbul
Uluguru Greenbul ( <i>Arizelocichla neumanni</i> )	Uluguru Mountain Greenbul
Black-browed Greenbul ( <i>Arizelocichla fusciceps</i> )	Black-browed Mountain Greenbul
Yellow-throated Greenbul ( <i>Arizelocichla chlorigula</i> )	Yellow-throated Mountain Greenbul
Olive-breasted Greenbul ( <i>Arizelocichla kikuyuensis</i> )	Kikuyu Mountain Greenbul
Mountain Greenbul ( <i>Arizelocichla nigriceps</i> )	Black-headed Mountain Greenbul
Red-tailed Leaflove ( <i>Phyllastrephus scandens</i> )	Leaf-love
Chatham Fernbird ( <i>Poodytes rufescens</i> )	Chatham Islands Fernbird
Lazy Cisticola ( <i>Cisticola aberrans</i> )	Rock-loving Cisticola
Grey-throated White-Eye ( <i>Zosterops rendovae</i> )	Makira White-eye
Pearl-bellied White-Eye ( <i>Zosterops grayi</i> )	Kai Besar White-eye
Golden-bellied White-Eye ( <i>Zosterops uropygialis</i> )	Kai Kecil White-eye
Steere's Liocichla ( <i>Liocichla steerii</i> )	Taiwan Liocichla
Sclater's Wren ( <i>Campylorhynchus humilis</i> )	Russet-naped Wren
Mountain Wheatear ( <i>Myrmecocichla monticola</i> )	Mountain Chat
Bronzy Sunbird ( <i>Nectarinia kilimensis</i> )	Bronze Sunbird
Shining Sunbird ( <i>Cinnyris habessinicus</i> )	Abyssinian Sunbird
Clarke's Weaver ( <i>Ploceus golangi</i> )	Kilifi Weaver
Grey-capped Greenfinch ( <i>Chloris sinica</i> )	Oriental Greenfinch

## Scientific name changes

<b>Old Scientific Name</b>	<b>New Scientific Name</b>
Great Spotted Kiwi ( <i>Apteryx haastii</i> )	<i>Apteryx maxima</i>
Mangrove Hummingbird ( <i>Amazilia boucardi</i> )	<i>Chrysuronia boucardi</i>
Long-billed Cuckoo ( <i>Chrysococcyx megarhynchus</i> )	<i>Chalcites megarhynchus</i>
Horsfield's Bronze Cuckoo ( <i>Chrysococcyx basalis</i> )	<i>Chalcites basalis</i>
Black-eared Cuckoo ( <i>Chrysococcyx osculans</i> )	<i>Chalcites osculans</i>
Rufous-throated Bronze Cuckoo ( <i>Chrysococcyx ruficollis</i> )	<i>Chalcites ruficollis</i>
Shining Bronze Cuckoo ( <i>Chrysococcyx lucidus</i> )	<i>Chalcites lucidus</i>
White-eared Bronze Cuckoo ( <i>Chrysococcyx meyerii</i> )	<i>Chalcites meyerii</i>
Little Bronze Cuckoo ( <i>Chrysococcyx minutillus</i> )	<i>Chalcites minutillus</i>
Pallid Cuckoo ( <i>Cacomantis pallidus</i> )	<i>Heteroscenes pallidus</i>
White-crowned Cuckoo ( <i>Cacomantis leucolophus</i> )	<i>Caliechthrus leucolophus</i>
Guanay Cormorant ( <i>Leucocarbo bougainvillii</i> )	<i>Leucocarbo bougainvilliorum</i>
Stripe-backed Bittern ( <i>Ixobrychus involucris</i> )	<i>Botaurus involucris</i>
Least Bittern ( <i>Ixobrychus exilis</i> )	<i>Botaurus exilis</i>
Black Bittern ( <i>Ixobrychus flavicollis</i> )	<i>Botaurus flavicollis</i>
Cinnamon Bittern ( <i>Ixobrychus cinnamomeus</i> )	<i>Botaurus cinnamomeus</i>
Von Schrenck's Bittern ( <i>Ixobrychus eurhythmus</i> )	<i>Botaurus eurhythmus</i>
Dwarf Bittern ( <i>Ixobrychus sturmii</i> )	<i>Botaurus sturmii</i>
Little Bittern ( <i>Ixobrychus minutus</i> )	<i>Botaurus minutus</i>
Yellow Bittern ( <i>Ixobrychus sinensis</i> )	<i>Botaurus sinensis</i>
Black-backed Bittern ( <i>Ixobrychus dubius</i> )	<i>Botaurus dubius</i>
New Zealand Bittern ( <i>Ixobrychus novaezelandiae</i> )	<i>Botaurus novaezelandiae</i>
Western Cattle Egret ( <i>Bubulcus ibis</i> )	<i>Ardea ibis</i>
Eastern Cattle Egret ( <i>Bubulcus coromandus</i> )	<i>Ardea coromanda</i>
Crested Goshawk ( <i>Accipiter trivirgatus</i> )	<i>Lophospiza trivirgata</i>
Sulawesi Goshawk ( <i>Accipiter griseiceps</i> )	<i>Lophospiza griseiceps</i>
Red-chested Goshawk ( <i>Accipiter toussenelii</i> )	<i>Aerospiza toussenelii</i>
African Goshawk ( <i>Accipiter tachiro</i> )	<i>Aerospiza tachiro</i>
Chestnut-flanked Sparrowhawk ( <i>Accipiter castanilius</i> )	<i>Aerospiza castanilius</i>
Shikra ( <i>Accipiter badius</i> )	<i>Tachyspiza badia</i>
Nicobar Sparrowhawk ( <i>Accipiter butleri</i> )	<i>Tachyspiza butleri</i>
Levant Sparrowhawk ( <i>Accipiter brevipes</i> )	<i>Tachyspiza brevipes</i>
Chinese Sparrowhawk ( <i>Accipiter soloensis</i> )	<i>Tachyspiza soloensis</i>
Frances's Sparrowhawk ( <i>Accipiter francesiae</i> )	<i>Tachyspiza francesiae</i>
Spot-tailed Sparrowhawk ( <i>Accipiter trinotatus</i> )	<i>Tachyspiza trinotata</i>
Grey Goshawk ( <i>Accipiter novaehollandiae</i> )	<i>Tachyspiza novaehollandiae</i>

Variable Goshawk ( <i>Accipiter hiogaster</i> )	<i>Tachyspiza hiogaster</i>
Brown Goshawk ( <i>Accipiter fasciatus</i> )	<i>Tachyspiza fasciata</i>
Black-mantled Goshawk ( <i>Accipiter melanochlamys</i> )	<i>Tachyspiza melanochlamys</i>
Pied Goshawk ( <i>Accipiter albogularis</i> )	<i>Tachyspiza albogularis</i>
White-bellied Goshawk ( <i>Accipiter haplochrous</i> )	<i>Tachyspiza haplochroa</i>
Fiji Goshawk ( <i>Accipiter rufitorques</i> )	<i>Tachyspiza rufitorques</i>
Moluccan Goshawk ( <i>Accipiter henicogrammus</i> )	<i>Tachyspiza henicogramma</i>
Slaty-mantled Goshawk ( <i>Accipiter luteschistaceus</i> )	<i>Tachyspiza luteschistacea</i>
Imitator Goshawk ( <i>Accipiter imitator</i> )	<i>Tachyspiza imitator</i>
Grey-headed Goshawk ( <i>Accipiter poliocephalus</i> )	<i>Tachyspiza poliocephala</i>
New Britain Goshawk ( <i>Accipiter princeps</i> )	<i>Tachyspiza princeps</i>
Red-thighed Sparrowhawk ( <i>Accipiter erythropus</i> )	<i>Tachyspiza erythropus</i>
Little Sparrowhawk ( <i>Accipiter minullus</i> )	<i>Tachyspiza minulla</i>
Japanese Sparrowhawk ( <i>Accipiter gularis</i> )	<i>Tachyspiza gularis</i>
Besra ( <i>Accipiter virgatus</i> )	<i>Tachyspiza virgata</i>
Dwarf Sparrowhawk ( <i>Accipiter nanus</i> )	<i>Tachyspiza nanus</i>
Rufous-necked Sparrowhawk ( <i>Accipiter erythrauchen</i> )	<i>Tachyspiza erythrauchen</i>
Collared Sparrowhawk ( <i>Accipiter cirrocephalus</i> )	<i>Tachyspiza cirrocephala</i>
New Britain Sparrowhawk ( <i>Accipiter brachyurus</i> )	<i>Tachyspiza brachyura</i>
Vinous-breasted Sparrowhawk ( <i>Accipiter rhodogaster</i> )	<i>Tachyspiza rhodogaster</i>
Cooper's Hawk ( <i>Accipiter cooperii</i> )	<i>Astur cooperii</i>
Gundlach's Hawk ( <i>Accipiter gundlachi</i> )	<i>Astur gundlachi</i>
Bicolored Hawk ( <i>Accipiter bicolor</i> )	<i>Astur bicolor</i>
Chilean Hawk ( <i>Accipiter chilensis</i> )	<i>Astur chilensis</i>
Black Sparrowhawk ( <i>Accipiter melanoleucus</i> )	<i>Astur melanoleucus</i>
Henst's Goshawk ( <i>Accipiter henstii</i> )	<i>Astur henstii</i>
Eurasian Goshawk ( <i>Accipiter gentilis</i> )	<i>Astur gentilis</i>
American Goshawk ( <i>Accipiter atricapillus</i> )	<i>Astur atricapillus</i>
Meyer's Goshawk ( <i>Accipiter meyerianus</i> )	<i>Astur meyerianus</i>
Slaty-winged Foliage-Gleaner ( <i>Philydor fuscipenne</i> )	<i>Neophilydor fuscipenne</i>
Rufous-rumped Foliage-Gleaner ( <i>Philydor erythrocerum</i> )	<i>Neophilydor erythrocerum</i>
Rough-legged Tyrannulet ( <i>Phyllomyias burmeisteri</i> )	<i>Acrochordopus burmeisteri</i>
White-fronted Tyrannulet ( <i>Phyllomyias zeledoni</i> )	<i>Acrochordopus zeledoni</i>
Black-capped Tyrannulet ( <i>Phyllomyias nigrocapillus</i> )	<i>Tyranniscus nigrocapillus</i>
Ashy-headed Tyrannulet ( <i>Phyllomyias cinereiceps</i> )	<i>Tyranniscus cinereiceps</i>
Tawny-rumped Tyrannulet ( <i>Phyllomyias uropygialis</i> )	<i>Tyranniscus uropygialis</i>
Halmahera Cuckooshrike ( <i>Edolisoma parvulum</i> )	<i>Coracina parvula</i>

Rusty-breasted Whistler ( <i>Pachycephala fulvotincta</i> )	<i>Pachycephala calliope</i>
Black-throated Magpie-Jay ( <i>Calocitta colliei</i> )	<i>Cyanocorax colliei</i>
White-throated Magpie-Jay ( <i>Calocitta formosa</i> )	<i>Cyanocorax Formosus</i>
Brown Jay ( <i>Psilorhinus morio</i> )	<i>Cyanocorax morio</i>
Black-chinned Robin ( <i>Poecilodryas brachyura</i> )	<i>Leucophantes brachyurus</i>
Rusty Bush Lark ( <i>Mirafra rufa</i> )	<i>Calendulauda rufa</i>
Gillett's Lark ( <i>Mirafra gilletti</i> )	<i>Calendulauda gilletti</i>
Burmese Bush Lark ( <i>Mirafra microptera</i> )	<i>Plocealauda microptera</i>
Indochinese Bush Lark ( <i>Mirafra erythrocephala</i> )	<i>Plocealauda erythrocephala</i>
Jerdon's Bush Lark ( <i>Mirafra affinis</i> )	<i>Plocealauda affinis</i>
Indian Bush Lark ( <i>Mirafra erythroptera</i> )	<i>Plocealauda erythroptera</i>
Bengal Bush Lark ( <i>Mirafra assamica</i> )	<i>Plocealauda assamica</i>
Collared Lark ( <i>Mirafra collaris</i> )	<i>Amirafra collaris</i>
Angola Lark ( <i>Mirafra angolensis</i> )	<i>Amirafra angolensis</i>
Flappet Lark ( <i>Mirafra rufocinnamomea</i> )	<i>Amirafra rufocinnamomea</i>
Cape Clapper Lark ( <i>Mirafra apiata</i> )	<i>Corypha apiata</i>
Eastern Clapper Lark ( <i>Mirafra fasciolata</i> )	<i>Corypha fasciolata</i>
Red-winged Lark ( <i>Mirafra hypermetra</i> )	<i>Corypha hypermetra</i>
Rufous-naped Lark ( <i>Mirafra africana</i> )	<i>Corypha Africana</i>
Sharpe's Lark ( <i>Mirafra sharpii</i> )	Russet Lark ( <i>Corypha sharpii</i> )
Somali Lark ( <i>Mirafra somalica</i> )	<i>Corypha somalica</i>
Nicobar Bulbul ( <i>Ixos nicobariensis</i> )	<i>Hypsipetes nicobariensis</i>
Dusky Tetraka ( <i>Xanthomixis tenebrosa</i> )	<i>Crossleyia tenebrosa</i>
Red-throated Ant Tanager ( <i>Habia fuscicauda</i> )	<i>Driophlox fuscicauda</i>
Black-cheeked Ant Tanager ( <i>Habia atrimaxillaris</i> )	<i>Driophlox atrimaxillaris</i>
Sooty Ant Tanager ( <i>Habia gutturalis</i> )	<i>Driophlox gutturalis</i>
Crested Ant Tanager ( <i>Habia cristata</i> )	<i>Driophlox cristata</i>

## **New Distribution Areas**

In this update the following new distribution areas are available.

Timor-Leste, South Sudan, Kalimantan, Peninsular Malaysia, Sabah Malaysia, Sarawak Malaysia, North Korea, South Korea.

These additional areas can be used in workspaces to get more targeted species lists than previously. The new areas do not affect your existing data but to take full advantage of the new areas you may need to make a few adjustments to your locations data as shown below. These changes need to be made after installing the latest species update.

### **Timor-Leste**

Previously all the species present in Timor-Leste were included in the distribution area Lesser Sundas. If you have any trips made in Timor-Leste and you have created one or more sites for those trips, you can take advantage of the new area by doing the following:

- Use WR4 Locations Admin to move the sites belonging to Timor\_Leste from their current location in Indonesia or Lesser Sundas to the new country Timor\_Leste.
- Optionally create a new workspace for Timor\_Leste so that you can easily view all your trips for that country.

## **South Sudan**

Previously all the species present in South Sudan were included in the distribution area Sudan. If you have any trips made in South Sudan and you have created one or more sites for those trips, you can take advantage of the new area by doing the following:

- Use WR4 Locations Admin to move the sites belonging to South Sudan from their current location in Sudan to the new country South Sudan.
- Optionally create a new workspace for South Sudan so that you can easily view all your trips for that country.

## **Peninsular Malaysia**

The distribution area Malaysia now contains the species for all the Malaysian territories, Peninsular Malaysia, Sabah and Sarawak. If you have any trips made in Peninsular Malaysia and you have created one or more sites for those trips, you can take advantage of the new area by doing the following:

- Use WR4 Locations Admin to move the sites belonging to Peninsular Malaysia from their current location in Malaysia to the new area Peninsular Malaysia.
- Optionally create a new workspace for Peninsular Malaysia so that you can easily view all your trips for that area.

## **Sabah Malaysia**

The old Sabah area was linked to species area Borneo so it was not possible to include Sabah records in a Malaysia list and it was only possible to get a list of species for the whole of Borneo, not just Sabah. If you have any trips made in Sabah and you have created one or more sites for those trips, you can take advantage of the new area by doing the following:

- Use WR4 Locations Admin to move the sites belonging to Sabah from their current location in Borneo, the old Sabah country or Malaysia to the new area Sabah Malaysia.
- Optionally create a new workspace for Sabah Malaysia so that you can easily view all your trips for that area.

## **Sarawak Malaysia**

The old Sarawak area was linked to species area Borneo so it was not possible to include Sarawak records in a Malaysia list and it was only possible to get a list of species for the whole of Borneo, not just Sarawak. If you have any trips made in Sarawak and you have created one or more sites for those trips, you can take advantage of the new area by doing the following:

- Use WR4 Locations Admin to move the sites belonging to Sarawak from their current location in Borneo, the old Sarawak country or Malaysia to the new area Sarawak Malaysia.
- Optionally create a new workspace for Sarawak Malaysia so that you can easily view all your trips for that area.

## **Kalimantan**

There was no Kalimantan area and the only way to get a species list for that area was to select Borneo so it was not possible to include Kalimantan records in an Indonesian list and it was only possible to get a list of species for the whole of Borneo, not just Kalimantan. If you have any trips made in Kalimantan and you have created one or more sites for those trips, you can take advantage of the new area by doing the following:

- Use WR4 Locations Admin to move the sites belonging to Kalimantan from their current location in Borneo or Indonesia to the new area Kalimantan.
- Optionally create a new workspace for Kalimantan so that you can easily view all your trips for that area.

## **South Korea**

Previously all the species present in South Korea were included in the distribution area Sudan. If you have any trips made in South Korea and you have created one or more sites for those trips, you can take advantage of the new area by doing the following:

- Use WR4 Locations Admin to move the sites belonging to South Korea from their current location in North Korea to the new country South Korea.
- Optionally create a new workspace for South Korea so that you can easily view all your trips for that country.