

Wildlife Recorder Species Database – Update 113 July 2023

Contents

Introduction.....	2
Changes to the Bird Species Database in previous versions.....	3
Changes to the Bird Species Database since last update (version 112 January 2023)	4
Clements Taxonomy Changes	4
IOC Taxonomy Changes.....	5
New Species and Sub-species	5
New Groups	6
Deleted Groups	7
Deleted Species and Sub-species	7
Splits	8
Lumps	11
Sub-Species Reassigned to New Species.....	12
Common Name changes	13
Scientific name changes.....	15

Introduction

This update implements the following:

- IOC World Bird List 13.2
- Corrections to distribution and distribution texts.

New

In species distribution, extinct species are separable from species of uncertain or historic occurrence. In previous versions this was not possible. This change allows the exclusion of extinct species from Species Checklists and the results of queries such as “Where To Go”.

This species update requires version 4.1.140 or later of Wildlife Recorder 4. This update is not compatible with Wildlife Recorder 3.

Taxonomy Support

Important notice for users of Howard and Moore and HBW taxonomies.

It has been some years since the publication of Howard and Moore and there seems to be no sign that a new version will appear. We will no longer be updating the HM taxonomy in future versions of the database. You may continue to use your existing version of H&M taxonomy, but it will no longer be updated.

Since the HBW databases have been taken over by Cornell (eBird) and will use the Clements/eBird taxonomy, we will no longer be updating the HBW taxonomy. You may continue to use your existing version of the HBW taxonomy, but it will no longer be updated.

Changes to the Bird Species Database in previous versions

A complete list of all the changes contained in each version of the species database can be found in the Wildlife Recorder User Area on our website.

Changes to the Bird Species Database since last update (version 112 January 2023)

Clements Taxonomy Changes

No changes

IOC Taxonomy Changes

Implemented changes in IOC 13.2 taxonomy. In addition to the changes noted below there are many species sequence changes in this update. For full details of the IOC changes see the [IOC website](#)

New Species and Sub-species

Species/Sub-species Name
White-breasted Waterhen [leucocephalus] (<i>Amaurornis phoenicurus leucocephalus</i>)
Yellow-spotted Barbet [dowsetti] (<i>Buccanodon duchaillui dowsetti</i>)
Yellow-spotted Barbet [duchaillui] (<i>Buccanodon duchaillui duchaillui</i>)
Ochraceous Piculet [fulvescens] (<i>Picumnus limae fulvescens</i>)
Rüppell's Parrot [rueppellii] (<i>Poicephalus rueppellii rueppellii</i>)
Rüppell's Parrot [mariettae] (<i>Poicephalus rueppellii mariettae</i>)
Western Olivaceous Flatbill [cryptus] (<i>Rhynchocyclus aequinoctialis cryptus</i>)
Black-headed Tailorbird [nigriceps] (<i>Orthotomus nigriceps nigriceps</i>)
Black-headed Tailorbird [luminosus] (<i>Orthotomus nigriceps luminosus</i>)
Large Ground Finch [darwinii] (<i>Geospiza magnirostris darwini</i>)
Plain Xenops (Southeastern) [alagoanus] (<i>Xenops genibarbis alagoanus</i>)
Pacific Robin (Vanuatu) [tannensis] (<i>Petroica pusilla tannensis</i>)
Ibera Seedeater (<i>Sporophila iberaensis</i>)

New Groups

Group Name
Middle American Screech-owl (Vermiculated) (<i>Megascops guatemalae vermiculatus</i>)
Yellow-headed Amazon (Tres Marias) (<i>Amazona oratrix tresmariae</i>)
Yellow-headed Amazon (Yellow-headed) (<i>Amazona oratrix [oratrix-group]</i>)
Mealy Amazon (Northern) (<i>Amazona farinosa guatemalae/virenticeps</i>)
Mealy Amazon (Southern) (<i>Amazona farinosa farinosa</i>)
Ground Parrot (Western) (<i>Pezoporus wallicus flaviventris</i>)
Ground Parrot (Eastern) (<i>Pezoporus wallicus wallicus/leachi</i>)
Uniform Woodcreeper (Uniform) (<i>Hylexetastes uniformis uniformis</i>)
Uniform Woodcreeper (Brigida's) (<i>Hylexetastes uniformis brigidai</i>)
Ocellated Woodcreeper (Tschudi's) (<i>Xiphorhynchus ocellatus [chunchotambo-group]</i>)
Streak-backed Canastero (Streak-backed) (<i>Asthenes wyatti [wyatti-group]</i>)
Streak-backed Canastero (Puna) (<i>Asthenes wyatti [sclateri-group]</i>)
Western Flycatcher (Pacific-slope) (<i>Empidonax difficilis [difficilis-group]</i>)
Western Flycatcher (Cordilleran) (<i>Empidonax difficilis [occidentalis-group]</i>)
Lesser Whitethroat (Hume's) (<i>Curruca curruca althaea</i>)
Lesser Whitethroat (Desert) (<i>Curruca curruca minula/margelanica</i>)
Chapin's Flycatcher (Chapin's) (<i>Fraseria lendu lendu</i>)
Chapin's Flycatcher (Itombwe) (<i>Fraseria lendu itombwensis</i>)
Orange-bellied Leafbird (Orange-bellied) (<i>Chloropsis hardwickii hardwickii/malayana</i>)
Orange-bellied Leafbird (Greyish-crowned) (<i>Chloropsis hardwickii lazulina/melliana</i>)
Cape Bunting (Cape) (<i>Emberiza capensis [capensis-group]</i>)
Cape Bunting (Vincent's) (<i>Emberiza capensis vincenti</i>)
Mountain Cacique (Northern) (<i>Cacicus chrysonotus leucoramphus/peruvianus</i>)
Mountain Cacique (Southern) (<i>Cacicus chrysonotus chrysonotus</i>)
Orchard Oriole (Orchard) (<i>Icterus spurius spurius</i>)
Orchard Oriole (Ochre) (<i>Icterus spurius fuertesi</i>)

Deleted Groups

Species/Sub-species Name	Reason
Savanna Nightjar (Franklin's) (<i>Caprimulgus affinis</i> [<i>monticolus</i> -group])	Grouping replaced by ssp from both <i>monticolus</i> and <i>affinis</i> groups except for <i>griseatus</i> and <i>mindanensis</i> which are split as <i>Caprimulgus griseatus</i>
Savanna Nightjar (Savanna) (<i>Caprimulgus affinis</i> [<i>affinis</i> -group])	Grouping replaced by split species <i>Caprimulgus griseatus</i> except for <i>timorensis</i> which is retained in <i>C. affinis</i>
Common Chaffinch (Azores/Madeira) (<i>Fringilla coelebs moreletti/maderensis</i>)	Member ssp have been split as separate species <i>F. moreletti</i> and <i>F. maderensis</i>
Buff-breasted Mountain Tanager (Buff-breasted) (<i>Dubusia taeniata taeniata/carrikeri</i>)	Group members split as species <i>Dubusia taeniata</i> and <i>D. carrikeri</i>

Deleted Species and Sub-species

(N.B. These will still be in the database but marked “not in taxonomy”)

Species/Sub-species Name	Reason
Black-and-white Becard [coronatus] (<i>Pachyramphus albogriseus coronatus</i>)	Included in nominate
Black-and-white Becard [guayaquilensis] (<i>Pachyramphus albogriseus guayaquilensis</i>)	Included in <i>salvini</i>
White-chested Tinkerbird (<i>Pogoniulus makawai</i>)	Included in <i>P. bilineatus</i> "White-chested Tinkerbird" <i>P. makawai</i> , known only from the unique type specimen, was previously treated as a species based on its distinctive morphology (Collar & Fishpool 2006, HBW/BirdLife)
Black-dotted Piculet (<i>Picumnus nigropunctatus</i>)	Now treated as a junior synonym of <i>P. s. obsoletus</i>
Sand Lark [krishnakumarsinhji] (<i>Alaudala raytal krishnakumarsinhji</i>)	Included in <i>adamsi</i>

Splits

Species	Split From
Chirruping Nightjar (<i>Caprimulgus griseatus</i>) with ssp. <i>griseatus</i> , <i>mindanensis</i>	Savanna Nightjar (<i>Caprimulgus affinis</i>)
Siberian Sand Plover (<i>Charadrius mongolus</i>) with ssp. <i>mongolus</i> , <i>stegmanni</i>	Lesser Sand Plover (<i>Charadrius mongolus</i>)
Tibetan Sand Plover (<i>Charadrius atrifrons</i>) with ssp. <i>pamirensis</i> , <i>atrifrons</i> , <i>schaeferi</i>	“
Eurasian Goshawk (<i>Accipiter gentilis</i>) with ssp. <i>buteoides</i> , <i>albidus</i> , <i>schvedowi</i> , <i>fujiyamae</i> , <i>gentilis</i> , <i>marginatus</i> , <i>arrigonii</i>	Northern Goshawk (<i>Accipiter gentilis</i>)
American Goshawk (<i>Accipiter atricapillus</i>) with ssp. <i>atricapillus</i> , <i>laingi</i> , <i>apache</i>	“
West African Pied Hornbill (<i>Lophoceros semifasciatus</i>)	African Pied Hornbill (<i>Lophoceros fasciatus</i>)
Congo Pied Hornbill (<i>Lophoceros fasciatus</i>)	“
Crimson-naped Woodpecker (<i>Dryobates cathpharius</i>) with ssp. <i>cathpharius</i> , <i>ludlowi</i> , <i>pyrrhothorax</i>	Crimson-breasted Woodpecker (<i>Dryobates cathpharius</i>)
Necklaced Woodpecker (<i>Dryobates pernyii</i>) with ssp. <i>tenebrosus</i> , <i>pernyii</i> , <i>innixus</i>	“
Splendid Woodpecker (<i>Campephilus splendens</i>)	Crimson-bellied Woodpecker (<i>Campephilus haematogaster</i>)
Buff-rumped Woodpecker (<i>Meiglyptes grammithorax</i>)	Buff-rumped Woodpecker (<i>Meiglyptes tristis</i>)
Zebra Woodpecker (<i>Meiglyptes tristis</i>)	“
Citron-crested Cockatoo (<i>Cacatua citrinocristata</i>)	Yellow-crested Cockatoo (<i>Cacatua sulphurea</i>)
Grey-lored Broadbill (<i>Serilophus rubropygius</i>)	Silver-breasted Broadbill (<i>Serilophus lunatus</i>)
Little Long-tailed Woodcreeper (<i>Deconychura typica</i>) with ssp. <i>typica</i> , <i>dariensis</i> , <i>minor</i>	Long-tailed Woodcreeper (<i>Deconychura longicauda</i>)
Northern Long-tailed Woodcreeper (<i>Deconychura longicauda</i>)	“
Southern Long-tailed Woodcreeper (<i>Deconychura pallida</i>) with ssp. <i>connectens</i> , <i>pallida</i> , <i>zimmeri</i>	“
Xingu Scythebill (<i>Campylorhamphus multostriatus</i>)	Curve-billed Scythebill (<i>Campylorhamphus procurvoides</i>)
Tapajos Scythebill (<i>Campylorhamphus probatus</i>) with ssp. <i>probatus</i> , <i>cardosoi</i>	“
White-throated Xenops (<i>Xenops minutus</i>)	Plain Xenops (<i>Xenops genibarbis</i>)

Fawn-throated Foliage-Gleaner (<i>Automolus cervinigularis</i>) with ssp. <i>cervinigularis</i> , <i>hypophaeus</i>	Buff-throated Foliage-gleaner (<i>Automolus ochrolaemus</i>)
Ochre-throated Foliage-Gleaner (<i>Automolus ochrolaemus</i>) with ssp. <i>pallidigularis</i> , <i>turdinus</i> , <i>ochrolaemus</i> , <i>auricularis</i>	“
Vilcabamba Spinetail (<i>Cranioleuca weskei</i>)	Marcapata Spinetail (<i>Cranioleuca marcapatae</i>)
Araguaia Spinetail (<i>Synallaxis simoni</i>)	White-lored Spinetail (<i>Synallaxis albilora</i>)
Boyaca Antpitta (<i>Grallaria alticola</i>)	Tawny Antpitta (<i>Grallaria quitensis</i>)
Atuen Antpitta (<i>Grallaria atuensis</i>)	“
Western Olivaceous Flatbill (<i>Rhynchocyclus aequinoctialis</i>) with ssp. <i>bardus</i> , <i>mirus</i> , <i>jelambianus</i> , <i>tamborensis</i> , <i>flavus</i> , <i>cryptus</i> , <i>aequinoctialis</i>	Olivaceous Flatbill (<i>Rhynchocyclus olivaceus</i>)
Eastern Olivaceous Flatbill (<i>Rhynchocyclus olivaceus</i>) with ssp. <i>guianensis</i> , <i>sordidus</i> , <i>olivaceus</i>	“
Cryptic Becard (<i>Pachyramphus salvini</i>)	Black-and-White Becard (<i>Pachyramphus albogriseus</i>)
Javan Oriole (<i>Oriolus cruentus</i>)	Black-and-crimson Oriole (<i>Oriolus cruentus</i>)
Ventriloquial Oriole (<i>Oriolus consobrinus</i>) with ssp. <i>consobrinus</i> , <i>persuasus</i>	Dark-throated Oriole (<i>Oriolus xanthonotus</i>)
Short-tailed Drongo (<i>Dicrurus striatus</i>) with ssp. <i>samarensis</i> , <i>striatus</i>	Balicassiao (<i>Dicrurus balicassius</i>)
Sangihe Golden Bulbul (<i>Hypsipetes platenae</i>)	Northern Golden Bulbul (<i>Hypsipetes longirostris</i>)
Togian Golden Bulbul (<i>Hypsipetes aureus</i>)	“
Banggai Golden Bulbul (<i>Hypsipetes harterti</i>)	“
Sula Golden Bulbul (<i>Hypsipetes longirostris</i>)	“
Halmahera Golden Bulbul (<i>Hypsipetes chloris</i>)	“
Obi Golden Bulbul (<i>Hypsipetes lucasi</i>)	“
Pale-eyed Bulbul (<i>Pycnonotus davisoni</i>)	Stripe-throated Bulbul (<i>Pycnonotus finlaysoni</i>)
Mottled Mannikin (<i>Lonchura hunsteini</i>)	Hunstein's Mannikin (<i>Lonchura hunsteini</i>)
Eurasian Chaffinch (<i>Fringilla coelebs</i>) with ssp. <i>gengleri</i> , <i>coelebs</i> , <i>solomkoi</i> , <i>sarda</i> , <i>syriaca</i> , <i>alexandrovi</i> , <i>transcaspia</i>	Common Chaffinch (<i>Fringilla coelebs</i>)
African Chaffinch (<i>Fringilla spodiogenys</i>) with ssp. <i>africana</i> , <i>harterti</i> , <i>spodiogenys</i>	“
Azores Chaffinch (<i>Fringilla moreletti</i>)	“
Madeira Chaffinch (<i>Fringilla maderensis</i>)	“
Canary Islands Chaffinch (<i>Fringilla canariensis</i>) with ssp. <i>canariensis</i> , <i>ombriosa</i> , <i>bakeri</i> , <i>palmae</i>	“

Hispaniolan Euphonia (<i>Chlorophonia musica</i>)	Antillean Euphonia (<i>Chlorophonia musica</i>)
Puerto Rican Euphonia (<i>Chlorophonia sclateri</i>)	“
Lesser Antillean Euphonia (<i>Chlorophonia flavifrons</i>)	“
Grand Cayman Bullfinch (<i>Melopyrrha taylori</i>)	Cuban Bullfinch (<i>Melopyrrha nigra</i>)
Streaked Dacnis (<i>Xenodacnis petersi</i>) with ssp. <i>bella</i> , <i>petersi</i>	Tit-like Dacnis (<i>Xenodacnis parina</i>)
Carriker's Mountain Tanager (<i>Dubusia carrikeri</i>)	Buff-breasted Mountain Tanager (<i>Dubusia taeniata</i>)
Streak-crowned Mountain Tanager (<i>Dubusia stictocephala</i>)	“

Lumps

Species	Lumped into
Vermiculated Screech Owl (<i>Megascops vermiculatus</i>)	Middle American Screech Owl (<i>Megascops guatemalae</i>)
Scale-breasted Woodpecker (<i>Celeus grammicus</i>)	Waved Woodpecker (<i>Celeus undatus</i>)
Tres Marias Amazon (<i>Amazona tresmariae</i>)	Yellow-headed Amazon (<i>Amazona oratrix</i>)
Northern Mealy Amazon (<i>Amazona guatemalae</i>)	Mealy Amazon (<i>Amazona farinosa</i>)
Southern Mealy Amazon (<i>Amazona farinosa</i>)	"
Western Ground Parrot (<i>Pezoporus flaviventris</i>)	Ground Parrot (<i>pezoporus wallicus</i>)
Eastern Ground Parrot (<i>Pezoporus wallicus</i>)	"
Brigida's Woodcreeper (<i>Hylexetastes brigidai</i>)	Uniform Woodcreeper (<i>Hylexetastes uniformis</i>)
Tschudi's Woodcreeper (<i>Xiphorhynchus chunchotambo</i>)	Ocellated Woodcreeper (<i>Xiphorhynchus ocellatus</i>)
Puna Canastero (<i>Asthenes sclateri</i>)	Streak-backed Canastero (<i>Asthenes wyatti</i>)
Pacific-slope Flycatcher (<i>Empidonax difficilis</i>)	Western Flycatcher (<i>Empidonax difficilis</i>)
Cordilleran Flycatcher (<i>Empidonax occidentalis</i>)	"
Fanti Drongo (<i>Dicrurus atactus</i>)	Velvet-mantled Drongo (<i>Dicrurus modestus</i>)
Glossy-backed Drongo (<i>Dicrurus divaricatus</i>)	Fork-tailed Drongo (<i>Dicrurus adsimilis</i>)
Western Square-tailed Drongo (<i>Dicrurus occidentalis</i>)	Sharpe's Drongo (<i>Dicrurus sharpei</i>)
Hume's Whitethroat (<i>Curruca althaea</i>)	Lesser Whitethroat (<i>Curruca curruca</i>)
Desert Whitethroat (<i>Curruca minula</i>)	"
Itombwe Flycatcher (<i>Fraseria itombwensis</i>)	Chapin's Flycatcher (<i>Fraseria lendu</i>)
Greyish-crowned Leafbird (<i>Chloropsis lazulina</i>)	Orange-bellied Leafbird (<i>Chloropsis hardwickii</i>)
Vincent's Bunting (<i>Emberiza vincenti</i>)	Cape Bunting (<i>Emberiza capensis</i>)
Northern Mountain Cacique (<i>Cacicus leucoramphus</i>)	Mountain Cacique (<i>Cacicus chrysonotus</i>)
Southern Mountain Cacique (<i>Cacicus chrysonotus</i>)	"
Ochre Oriole (<i>Icterus fuertesi</i>)	Orchard Oriole (<i>Icterus spurius</i>)

Sub-Species Reassigned to New Species

Subspecies	Moved to
American Barn Owl (Lesser Antilles) [nigrescens] (<i>Tyto furcata nigrescens</i>)	Ashy-faced Owl (<i>Tyto glaucops</i>)
American Barn Owl (Lesser Antilles) [insularis] (<i>Tyto furcata insularis</i>)	“

Common Name changes

Old Common Name	New Common Name
Philippine Spine-tailed Swift (<i>Mearnsia picina</i>)	Philippine Spinetail
Papuan Spine-tailed Swift (<i>Mearnsia novaeguineae</i>)	Papuan Spinetail
Rufous Hawk-Cuckoo (<i>Hierococcyx hyperythrus</i>)	Northern Hawk-cuckoo
Comoros Olive Pigeon (<i>Columba pollenii</i>)	Comoro Olive Pigeon
Japanese Wood Pigeon (<i>Columba janthina</i>)	Black Wood Pigeon
Comoros Green Pigeon (<i>Treron griveaudi</i>)	Comoro Green Pigeon
Comoros Blue Pigeon (<i>Alectroenas sganzini</i>)	Comoro Blue Pigeon
Madagascar Wood Rail (<i>Mentocrex kioloides</i>)	Madagascar Forest Rail
Tsingy Wood Rail (<i>Mentocrex beankaensis</i>)	Tsingy Forest Rail
Malayan Blue-banded Kingfisher (<i>Alcedo peninsulae</i>)	Malaysian Blue-banded Kingfisher
Green-billed Toucan (<i>Ramphastos dicolorus</i>)	Red-breasted Toucan
Comoros Black Parrot (<i>Coracopsis sibilans</i>)	Comoro Black Parrot
Papuan Lorikeet (<i>Charmosyna papou</i>)	West Papuan Lorikeet
Comoros Blue Vanga (<i>Cyanolanius comorensis</i>)	Comoro Blue Vanga
Comoros Cuckooshrike (<i>Cebilepyris cucullatus</i>)	Comoro Cuckooshrike
Common Square-tailed Drongo (<i>Dicrurus ludwigii</i>)	Square-tailed Drongo
Japanese Paradise Flycatcher (<i>Terpsiphone atrocaudata</i>)	Black Paradise Flycatcher
Horsfield's Bush Lark (<i>Mirafra javanica</i>)	Singing Bush Lark
Common House Martin (<i>Delichon urbicum</i>)	Western House Martin
Grand Comoro Brush Warbler (<i>Nesillas brevicaudata</i>)	Grande Comore Brush Warbler
Comoros Thrush (<i>Turdus bewsheri</i>)	Comoro Thrush
Archer's Robin-Chat (<i>Dessonornis archeri</i>)	Archer's Ground Robin
Comoros Fody (<i>Foudia eminentissima</i>)	Comoro Fody
Japanese Reed Bunting (<i>Emberiza yessoensis</i>)	Ochre-rumped Bunting
Yellow-throated Bush Tanager (<i>Chlorospingus flavigularis</i>)	Yellow-throated Chlorospingus
Yellow-whiskered Bush Tanager (<i>Chlorospingus parvirostris</i>)	Yellow-whiskered Chlorospingus
Ashy-throated Bush Tanager (<i>Chlorospingus canigularis</i>)	Ashy-throated Chlorospingus
Sooty-capped Bush Tanager (<i>Chlorospingus pileatus</i>)	Sooty-capped Chlorospingus
Common Bush Tanager (<i>Chlorospingus flavopectus</i>)	Common Chlorospingus

Tacarcuna Bush Tanager (<i>Chlorospingus tacarcunae</i>)	Tacarcuna Chlorospingus
Pirre Bush Tanager (<i>Chlorospingus inornatus</i>)	Pirre Chlorospingus
Dusky Bush Tanager (<i>Chlorospingus semifuscus</i>)	Dusky Chlorospingus
Olive Tanager (<i>Chlorothraupis frenata</i>)	Yellow-lored Tanager

Scientific name changes

Old Scientific Name	New Scientific Name
Karoo Korhaan (<i>Eupodotis vigorsii</i>)	<i>Heterotetrax vigorsii</i>
Rüppell's Korhaan (<i>Eupodotis rueppelii</i>)	<i>Heterotetrax rueppelii</i>
Little Brown Bustard (<i>Eupodotis humilis</i>)	<i>Heterotetrax humilis</i>
White-tipped Dove (brasiliensis Group) [chalcauchenia] (<i>Leptotila verreauxi chalcauchenia</i>)	<i>Leptotila verreauxi chlorauchenia</i>
Paint-billed Crake (<i>Neocrex erythrops</i>)	<i>Mustelirallus erythrops</i>
Colombian Crake (<i>Neocrex colombiana</i>)	<i>Mustelirallus colombianus</i>
Zapata Rail (<i>Cyanolimnas cerverai</i>)	<i>Mustelirallus cerverai</i>
White-bellied Sea Eagle (<i>Haliaeetus leucogaster</i>)	<i>Ichthyophaga leucogaster</i>
Sanford's Sea Eagle (<i>Haliaeetus sanfordi</i>)	<i>Ichthyophaga sanfordi</i>
African Fish Eagle (<i>Haliaeetus vocifer</i>)	<i>Ichthyophaga vocifer</i>
Madagascar Fish Eagle (<i>Haliaeetus vociferoides</i>)	<i>Ichthyophaga vociferoides</i>
Lesser Fish Eagle (<i>Haliaeetus humilis</i>)	<i>Ichthyophaga humilis</i>
Grey-headed Fish Eagle (<i>Haliaeetus ichthyaetus</i>)	<i>Ichthyophaga ichthyaetus</i>
Major Mitchell's Cockatoo (<i>Lophochroa leadbeateri</i>)	Pink Cockatoo (<i>Cacatua leadbeateri</i>)
Speckled Spinetail (<i>Cranioleuca gutturata</i>)	<i>Thripophaga gutturata</i>
Russet-mantled Softtail (<i>Thripophaga berlepschi</i>)	<i>Cranioleuca berlepschi</i>
White-lored Antpitta (<i>Hylopezus fulviventrìs</i>)	<i>Myrmothera fulviventrìs</i>
Amazonian Antpitta (<i>Hylopezus berlepschi</i>)	<i>Myrmothera berlepschi</i>
Thicket Antpitta (<i>Hylopezus dives</i>)	<i>Myrmothera dives</i>
Yellow-billed Shrike (<i>Corvinella corvina</i>)	<i>Lanius corvinus</i>
Magpie Shrike (<i>Urolestes melanoleucus</i>)	<i>Lanius melanoleucus</i>
Spot-necked Bulbul (<i>Alcurus tympanistrigus</i>)	<i>Pycnonotus tympanistrigus</i>
Reed Parrotbill (<i>Calamornis heudei</i>)	<i>Paradoxornis heudei</i>
Great Parrotbill (<i>Conostoma aemodium</i>)	<i>Paradoxornis aemodius</i>
Brown Parrotbill (<i>Cholornis unicolor</i>)	<i>Paradoxornis unicolor</i>
Three-toed Parrotbill (<i>Cholornis paradoxus</i>)	<i>Paradoxornis paradoxus</i>
Grey-headed Parrotbill (<i>Psittiparus gularis</i>)	<i>Paradoxornis gularis</i>
Black-headed Parrotbill (<i>Psittiparus margaritae</i>)	<i>Paradoxornis margaritae</i>
White-breasted Parrotbill (<i>Psittiparus ruficeps</i>)	<i>Paradoxornis ruficeps</i>
Rufous-headed Parrotbill (<i>Psittiparus bakeri</i>)	<i>Paradoxornis bakeri</i>
Short-tailed Parrotbill (<i>Neosuthora davidiana</i>)	<i>Suthora davidiana</i>
Pale-billed Parrotbill (<i>Chleuasicus atosuperciliaris</i>)	<i>Suthora atosuperciliaris</i>
Spectacled Parrotbill (<i>Sinosuthora conspicillata</i>)	<i>Suthora conspicillata</i>
Grey-hooded Parrotbill (<i>Sinosuthora zappeyi</i>)	<i>Suthora zappeyi</i>
Brown-winged Parrotbill (<i>Sinosuthora brunnea</i>)	<i>Suthora brunnea</i>
Vinous-throated Parrotbill (<i>Sinosuthora webbiana</i>)	<i>Suthora webbiana</i>

Ashy-throated Parrotbill (<i>Sinosuthora alphonsiana</i>)	<i>Suthora alphonsiana</i>
Przevalski's Parrotbill (<i>Sinosuthora przewalskii</i>)	<i>Suthora przewalskii</i>
Pale Flycatcher (<i>Melaenornis pallidus</i>)	<i>Agricola pallidus</i>
Chat Flycatcher (<i>Melaenornis infuscatus</i>)	<i>Agricola infuscatus</i>
Grey-throated Tit-Flycatcher (<i>Myioparus griseigularis</i>)	<i>Fraseria griseigularis</i>
Grey Tit-Flycatcher (<i>Myioparus plumbeus</i>)	<i>Fraseria plumbea</i>
Olivaceous Flycatcher (<i>Muscicapa olivascens</i>)	<i>Fraseria olivascens</i>
Chapin's Flycatcher (<i>Muscicapa lendu</i>)	<i>Fraseria lendu</i>
Ashy Flycatcher (<i>Muscicapa caerulescens</i>)	<i>Fraseria caerulescens</i>
Tessmann's Flycatcher (<i>Muscicapa tessmanni</i>)	<i>Fraseria tessmanni</i>
Fiscal Flycatcher (<i>Melaenornis silens</i>)	<i>Sigelus silens</i>
Dusky-blue Flycatcher (<i>Muscicapa comitata</i>)	<i>Bradornis comitatus</i>
African Grey Flycatcher (<i>Melaenornis microrhynchus</i>)	<i>Bradornis microrhynchus</i>
Marico Flycatcher (<i>Melaenornis mariquensis</i>)	<i>Bradornis mariquensis</i>
Böhm's Flycatcher (<i>Muscicapa boehmi</i>)	<i>Bradornis boehmi</i>
Ussher's Flycatcher (<i>Muscicapa ussheri</i>)	<i>Bradornis ussheri</i>
Sooty Flycatcher (<i>Muscicapa infuscata</i>)	<i>Bradornis fuliginosus</i>
Mountain Robin-Chat (<i>Cossypha isabellae</i>)	<i>Cossyphicula isabellae</i>
White-throated Robin-Chat (<i>Cossypha humeralis</i>)	<i>Dessonornis humeralis</i>
Cape Robin-Chat (<i>Cossypha caffra</i>)	<i>Dessonornis caffer</i>
Archer's Ground Robin (<i>Cossypha archeri</i>)	<i>Dessonornis archeri</i>
Olive-flanked Ground Robin (<i>Cossypha anomala</i>)	<i>Dessonornis anomalus</i>
Crimson-collared Grosbeak (<i>Rhodothraupis celaeno</i>)	<i>Periporphyrus celaeno</i>
Blue Finch (<i>Porphyrospiza caerulescens</i>)	<i>Rhopospina caerulescens</i>
Band-tailed Sierra Finch (<i>Porphyrospiza alaudina</i>)	<i>Rhopospina alaudina</i>
Carbonated Sierra Finch (<i>Porphyrospiza carbonaria</i>)	<i>Rhopospina carbonaria</i>