

Wildlife Recorder Species Database – Update 111 October 2022

Contents

Introduction.....	2
Changes to the Bird Species Database in previous versions.....	3
Changes to the Bird Species Database since last update (version 110 August 2022)	4
Clements Taxonomy Changes	4
New Species and Sub-species.....	4
New Groups	6
Deleted Species and Sub-species	9
Deleted Groups	11
Splits	12
Lumps	18
Sub-Species Reassigned to New Species.....	20
Common Name changes	21
Scientific name changes.....	25
IOC Taxonomy Changes.....	28
New Groups	28
Deleted Groups	29

Introduction

This update implements the following:

- Clements/eBird 2022 Update
- Corrections to distribution and distribution texts.

New

In species distribution, extinct species are separable from species of uncertain or historic occurrence. In previous versions this was not possible. This change allows the exclusion of extinct species from Species Checklists and the results of queries such as “Where To Go”.

This species update requires version 4.1.140 or later of Wildlife Recorder 4. This update is not compatible with Wildlife Recorder 3.

Taxonomy Support

Important notice for users of Howard and Moore and HBW taxonomies.

It has been some years since the publication of Howard and Moore and there seems to be no sign that a new version will appear. We will no longer be updating the HM taxonomy in future versions of the database. You may continue to use your existing version of H&M taxonomy, but it will no longer be updated.

Since the HBW databases have been taken over by Cornell (eBird) and will use the Clements/eBird taxonomy, we will no longer be updating the HBW taxonomy. You may continue to use your existing version of the HBW taxonomy, but it will no longer be updated.

Changes to the Bird Species Database in previous versions

A complete list of all the changes contained in each version of the species database can be found in the Wildlife Recorder User Area on our website.

Changes to the Bird Species Database since last update (version 110 August 2022)

Clements Taxonomy Changes

Implemented changes in Clements 2022 update. In addition to the changes noted below there are many species sequence changes in this update. For full details of the Clements changes see the [Clements Checklist website](#)

New Species and Sub-species

Species/Sub-species Name
Singing Quail [salvadoranus] (<i>Dactylortyx thoracicus salvadoranus</i>)
Sclater's Monal [orientalis] (<i>Lophophorus sclateri orientalis</i>)
Blue Duck [malacorhynchos] (<i>Hymenolaimus malacorhynchos malacorhynchos</i>)
Blue Duck [hymenolaimus] (<i>Hymenolaimus malacorhynchos hymenolaimus</i>)
Chestnut Teal [castanea] (<i>Anas castanea castanea</i>)
Chestnut Teal [alexanderi] (<i>Anas castanea alexanderi</i>)
Australian Shoveler [variegata] (<i>Spatula rhynchotis variegata</i>)
Australian Shoveler [rhynchotis] (<i>Spatula rhynchotis rhynchotis</i>)
Pink Pigeon [mayeri] (<i>Nesoenas mayeri mayeri</i>)
Pink Pigeon [duboisii] (<i>Nesoenas mayeri duboisii</i>)
Black-chinned Fruit-dove [taiwanus] (<i>Ptilinopus leclancheri taiwanus</i>)
Virginia Rail [meyerdeschauenseei] (<i>Rallus limicola meyerdeschauenseei</i>)
Hodgson's Frogmouth [hodgsoni] (<i>Batrachostomus hodgsoni hodgsoni</i>)
Hodgson's Frogmouth [indochinae] (<i>Batrachostomus hodgsoni indochinae</i>)
Reunion Scops-Owl (<i>Otus grucheti</i>)
Rodrigues Scops-Owl (<i>Otus murivorus</i>)
Mauritius Scops-Owl (<i>Otus sauzieri</i>)
Buff-winged Starfrontlet [lutetiae] (<i>Coeligena lutetiae lutetiae</i>)
Buff-winged Starfrontlet [albimaculata] (<i>Coeligena lutetiae albimaculata</i>)
Eastern Curlew [suschkini] (<i>Numenius arquata suschkini</i>)
Bar-tailed Godwit [yamalensis] (<i>Limosa lapponica yamalensis</i>)
Bar-tailed Godwit [taymyrensis] (<i>Limosa lapponica taymyrensis</i>)
Bar-tailed Godwit (Siberian) [anadyrensis] (<i>Limosa lapponica anadyrensis</i>)
Black-tailed Godwit (bohail) (<i>Limosa limosa bohail</i>)
Sanderling [alba] (<i>Calidris alba alba</i>)
Sanderling [rubida] (<i>Calidris alba rubida</i>)
New Caledonian Storm Petrel (<i>Fregetta lineata</i>)
Vernal Hanging Parrot [vernalis] (<i>Loriculus vernalis vernalis</i>)

Vernal Hanging Parrot [phileticus] (*Loriculus vernalis phileticus*)
White-browed Tapaculo [ambatensis] (*Scytalopus superciliaris ambatensis*)
Mangrove Whistler [cinerea] (*Pachycephala cinerea cinerea*)
Mangrove Whistler [plateni] (*Pachycephala cinerea plateni*)
Plumbeous Vireo (Plumbeous) [gravis] (*Vireo plumbeus gravis*)
Meratus White-eye (*Zosterops meratusensis*)
Common Hill Myna (Simeulue) (*Gracula religiosa miotera*)
White-rumped Shama (ngae) (*Copsychus malabaricus ngae*)
Slaty-bellied Tesia [olivea] (*Tesia olivea olivea*)
Slaty-bellied Tesia [chiangmaiensis] (*Tesia olivea chiangmaiensis*)
Meratus Jungle-Flycatcher (*Cyornis kadayangensis*)
Red-flanked Bluetail (Red-flanked) (*Tarsiger cyanurus cyanurus*)
Red-flanked Bluetail (Qilian) (*Tarsiger cyanurus albocoeruleus*)
European Robin [marionae] (*Erithacus rubecula marionae*)
European Robin [caucasicus] (*Erithacus rubecula caucasicus*)
Yellow-breasted Forest Robin [sanghensis] (*Stiphornis mabirae sanghensis*)
Yellow-breasted Forest Robin [mabirae] (*Stiphornis mabirae mabirae*)
Blue-winged Leafbird (Blue-winged) [chlorocephala] (*Chloropsis cochinchinensis chlorocephala*)
Montane Double-collared Sunbird [skye] (*Cinnyris ludovicensis skye*)
Ruvu Weaver (*Ploceus holoxanthus*)
European Goldfinch (European) [brevirostris] (*Carduelis carduelis brevirostris*)
European Goldfinch (European) [volgensis] (*Carduelis carduelis volgensis*)
European Goldfinch (Eastern) [ultima] (*Carduelis carduelis ultima*)
Inti Tanager (*Heliotraupis oneilli*)
Corn Bunting [calandra] (*Emberiza calandra calandra*)
Corn Bunting [buturlini] (*Emberiza calandra buturlini*)
Dusky Chlorospingus [xanthothorax] (*Chlorospingus semifuscus xanthothorax*)
Aberrant Bush Warbler (Sunda) [kolichisi] (*Horornis flavolivaceus kolichisi*)

New Groups

Group Name
Dusky Scrubfowl (Dusky) (<i>Megapodius freycinet</i> [freycinet-group])
Dusky Scrubfowl (Forsten's) (<i>Megapodius freycinet forsteni/buruensis</i>)
Chestnut-naped Francolin (Northern) (<i>Pternistis castaneicollis castaneicollis</i>)
Chestnut-naped Francolin (Black-fronted) (<i>Pternistis castaneicollis atrifrons</i>)
Fiery-necked Nightjar (Black-shouldered) (<i>Caprimulgus pectoralis nigriscapularis</i>)
Fiery-necked Nightjar (Fiery-necked) (<i>Caprimulgus pectoralis</i> [pectoralis-group])
Black-throated Mango (Black-throated) (<i>Anthracothorax nigricollis nigricollis</i>)
Wedge-tailed Sabrewing (Long-tailed) (<i>Pampa curvipennis excellens</i>)
Montane Nightjar (Abyssinian) (<i>Caprimulgus poliocephalus poliocephalus</i>)
Montane Nightjar (Rwenzori) (<i>Caprimulgus poliocephalus</i> [ruwenzorii-group])
Virginia Rail (South American) (<i>Rallus limicola aequatorialis/meyerdeschauenseei</i>)
Bar-tailed Godwit (European) (<i>Limosa lapponica</i> [lapponica-group])
Black-tailed Godwit (bohail) (<i>Limosa limosa bohail</i>)
Common Buzzard (Cape Verde) (<i>Buteo buteo bannermani</i>)
Augur Buzzard (Augur) (<i>Buteo augur augur</i>)
Augur Buzzard (Archer's) (<i>Buteo augur archeri</i>)
Mountain Hawk-Eagle (nipalensis) (<i>Nisaetus nipalensis nipalensis</i>)
Mountain Hawk-Eagle (orientalis) (<i>Nisaetus nipalensis orientalis</i>)
Crested Caracara (Northern) (<i>Caracara plancus cheriway</i>)
Madagascar Scops-Owl (Rainforest) (<i>Otus rutilus rutilus</i>)
Madagascar Scops-Owl (Torotoroka) (<i>Otus rutilus madagascariensis</i>)
Fraser's Eagle-Owl (Western) (<i>Ketupa poensis poensis</i>)
Fraser's Eagle-Owl (Usambara) (<i>Ketupa poensis vosseleri</i>)
Blakiston's Fish-Owl (doerriesi) (<i>Ketupa blakistoni doerriesi</i>)
Blakiston's Fish-Owl (blakistoni) (<i>Ketupa blakistoni blakistoni</i>)
Ural Owl (Ural) (<i>Strix uralensis</i> [uralensis-group])
Ural Owl (Pere David's) (<i>Strix uralensis davidi</i>)
Brown Wood Owl (Nias) (<i>Strix leptogrammica niasensis</i>)
Moluccan Dwarf-Kingfisher (North Moluccan) (<i>Ceyx lepidus uropygialis</i>)
Moluccan Dwarf-Kingfisher (Seram) (<i>Ceyx lepidus lepidus</i>)
North Solomons Dwarf-Kingfisher (Bougainville) (<i>Ceyx meeki pallidus</i>)
North Solomons Dwarf-Kingfisher (North Solomons) (<i>Ceyx meeki meeki</i>)
Guadalcanal Dwarf-Kingfisher (Malaita) (<i>Ceyx nigromaxilla malaitae</i>)
Guadalcanal Dwarf-Kingfisher (Guadalcanal) (<i>Ceyx nigromaxilla nigromaxilla</i>)
Tuamotu Kingfisher (Niau) (<i>Todiramphus gambieri gertrudae</i>)
Tuamotu Kingfisher (Mangareva) (<i>Todiramphus gambieri gambieri</i>)
Lesser Honeyguide (Thick-billed) (<i>Indicator minor conirostris/ussheri</i>)

Lesser Honeyguide (Lesser) (*Indicator minor* [minor-group])
Great Spotted Woodpecker (poelzami) (*Dendrocopos major poelzami*)
Great Spotted Woodpecker (japonicus) (*Dendrocopos major japonicus*)
Great Spotted Woodpecker (cabanisi/stresemanni) (*Dendrocopos major cabanisi/stresemanni*)
Ruddy Spinetail (Ruddy) (*Synallaxis rutilans* [rutilans-group])
Ruddy Spinetail (Sooty) (*Synallaxis rutilans omissa*)
White-crowned Manakin (minima) (*Pseudopipra pipra minima*)
White-crowned Manakin (Colombian) (*Pseudopipra pipra unica/bolivari*)
White-crowned Manakin (Subtropical) (*Pseudopipra pipra comata/occulta*)
White-crowned Manakin (Guianan) (*Pseudopipra pipra pipra*)
White-crowned Manakin (Amazonian) (*Pseudopipra pipra* [microlopha-group])
White-crowned Manakin (Atlantic) (*Pseudopipra pipra cephalucos*)
White-crested Tyrannulet (Eastern) (*Serpophaga subcristata subcristata/straminea*)
White-crested Tyrannulet (White-bellied) (*Serpophaga subcristata munda*)
Dark-throated Oriole (Dark-throated) (*Oriolus xanthonotus xanthonotus/mentawi*)
Dark-throated Oriole (Ventriloquial) (*Oriolus xanthonotus consobrinus/persuasus*)
Maroon Oriole (Maroon) (*Oriolus traillii traillii/robinsoni*)
Maroon Oriole (Crimson) (*Oriolus traillii ardens/nigellicauda*)
White-browed Shrike-babbler (Dalat) (*Pteruthius aeralatus annamensis*)
White-browed Shrike-babbler (Blyth's) (*Pteruthius aeralatus* [aeralatus-group])
Spike-heeled Lark (Spike-heeled) (*Chersomanes albofasciata* [albofasciata-group])
Spike-heeled Lark (Beesley's) (*Chersomanes albofasciata beesleyi*)
Karoo Long-billed Lark (Karoo) (*Certhilauda subcoronata* [subcoronata-group])
Karoo Long-billed Lark (Benguela) (*Certhilauda subcoronata benguelensis/kaokoensis*)
Cape Lark (Cape) (*Certhilauda curvirostris curvirostris/falcirostris*)
Cape Lark (Agulhas) (*Certhilauda curvirostris brevirostris*)
Fawn-colored Lark (Fawn-colored) (*Calendulauda africanoides* [africanoides-group])
Fawn-colored Lark (Foxy) (*Calendulauda africanoides alopex/intercedens*)
Horsfield's Bushlark (Australasian) (*Mirafrja javanica* [javanica-group])
Horsfield's Bushlark (Singing) (*Mirafrja javanica* [cantillans-group])
Crested Lark (Crested) (*Galerida cristata* [cristata-group])
Crested Lark (Maghreb) (*Galerida cristata macrorhyncha/randonii*)
Wailing Cisticola (Lynes's) (*Cisticola lais distinctus*)
Wailing Cisticola (Wailing) (*Cisticola lais* [lais-group])
Malagasy Brush-Warbler (Anjouan) (*Nesillas typica longicaudata*)
Malagasy Brush-Warbler (Malagasy) (*Nesillas typica* [typica-group])
Common Reed Warbler (African) (*Acrocephalus scirpaceus* [baeticatus-group])
Scaly-breasted Cupwing (Himalayan) (*Pnoepyga albiventer albiventer/pallidior*)
Scaly-breasted Cupwing (Chinese) (*Pnoepyga albiventer mutica*)
Tickell's Leaf Warbler (Tickell's) (*Phylloscopus affinis affinis/perflavus*)

Tickell's Leaf Warbler (Alpine) (*Phylloscopus affinis occisinensis*)

Japanese Bush Warbler (Northern) (*Horornis diphone [cantans-group]*)

Aberrant Bush Warbler (Sunda) (*Horornis flavolivaceus [vulcanius-group]*)

Thrush-like Wren (Spot-breasted) (*Campylorhynchus turdinus turdinus/hypostictus*)

Thrush-like Wren (Unspotted) (*Campylorhynchus turdinus unicolor*)

Common Hill Myna (Simeulue) (*Gracula religiosa miotera*)

Common Hill Myna (Nias) (*Gracula religiosa robusta*)

Common Hill Myna (Enggano) (*Gracula religiosa enganensis*)

White-rumped Shama (Long-tailed) (*Copsychus malabaricus ngae*)

Short-tailed Akalat (Short-tailed) (*Sheppardia poensis [poensis-group]*)

Red-flanked Bluetail (Red-flanked) (*Tarsiger cyanurus cyanurus*)

Red-flanked Bluetail (Qilian) (*Tarsiger cyanurus albocoeruleus*)

White-browed Bush-Robin (White-browed) (*Tarsiger indicus indicus/yunnanensis*)

White-browed Bush-Robin (Taiwan) (*Tarsiger indicus formosanus*)

Montane Double-collared Sunbird (Eastern) (*Cinnyris ludovicensis whytei/skye*)

Royal Parrotfinch (Vanuatu) (*Erythrura cyaneovirens [regia-group]*)

Royal Parrotfinch (Samoan) (*Erythrura cyaneovirens cyaneovirens/gaughrani*)

Radde's Accentor (Radde's) (*Prunella ocularis ocularis*)

Radde's Accentor (Yemen) (*Prunella ocularis fagani*)

Bananaquit (Puerto Rico) (*Coereba flaveola [portoricensis-group]*)

Chestnut Thrush (Silver-headed) (*Turdus rubrocanus rubrocanus*)

Chestnut Thrush (Gray-headed) (*Turdus rubrocanus gouldii*)

Zebra Finch (Lesser Sundas) (*Taeniopygia guttata guttata*)

Zebra Finch (Australian) (*Taeniopygia guttata castanotis*)

House Sparrow (Gray-cheeked) (*Passer domesticus [domesticus-group]*)

House Sparrow (Indian) (*Passer domesticus [indicus-group]*)

Oriental Greenfinch (Oriental) (*Chloris sinica [sinica-group]*)

Oriental Greenfinch (Bonin) (*Chloris sinica kittlitzii*)

Pheasant Coucal (Timor) (*Centropus phasianinus mu*)

Asian Brown Flycatcher (Northern) (*Muscicapa dauurica dauurica*)

Asian Brown Flycatcher (Siamese) (*Muscicapa dauurica siamensis*)

Fawn-breasted Waxbill (benguellensis) (*Estrilda paludicola benguellensis*)

Riverbank Warbler (Northern) (*Myiothlypis rivularis mesoleuca*)

Riverbank Warbler (Bolivian) (*Myiothlypis rivularis boliviana*)

Riverbank Warbler (Southern) (*Myiothlypis rivularis rivularis*)

Deleted Species and Sub-species

(N.B. These will still be in the database but marked “not in taxonomy”)

Species/Sub-species Name	Reason
Barn Owl (African) (<i>Tyto alba affinis</i>)	Included in <i>poensis</i>
Archbold's Owlet-nightjar (<i>Aegotheles archboldi</i>)	Included in Mountain Owlet-nightjar (<i>Aegotheles albertisi</i>)
Mountain Owlet-nightjar [albertisi] (<i>Aegotheles albertisi albertisi</i>)	Monotypic
Mountain Owlet-nightjar [wondiwoi] (<i>Aegotheles albertisi wondiwoi</i>)	“
Mountain Owlet-nightjar [salvadorii] (<i>Aegotheles albertisi salvadorii</i>)	“
Tropical Scrubwren [imitator] (<i>Sericornis beccarii imitator</i>)	Subspecies <i>Sericornis beccarii imitator</i> of Tropical Scrubwren, with range "NE New Guinea (Arfak Mountains)", is considered to be a junior synonym of <i>Sericornis nouhuysi cantans</i> (Beehler and Pratt 2016)
Plumbeous Vireo (Plumbeous) [pinicolus] (<i>Vireo plumbeus pinicolus</i>)	Included in nominate
Plumbeous Vireo (Plumbeous) [repetens] (<i>Vireo plumbeus repetens</i>)	“
Blyth's Paradise-Flycatcher (Blyth's) [madzoedi] (<i>Terpsiphone affinis madzoedi</i>)	“
Blyth's Paradise-Flycatcher (Blyth's) [australis] (<i>Terpsiphone affinis australis</i>)	“
European Robin [balcanicus] (<i>Erithacus rubecula balcanicus</i>)	“
European Goldfinch (European) [loudoni] (<i>Carduelis carduelis loudoni</i>)	Replaced by <i>brevirostris</i>
White-throated Screech-owl [aequatorialis] (<i>Megascops albogularis aequatorialis</i>)	Included in nominate
Cirl Bunting [cirlus] (<i>Emberiza cirlus cirlus</i>)	Treated as monotypic
Cirl Bunting [nigrostriata] (<i>Emberiza cirlus nigrostriata</i>)	“
Aberrant Bush Warbler (Aberrant) [alexanderi] (<i>Horornis flavolivaceus alexanderi</i>)	Included in <i>weberi</i>
Japanese Bush Warbler (Northern) [viridis] (<i>Horornis diphone viridis</i>)	Included in <i>riukiensis</i>
Band-rumped Swift [latirostris] (<i>Chaetura spinicaudus latirostris</i>)	Included in nominate

Rufous-capped Babbler [rufipectus] (<i>Cyanoderma ruficeps rufipectus</i>)	Included in <i>ruficeps</i>
Japanese Robin [akahige] (<i>Larvivora akahige akahige</i>)	Monotypic
Japanese Robin [rishirensis] (<i>Larvivora akahige rishirensis</i>)	“
Ryukyu Robin [komadori] (<i>Larvivora komadori komadori</i>)	“
Ryukyu Robin [subrufus] (<i>Larvivora komadori subrufus</i>)	“
Blue-winged Leafbird (Blue-winged) [icterocephala] (<i>Chloropsis cochinchinensis icterocephala</i>)	Included in <i>moluccensis</i>
Blue-winged Leafbird (Blue-winged) [natunensis] (<i>Chloropsis cochinchinensis natunensis</i>)	“
Blue-winged Leafbird (Blue-winged) [billitonis] (<i>Chloropsis cochinchinensis billitonis</i>)	“
Eurasian Tree Sparrow [iubilaeus] (<i>Passer montanus iubilaeus</i>)	Included in <i>saturatus</i>
Eurasian Tree Sparrow [obscuratus] (<i>Passer montanus obscuratus</i>)	“

Deleted Groups

(N.B. These will still be in the database but marked “not in taxonomy”)

Group Name	Reason
Virginia Rail (Ecuadorian) (<i>Rallus limicola aequatorialis</i>)	Now part of new expanded group Virginia Rail (South American) (<i>Rallus limicola aequatorialis/meyerdeschauenseei</i>)
Crested Caracara (Northern) (<i>Caracara plancus [cheriway-group]</i>)	ssp <i>pallidus</i> and <i>audubonii</i> both now included in <i>cheriway</i> so becomes a monotypic group.
White-crowned Forktail (White-crowned) (<i>Enicurus leschenaulti [frontalis-group]</i>)	Replaced by groups <i>sinensis/indicus</i> and <i>frontalis/chaseni</i>
Riverbank Warbler (rivularis/boliviana) (<i>Myiothlypis rivularis rivularis/boliviana</i>)	Group members are now monotypic groups
Orange-breasted Forest Robin (Western) (<i>Stiphornis erythrothorax erythrothorax</i>)	No longer listed as a group in Clements
Orange-breasted Forest Robin (Eastern) (<i>Stiphornis erythrothorax xanthogaster</i>)	“
Orange-breasted Forest Robin (Gabon) (<i>Stiphornis erythrothorax gabonensis</i>)	“

Splits

Species	Split From
White-throated Piping Guan (<i>Pipile grayi</i>)	Blue-throated Piping-guan (<i>Pipile cumanensis</i>)
Eastern Crested Guineafowl (<i>Guttera pucherani</i>)	Crested Guineafowl (<i>Guttera pucherani</i>)
Western Crested Guineafowl (<i>Guttera verreauxi</i>) with ssp. <i>sclateri</i> , <i>verreauxi</i>	“
Southern Crested Guineafowl (<i>Guttera edouardi</i>) with <i>barbata</i> , <i>edouardi</i>	“
Green Pheasant (<i>Phasianus versicolor</i>) with ssp. <i>versicolor</i> , <i>tanensis</i> , <i>robustipes</i>	Ring-necked Pheasant (<i>Phasianus colchicus</i>)
Malayan Crestless Fireback (<i>Lophura erythrophthalma</i>)	Crestless Fireback (<i>Lophura erythrophthalma</i>)
Bornean Crestless Fireback (<i>Lophura pyronota</i>)	“
Malayan Crested Fireback (<i>Lophura rufa</i>)	Crested Fireback (<i>Lophura ignita</i>)
Bornean Crested Fireback (<i>Lophura ignita</i>) with ssp. <i>ignita</i> , <i>nobilis</i>	“
Sabah Partridge (<i>Tropicoperdix graydoni</i>)	Chestnut-necklaced Partridge (<i>Tropicoperdix charltonii</i>)
Elgon Francolin (<i>Scleroptila elgonensis</i>)	Moorland Francolin (<i>Scleroptila psilolaema</i>)
Whyte's Francolin (<i>Scleroptila whytei</i>)	Shelley's Francolin (<i>Scleroptila shelleyi</i>)
Burmese Collared-Dove (<i>Streptopelia xanthocycla</i>)	Eurasian Collared-Dove (<i>Streptopelia decaocto</i>)
Raiatea Fruit-Dove (<i>Ptilinopus chrysogaster</i>)	Gray-green Fruit-dove (<i>Ptilinopus purpuratus</i>)
Geelvink Fruit-Dove (<i>Ptilinopus speciosus</i>)	Yellow-bibbed Fruit-dove (<i>Ptilinopus solomonensis</i>)
Enggano Imperial-Pigeon (<i>Ducula oenothorax</i>)	Green Imperial-pigeon (<i>Ducula aenea</i>)
Geelvink Imperial-Pigeon (<i>Ducula geelvinkiana</i>)	Spice Imperial-Pigeon (<i>Ducula myristicivora</i>)
Malabar Imperial-Pigeon (<i>Ducula cuprea</i>)	Mountain Imperial-pigeon (<i>Ducula badia</i>)
Cuban Nightjar (<i>Antrostomus cubanensis</i>) with ssp. <i>cubanensis</i> , <i>insulaepinorum</i>	Greater Antillean Nightjar (<i>Antrostomus cubanensis</i>)
Hispaniolan Nightjar (<i>Antrostomus ekmani</i>)	“
Hispaniolan Mango (<i>Anthracothonax dominicus</i>)	Antillean Mango (<i>Anthracothonax dominicus</i>)
Puerto Rican Mango (<i>Anthracothonax aurulentus</i>)	“
Longuemare's Sunangel (<i>Heliangelus clarisse</i>) with ssp. <i>violiceps</i> , <i>clarisse</i>	Amethyst-throated Sunangel (<i>Heliangelus amethysticollis</i>)
Merida Sunangel (<i>Heliangelus spencei</i>)	“
Green Inca (<i>Coeligena conradii</i>)	Collared Inca (<i>Coeligena torquata</i>)

Gould's Inca (<i>Coeligena inca</i>) with ssp. <i>omissa, inca</i>	“
Perija Starfrontlet (<i>Coeligena consita</i>)	Golden-bellied Starfrontlet (<i>Coeligena bonapartei</i>)
Golden Starfrontlet (<i>Coeligena eos</i>)	“
White-booted Racket-tail (<i>Ocreatus underwoodii</i>) with ssp. <i>polystictus, discifer, underwoodii, incommodus, melanatherus</i>	Booted Racket-tail (<i>Ocreatus underwoodii</i>)
Peruvian Racket-tail (<i>Ocreatus peruanus</i>)	“
Rufous-booted Racket-tail (<i>Ocreatus addae</i>) with ssp. <i>annae, addae</i>	“
Tres Marias Hummingbird (<i>Cynanthus lawrencei</i>)	Broad-billed Hummingbird (<i>Cynanthus latirostris</i>)
Red-billed Streamertail (<i>Trochilus polytmus</i>)	Streamertail (<i>Trochilus polytmus</i>)
Black-billed Streamertail (<i>Trochilus scitulus</i>)	“
Copper-tailed Hummingbird (<i>Saucerottia cupreicauda</i>) with ssp. <i>duidae, laireti, pacaraimae, cupreicauda</i>	Green-bellied Hummingbird (<i>Saucerottia viridigaster</i>)
MacGillivray's Prion (<i>Pachyptila macgillivrayi</i>)	Salvin's Prion (<i>Pachyptila salvini</i>)
African Woolly-necked Stork (<i>Ciconia microscelis</i>)	Woolly-necked Stork (<i>Ciconia episcopus</i>)
Asian Woolly-necked Stork (<i>Ciconia episcopus</i>) with ssp. <i>episcopus, neglecta</i>	“
Cuban Kite (<i>Chondrohierax wilsonii</i>)	Hook-billed Kite (<i>Chondrohierax uncinatus</i>)
Chilean Hawk (<i>Accipiter chilensis</i>)	Bicolored Hawk (<i>Accipiter bicolor</i>)
Banggai Scops-Owl (<i>Otus mendeni</i>)	Sulawesi Scops-Owl (<i>Otus manadensis</i>)
Lesser Horned Owl (<i>Bubo magellanicus</i>)	Great Horned Owl (<i>Bubo virginianus</i>)
West Solomons Owl (<i>Athene jacquinoti</i>) with ssp. <i>eichhorni, jacquinoti, mono, floridae</i>	Solomons Boobook (<i>Athene jacquinoti</i>)
Guadalcanal Owl (<i>Athene granti</i>)	“
Malaita Owl (<i>Athene malaitae</i>)	“
Makira Owl (<i>Athene roseoaxillaris</i>)	“
Tasmanian Boobook (<i>Ninox leucopsis</i>)	Morepork (<i>Ninox novaeseelandiae</i>)
Malaysian Blue-banded Kingfisher (<i>Alcedo peninsulae</i>)	Blue-banded Kingfisher (<i>Alcedo euryzona</i>)
Javan Blue-banded Kingfisher (<i>Alcedo euryzona</i>)	“
Sangihe Dwarf-Kingfisher (<i>Ceyx sangirensis</i>)	Sulawesi Dwarf-Kingfisher (<i>Ceyx fallax</i>)
Sangihe Lilac Kingfisher (<i>Cittura sanghirensis</i>)	Lilac-cheeked Kingfisher (<i>Cittura cyanotis</i>)
Sulawesi Lilac Kingfisher (<i>Cittura cyanotis</i>)	“
Ethiopian Bee-eater (<i>Merops lafresnayii</i>)	Blue-breasted Bee-eater (<i>Merops variegatus</i>)
African Green Bee-eater (<i>Merops viridissimus</i>) with ssp. <i>viridissimus, flavoviridis, cleopatra</i>	Green Bee-eater (<i>Merops orientalis</i>)

Arabian Green Bee-eater (<i>Merops cyanophrys</i>) with ssp. <i>cyanophrys</i> , <i>najdanus</i>	“
Asian Green Bee-eater (<i>Merops orientalis</i>) with ssp. <i>beludschicus</i> , <i>orientalis</i> , <i>ceylonicus</i> , <i>ferrugiceps</i>	“
Two-banded Puffbird (<i>Hypnelus bicinctus</i>) with ssp. <i>bicinctus</i> , <i>stoicus</i>	Russet-throated Puffbird (<i>Hypnelus ruficollis</i>)
Sira Barbet (<i>Capito fitzpatricki</i>)	Scarlet-banded Barbet (<i>Capito wallacei</i>)
Black-breasted Gnateater (<i>Conopophaga snethlageae</i>) with ssp. <i>snethlageae</i> , <i>pallida</i>	Chestnut-belted Gnateater (<i>Conopophaga aurita</i>)
Pacific Tuftedcheek (<i>Pseudocolaptes johnsoni</i>)	Buffy Tuftedcheek (<i>Pseudocolaptes lawrencii</i>)
Choco Manakin (<i>Cryptopipo litae</i>) with ssp. <i>suffusa</i> , <i>litae</i>	Green Manakin (<i>Cryptopipo holochlora</i>)
Olive-streaked Flycatcher (<i>Mionectes olivaceus</i>)	Olive-striped Flycatcher (<i>Mionectes olivaceus</i>)
Olive-striped Flycatcher (<i>Mionectes galbinus</i>) with ssp. <i>hederaceus</i> , <i>galbinus</i> , <i>fasciaticollis</i> , <i>venezuelensis</i>	“
Yellow-winged Flycatcher (<i>Tolmomyias flavotectus</i>)	Yellow-margined Flycatcher (<i>Tolmomyias assimilis</i>)
Olive-faced Flycatcher (<i>Tolmomyias viridiceps</i>) with ssp. <i>viridiceps</i> , <i>zimmeri</i> , <i>subsimilis</i>	Yellow-breasted Flycatcher (<i>Tolmomyias flaviventris</i>)
Ochre-lore Flycatcher (<i>Tolmomyias flaviventris</i>) with ssp. <i>aurulentus</i> , <i>dissors</i> , <i>flaviventris</i>	“
Atlantic Mouse-colored Tyrannulet (<i>Nesotriccus incomta</i>) with ssp. <i>eremonoma</i> , <i>incomta</i>	Mouse-colored Tyrannulet (<i>Nesotriccus murina</i>)
Amazonian Mouse-colored Tyrannulet (<i>Nesotriccus murina</i>) with ssp. <i>wagae</i> , <i>murina</i>	“
Tumbesian Tyrannulet (<i>Nesotriccus tumbezana</i>) with ssp. <i>tumbezana</i> , <i>inflava</i>	“
Marañon Tyrannulet (<i>Nesotriccus maranonica</i>)	“
Choco Gray Elaenia (<i>Myiopagis parambae</i>) with ssp. <i>absita</i> , <i>parambae</i>	Gray Elaenia (<i>Myiopagis caniceps</i>)
Amazonian Gray Elaenia (<i>Myiopagis cinerea</i>)	“
Atlantic Gray Elaenia (<i>Myiopagis caniceps</i>)	“
White-fronted Tyrannulet (<i>Phyllomyias zeledoni</i>)	Rough-legged Tyrannulet (<i>Phyllomyias burmeisteri</i>)
Bahia Wagtail-tyrant (<i>Stigmatura bahiae</i>)	Lesser Wagtail-Tyrant (<i>Stigmatura napensis</i>)
Mouse-gray Flycatcher (<i>Myiophobus crypterythrus</i>)	Bran-colored Flycatcher (<i>Myiophobus fasciatus</i>)
Rufescent Flycatcher (<i>Myiophobus rufescens</i>)	“

Northern Tropical Pewee (<i>Contopus bogotensis</i>) with ssp. <i>brachytarsus</i> , <i>rhizophorus</i> , <i>aithalodes</i> , <i>bogotensis</i> , <i>surinamensis</i>	Tropical Pewee (<i>Contopus cinereus</i>)
Tumbes Pewee (<i>Contopus punensis</i>)	“
Southern Tropical Pewee (<i>Contopus cinereus</i>) with ssp. <i>pallascens</i> , <i>cinereus</i>	“
Blackish Chat-Tyrant (<i>Ochthoeca nigrita</i>)	Slaty-backed Chat-tyrant (<i>Ochthoeca cinnamomeiventris</i>)
Maroon-belted Chat-tyrant (<i>Ochthoeca thoracica</i>) with ssp. <i>angustifasciata</i> , <i>thoracica</i>	“
Rufous-browed Chat-tyrant (<i>Ochthoeca superciliosa</i>)	Brown-backed Chat-tyrant (<i>Ochthoeca fumicolor</i>)
Velvety Manakin (<i>Lepidothrix velutina</i>) with ssp. <i>velutina</i> , <i>minuscule</i>	Blue-crowned Manakin (<i>Lepidothrix coronata</i>)
Blue-capped Manakin (<i>Lepidothrix coronata</i>) with ssp. <i>caquetae</i> , <i>carbonata</i> , <i>coronata</i> , <i>exquisita</i> , <i>caelestipileata</i> , <i>regalis</i>	“
Spotted Scrubwren (<i>Sericornis maculatus</i>) with ssp. <i>balstoni</i> , <i>maculatus</i> , <i>ashbyi</i> , <i>mellori</i>	White-browed Scrubwren (<i>Sericornis frontalis</i>)
Rennell Gerygone (<i>Gerygone citrina</i>)	Fan-tailed Gerygone (<i>Gerygone flavolateralis</i>)
Eastern Shrike-Tit (<i>Falcunculus frontatus</i>)	Crested Shrike-Tit (<i>Falcunculus frontatus</i>)
Western Shrike-tit (<i>Falcunculus leucogaster</i>)	“
Northern Shrike-tit (<i>Falcunculus whitei</i>)	“
Malawi Batis (<i>Batis dimorpha</i>) with ssp. <i>sola</i> , <i>dimorpha</i>	Cape Batis (<i>Batis capensis</i>)
Comoros Blue Vanga (<i>Cyanolanius comorensis</i>) with ssp. <i>comorensis</i> , <i>bensoni</i>	Blue Vanga (<i>Cyanolanius madagascarinus</i>)
Madagascar Blue Vanga (<i>Cyanolanius madagascarinus</i>)	“
Sharpe's Lark (<i>Mirafra sharpii</i>)	Rufous-naped Lark (<i>Mirafra africana</i>)
Rufous-crowned Prinia (<i>Prinia khasiana</i>)	Black-throated Prinia (<i>Prinia atrogularis</i>)
Lynes's Cisticola (<i>Cisticola distinctus</i>)	Wailing Cisticola (<i>Cisticola lais</i>)
Santo Thicketbird (<i>Cincloramphus whitneyi</i>)	Guadalcanal Thicketbird (<i>Cincloramphus whitneyi</i>)
Guadalcanal Thicketbird (<i>Cincloramphus turipavae</i>)	“
Negros Leaf Warbler (<i>Phylloscopus nigrorum</i>) with ssp. <i>benguetensis</i> , <i>peterseni</i> , <i>nigrorum</i> , <i>diuatae</i> , <i>mindanensis</i> , <i>malindangensis</i> , <i>flavostratus</i>	Mountain Leaf Warbler (<i>Phylloscopus trivirgatus</i>)
Kangean Tit-babbler (<i>Mixornis prillwitszi</i>)	Gray-cheeked Tit-babbler (<i>Mixornis flavicollis</i>)
Gray-hooded Babbler (<i>Cyanoderma bicolor</i>) with ssp. <i>bicolor</i> , <i>rufum</i>	Chestnut-winged Babbler (<i>Cyanoderma erythropterum</i>)

Brown-crowned Scimitar-babbler (<i>Pomatorhinus phayrei</i>) with ssp. <i>phayrei</i> , <i>stanfordi</i> , <i>albugularis</i> , <i>orientalis</i> , <i>dickinsoni</i>	Black-crowned Scimitar-Babbler (<i>Pomatorhinus ferruginosus</i>)
Coral-billed Scimitar Babbler (<i>Pomatorhinus ferruginosus</i>)	“
Sunda Scimitar-babbler (<i>Pomatorhinus bornensis</i>) with ssp. <i>occidentalis</i> , <i>bornensis</i>	Chestnut-backed Scimitar-babbler (<i>Pomatorhinus montanus</i>)
Javan Scimitar-babbler (<i>Pomatorhinus montanus</i>) with ssp. <i>montanus</i> , <i>ottolanderi</i>	“
Tenggara Hill Myna (<i>Gracula venerata</i>)	Common Hill Myna (<i>Gracula religiosa</i>)
Indian Pied Myna (<i>Gracupica contra</i>) with ssp. <i>contra</i> , <i>sordida</i> , <i>superciliaris</i>	Asian Pied Starling (<i>Gracupica contra</i>)
Siamese Pied Myna (<i>Gracupica floweri</i>)	“
Javan Pied Myna (<i>Gracupica jalla</i>)	“
Burmese Myna (<i>Acridotheres burmannicus</i>)	Vinous-breasted Starling (<i>Acridotheres burmannicus</i>)
Vinous-breasted Myna (<i>Acridotheres leucocephalus</i>)	“
Ethiopian Thrush (<i>Turdus simensis</i>)	Groundscraper Thrush (<i>Turdus litsitsirupa</i>)
White-crowned Shama (<i>Copsychus stricklandii</i>) with ssp. <i>stricklandii</i> , <i>barbouri</i>	White-rumped Shama (<i>Copsychus malabaricus</i>)
Rufous-breasted Blue Flycatcher (<i>Cyornis camarinensis</i>)	Blue-breasted Blue Flycatcher (<i>Cyornis herioti</i>)
Kalao Blue Flycatcher (<i>Cyornis kalaoensis</i>)	Sulawesi Blue Flycatcher (<i>Cyornis omissus</i>)
Chinese Vivid Niltava (<i>Niltava oatesi</i>)	Vivid Niltava (<i>Niltava vivida</i>)
Taiwan Vivid Niltava (<i>Niltava vivida</i>)	“
Sumba Jungle-flycatcher (<i>Eumyias stresemanni</i>)	Flores Jungle-flycatcher (<i>Eumyias oscillans</i>)
Yellow-breasted Forest Robin (<i>Stiphornis sanghensis</i>)	Forest Robin (<i>Stiphornis erythrothorax</i>)
Olive-backed Forest Robin (<i>Stiphornis pyrrholaemus</i>)	“
Orange-breasted Forest Robin (<i>Stiphornis erythrothorax</i>) with ssp. <i>erythrothorax</i> , <i>gabonensis</i> , <i>xanthogaster</i>	“
Short-tailed Akalat (<i>Sheppardia poensis</i>) with ssp. <i>granti</i> , <i>poensis</i> , <i>kaboboensis</i> , <i>schoutedeni</i> , <i>kungwensis</i>	Bocage's Akalat (<i>Sheppardia bocagei</i>)
Bornean Shortwing (<i>Brachypteryx erythrogyna</i>)	White-browed Shortwing (<i>Brachypteryx montana</i>)
Sumatran Shortwing (<i>Brachypteryx saturata</i>)	“
Javan Shortwing (<i>Brachypteryx montana</i>)	“
Flores Shortwing (<i>Brachypteryx floris</i>)	“

Izu Robin (<i>Larvivora tanensis</i>)	Japanese Robin (<i>Larvivora akahige</i>)
Okinawa Robin (<i>Larvivora namiyei</i>)	Ryukyu Robin (<i>Larvivora komadori</i>)
Amber Mountain Rock-thrush (<i>Monticola erythronotus</i>)	Forest Rock-thrush (<i>Monticola sharpei</i>)
Atlas Wheatear (<i>Oenanthe seebohmi</i>)	Northern Wheatear (<i>Oenanthe oenanthe</i>)
Buff-breasted Wheatear (<i>Oenanthe bottae</i>)	Red-breasted Wheatear (<i>Oenanthe bottae</i>)
Rusty-breasted Wheatear (<i>Oenanthe frenata</i>)	“
Red Weaver (<i>Anaplectes jubaensis</i>)	Red-headed Weaver (<i>Anaplectes rubriceps</i>)
Chestnut-and-black Weaver (<i>Ploceus castaneofuscus</i>)	Vieillot's Weaver (<i>Ploceus nigerrimus</i>)
Vieillot's Black Weaver (<i>Ploceus nigerrimus</i>)	“
Red-cowled Widowbird (<i>Euplectes laticauda</i>) with ssp. <i>laticauda</i> , <i>suahelicus</i>	Red-collared Widowbird (<i>Euplectes ardens</i>)
Timor Zebra Finch (<i>Taeniopygia guttata</i>)	Zebra Finch (<i>Taeniopygia guttata</i>)
Australian Zebra Finch (<i>Taeniopygia castanotis</i>)	“
Australian Pipit (<i>Anthus australis</i>) with ssp. <i>exiguus</i> , <i>rogersi</i> , <i>bilbali</i> , <i>australis</i> , <i>bistriatus</i>	Australasian Pipit (<i>Anthus novaeseelandiae</i>)
New Zealand Pipit (<i>Anthus novaeseelandiae</i>) with ssp. <i>novaeseelandiae</i> , <i>chathamensis</i> , <i>aucklandicus</i> , <i>steindachneri</i>	“
Puna Pipit (<i>Anthus brevirostris</i>)	Short-billed Pipit (<i>Anthus furcatus</i>)
Masked Bunting (<i>Emberiza personata</i>)	Black-faced Bunting (<i>Emberiza spodocephala</i>)
Chihuahuan Meadowlark (<i>Sturnella lilianae</i>) with ssp. <i>lilianae</i> , <i>auropectoralis</i>	Eastern Meadowlark (<i>Sturnella magna</i>)
Black-lored Yellowthroat (<i>Geothlypis auricularis</i>) with ssp. <i>peruviana</i> , <i>auricularis</i>	Masked Yellowthroat (<i>Geothlypis aequinoctialis</i>)
Southern Yellowthroat (<i>Geothlypis velata</i>)	“
Yungas Warbler (<i>Basileuterus punctipectus</i>) with ssp. <i>inconspicuus</i> , <i>punctipectus</i> , <i>canens</i>	Three-striped Warbler (<i>Basileuterus tristriatus</i>)
Cuzco Warbler (<i>Myiothlypis chrysogaster</i>)	Golden-bellied Warbler (<i>Myiothlypis chrysogaster</i>)
Choco Warbler (<i>Myiothlypis chlorophrys</i>)	“
Sulawesi Leaf Warbler (<i>Phylloscopus nesophilus</i>)	Sulawesi Leaf Warbler (<i>Phylloscopus sarasinorum</i>)
Lompobattang Leaf Warbler (<i>Phylloscopus sarasinorum</i>)	“

Lumps

Species	Lumped into
Forsten's Scrubfowl (<i>Megapodius forsteni</i>)	Dusky Scrubfowl (<i>Megapodius freycinet</i>)
Black-fronted Francolin (<i>Pternistis atrifrons</i>)	Chestnut-naped Francolin (<i>Pternistis castaneicollis</i>)
Black-shouldered Nightjar (<i>Caprimulgus nigriscapularis</i>)	Fiery-necked Nightjar (<i>Caprimulgus pectoralis</i>)
Long-tailed Sabrewing (<i>Pampa excellens</i>)	Wedge-tailed Sabrewing (<i>Pampa curvipennis</i>)
Abyssinian Nightjar (<i>Caprimulgus poliocephalus</i>)	Montane Nightjar (<i>Caprimulgus poliocephalus</i>)
Rwenzori Nightjar (<i>Caprimulgus ruwenzorii</i>)	“
Red-chested Goshawk (<i>Accipiter toussenelii</i>)	African Goshawk (<i>Accipiter tachiro</i>)
Cape Verde Buzzard (<i>Buteo bannermani</i>)	Common Buzzard (<i>Buteo buteo</i>)
Archer's Buzzard (<i>Buteo archeri</i>)	Augur Buzzard (<i>Buteo augur</i>)
Torotoroka Scops-owl (<i>Otus madagascariensis</i>)	Madagascar Scops-Owl (<i>Otus rutilus</i>)
Usambara Eagle-owl (<i>Bubo vosseleri</i>)	Fraser's Eagle-owl (<i>Ketupa poensis</i>)
Chestnut Owlet (<i>Glaucidium castaneum</i>)	African Barred Owlet (<i>Glaucidium capense</i>)
Pere David's Owl (<i>Strix davidi</i>)	Ural Owl (<i>Strix uralensis</i>)
North Moluccan Dwarf-kingfisher (<i>Ceyx uropygialis</i>)	Moluccan Dwarf-Kingfisher (<i>Ceyx lepidus</i>)
Seram Dwarf-kingfisher (<i>Ceyx lepidus</i>)	“
Bougainville Dwarf-Kingfisher (<i>Ceyx pallidus</i>)	North Solomons Dwarf-Kingfisher (<i>Ceyx meeki</i>)
Malaita Dwarf-kingfisher (<i>Ceyx malaitae</i>)	Guadalcanal Dwarf-Kingfisher (<i>Ceyx nigromaxilla</i>)
Niau Kingfisher (<i>Todiramphus gertrudae</i>)	Tuamotu Kingfisher (<i>Todiramphus gambieri</i>)
Mangareva Kingfisher (<i>Todiramphus gambieri</i>)	“
Thick-billed Honeyguide (<i>Indicator conirostris</i>)	Lesser Honeyguide (<i>Indicator minor</i>)
White-bellied Tyrannulet (<i>Serpophaga munda</i>) with ssp. <i>zeledoni</i> , <i>wetmorei</i> , <i>viridiceps</i> , <i>bunites</i> , <i>leucogonys</i>	White-crested Tyrannulet (<i>Serpophaga subcristata</i>)
Indonesian Honeyeater (<i>Lichmera limbata</i>)	Brown Honeyeater (<i>Lichmera indistincta</i>)
Perplexing Scrubwren (<i>Sericornis virgatus</i>)	Large Scrubwren (<i>Sericornis nouhuysi</i>)
Himalayan Shrike-babbler (<i>Pteruthius ripleyi</i>)	White-browed Shrike-babbler (<i>Pteruthius aeralatus</i>)
Blyth's Shrike-babbler (<i>Pteruthius aeralatus</i>)	“
Dalat Shrike-babbler (<i>Pteruthius annamensis</i>)	“
Beesley's Lark (<i>Chersomanes beesleyi</i>)	Spike-heeled Lark (<i>Chersomanes albofasciata</i>)
Benguela Lark (<i>Certhilauda benguelensis</i>)	Karoo Long-billed Lark (<i>Certhilauda subcoronata</i>)
Agulhas Lark (<i>Certhilauda brevirostris</i>)	Cape Lark (<i>Certhilauda curvirostris</i>)
Foxy Lark (<i>Calendulauda alopex</i>)	Fawn-colored Lark (<i>Calendulauda africanoides</i>)

Barlow's Lark (<i>Calendulauda barlowi</i>) with ssp. <i>barlowi</i> , <i>patae</i> , <i>cavei</i>	Dune Lark (<i>Calendulauda erythrochlamys</i>)
Australasian Bushlark (<i>Mirafrja javanica</i>)	Horsfield's Bushlark (<i>Mirafrja javanica</i>)
Singing Bushlark (<i>Mirafrja cantillans</i>)	“
Maghreb Lark (<i>Galerida macrorhyncha</i>)	Crested Lark (<i>Galerida cristata</i>)
Lynes's Cisticola (<i>Cisticola distinctus</i>)	Wailing Cisticola (<i>Cisticola lais</i>)
Anjouan Brush-warbler (<i>Nesillas longicaudata</i>)	Malagasy Brush-Warbler (<i>Nesillas typica</i>)
African Reed Warbler (<i>Acrocephalus baeticatus</i>)	Common Reed Warbler (<i>Acrocephalus scirpaceus</i>)
Chinese Cupwing (<i>Pnoepyga mutica</i>)	Scaly-breasted Cupwing (<i>Pnoepyga albiventer</i>)
Alpine Leaf Warbler (<i>Phylloscopus occisinensis</i>)	Tickell's Leaf Warbler (<i>Phylloscopus affinis</i>)
Sunda Bush Warbler (<i>Horornis vulcanius</i>)	Aberrant Bush Warbler (<i>Horornis flavolivaceus</i>)
Aberrant Bush Warbler (<i>Horornis flavolivaceus</i>)	“
Nias Myna (<i>Gracula robusta</i>)	Common Hill Myna (<i>Gracula religiosa</i>)
Eggano Myna (<i>Gracula enganensis</i>)	“
Ruaha Chat (<i>Myrmecocichla collaris</i>)	Arnot's Chat (<i>Myrmecocichla arnotti</i>)
Red-headed Parrotfinch (<i>Erythrura cyaneovirens</i>)	Royal Parrotfinch (<i>Erythrura cyaneovirens</i>)
Royal Parrotfinch (<i>Erythrura regia</i>)	“
Olive-naped Weaver (<i>Ploceus brachypterus</i>)	Black-necked Weaver (<i>Ploceus nigricollis</i>)
Timor Zebra Finch (<i>Taeniopygia guttata</i>)	Zebra Finch (<i>Taeniopygia guttata</i>)
Australian Zebra Finch (<i>Taeniopygia castanotis</i>)	“
Pale-billed Firefinch (<i>Lagonosticta landanae</i>)	African Firefinch (<i>Lagonosticta rubricata</i>)

Sub-Species Reassigned to New Species

Subspecies	Moved to
Green-breasted Mango (Ecuadorian) (<i>Anthracothorax prevostii iridescens</i>)	Black-throated Mango (<i>Anthracothorax nigricollis</i>)
Sulawesi Scops-Owl (Kalidupa) (<i>Otus manadensis kalidupae</i>)	Moluccan Scops-Owl (<i>Otus magicus</i>)
Collared Sparrowhawk [rosselianus] (<i>Accipiter cirrocephalus rosselianus</i>)	Brown Goshawk (<i>Accipiter fasciatus</i>)
Golden-crowned Flycatcher [minor] (<i>Myiodynastes chrysocephalus minor</i>)	Golden-bellied Flycatcher (<i>Myiodynastes hemichrysus</i>)
Golden-crowned Flycatcher [cinerascens] (<i>Myiodynastes chrysocephalus cinerascens</i>)	“
Tropical Scrubwren [idenburgi] (<i>Sericornis beccarii idenburgi</i>)	Large Scrubwren (<i>Sericornis nouhuysi</i>)
Tropical Scrubwren [boreonesioticus] (<i>Sericornis beccarii boreonesioticus</i>)	“
Tropical Scrubwren [pontifex] (<i>Sericornis beccarii pontifex</i>)	“
Delicate Prinia [hufufae] (<i>Prinia lepida hufufae</i>)	Graceful Prinia (<i>Prinia gracilis</i>)

Common Name changes

Old Common Name	New Common Name
Barn Owl (Bioko) (<i>Tyto alba poensis</i>)	Barn Owl (African)
Plumbeous Vireo (Central American) (<i>Vireo plumbeus notius/montanus</i>)	Plumbeous Vireo (Gray-headed)
Eurasian Reed Warbler (<i>Acrocephalus scirpaceus</i>)	Common Reed Warbler
Fulvous-headed Pygmy-Tyrant (<i>Euscarthmus fulviceps</i>)	Fulvous-faced Scrub Tyrant
Rufous-crowned Pygmy-Tyrant (<i>Euscarthmus meloryphus</i>)	Fulvous-crowned Scrub-Tyrant
Rufous-sided Pygmy-tyrant (<i>Euscarthmus rufomarginatus</i>)	Rufous-sided Scrub-Tyrant
Dusky Friarbird (<i>Philemon fuscicapillus</i>)	Morotai Friarbird
Brown-crowned Scimitar-Babbler (Brown-crowned) (<i>Pomatorhinus phayrei phayrei/stanfordi</i>)	Brown-crowned Scimitar-Babbler (Phayre's) (<i>Pomatorhinus phayrei phayrei/stanfordi</i>)
Brown-crowned Scimitar-Babbler (White-throated) (<i>Pomatorhinus phayrei [albogularis-group]</i>)	Brown-crowned Scimitar-Babbler (albogularis Group)
Indian Pied Myna (<i>Gracupica contra</i>)	Indian Pied Starling
Siamese Pied Myna (<i>Gracupica floweri</i>)	Siamese Pied Starling
Javan Pied Myna (<i>Gracupica jalla</i>)	Javan Pied Starling
Black-winged Starling (<i>Acridotheres melanopterus</i>)	Black-winged Myna
Red-legged Thrush (plumbeus) (<i>Turdus plumbeus plumbeus</i>)	Red-legged Thrush (Bahama)
Red-legged Thrush (rubripes Group) (<i>Turdus plumbeus [rubripes-group]</i>)	Red-legged Thrush (Cuban)
Red-legged Thrush (ardosiaceus/albiventris) (<i>Turdus plumbeus ardosiaceus/albiventris</i>)	Red-legged Thrush (Antillean)
Gray-winged Akalat (<i>Sheppardia polioptera</i>)	Gray-winged Robin-Chat
Olivaceous Saltator (<i>Saltator olivascens</i>)	Olive-gray Saltator
Blue-gray Saltator (<i>Saltator coerulescens</i>)	Bluish-gray Saltator
Riverbank Warbler (mesoleuca) (<i>Myiothlypis rivularis mesoleuca</i>)	Riverbank Warbler (Northern) (<i>Myiothlypis rivularis mesoleuca</i>)
Australian Shoveler (<i>Spatula rhynchotis</i>)	Australasian Shoveler
Moluccan Scrubfowl (<i>Eulipoa wallacei</i>)	Moluccan Megapode
Niuafuou Scrubfowl (<i>Megapodius pritchardii</i>)	Tongan Megapode
Micronesian Scrubfowl (<i>Megapodius laperouse</i>)	Micronesian Megapode
Nicobar Scrubfowl (<i>Megapodius nicobariensis</i>)	Nicobar Megapode
Tabon Scrubfowl (<i>Megapodius cumingii</i>)	Philippine Megapode
Sula Scrubfowl (<i>Megapodius bernsteini</i>)	Sula Megapode
Tanimbar Scrubfowl (<i>Megapodius tenimberensis</i>)	Tanimbar Megapode

Dusky Scrubfowl (<i>Megapodius freycinet</i>)	Dusky Megapode
Biak Scrubfowl (<i>Megapodius geelvinkianus</i>)	Biak Megapode
Melanesian Scrubfowl (<i>Megapodius eremita</i>)	Melanesian Megapode
Vanuatu Scrubfowl (<i>Megapodius layardi</i>)	Vanuatu Megapode
New Guinea Scrubfowl (<i>Megapodius decollatus</i>)	New Guinea Megapode
Orange-footed Scrubfowl (<i>Megapodius reinwardt</i>)	Orange-footed Megapode
Nahan's Francolin (<i>Ptilopachus nahani</i>)	Nahan's Partridge
Hartlaub's Francolin (<i>Pternistis hartlaubi</i>)	Hartlaub's Spurfowl
Cameroon Francolin (<i>Pternistis camerunensis</i>)	Mount Cameroon Spurfowl
Handsome Francolin (<i>Pternistis nobilis</i>)	Handsome Spurfowl
Chestnut-naped Francolin (<i>Pternistis castaneicollis</i>)	Chestnut-naped Spurfowl
Erckel's Francolin (<i>Pternistis erckelii</i>)	Erckel's Spurfowl
Djibouti Francolin (<i>Pternistis ochropectus</i>)	Djibouti Spurfowl
Swierstra's Francolin (<i>Pternistis swierstra</i>)	Swierstra's Spurfowl
Ahanta Francolin (<i>Pternistis ahantensis</i>)	Ahanta Spurfowl
Gray-striped Francolin (<i>Pternistis griseostriatus</i>)	Gray-striped Spurfowl
Jackson's Francolin (<i>Pternistis jacksoni</i>)	Jackson's Spurfowl
Red-billed Francolin (<i>Pternistis adspersus</i>)	Red-billed Spurfowl
Cape Francolin (<i>Pternistis capensis</i>)	Cape Spurfowl
Natal Francolin (<i>Pternistis natalensis</i>)	Natal Spurfowl
Hildebrandt's Francolin (<i>Pternistis hildebrandti</i>)	Hildebrandt's Spurfowl
Double-spurred Francolin (<i>Pternistis bicalcaratus</i>)	Double-spurred Spurfowl
Scaly Francolin (<i>Pternistis squamatus</i>)	Scaly Spurfowl
Heuglin's Francolin (<i>Pternistis icterorhynchus</i>)	Heuglin's Spurfowl
Clapperton's Francolin (<i>Pternistis clappertoni</i>)	Clapperton's Spurfowl
Harwood's Francolin (<i>Pternistis harwoodi</i>)	Harwood's Spurfowl
Swainson's Francolin (<i>Pternistis swainsonii</i>)	Swainson's Spurfowl
Yellow-necked Francolin (<i>Pternistis leucoscepus</i>)	Yellow-necked Spurfowl
Gray-breasted Francolin (<i>Pternistis rufopictus</i>)	Gray-breasted Francolin
Red-necked Francolin (<i>Pternistis afer</i>)	Red-necked Spurfowl
Green-spectacled Green-Pigeon (<i>Treron oxyurus</i>)	Sumatran Green-Pigeon
Asian Palm-Swift (<i>Cypsiurus balasiensis</i>)	Asian Palm Swift
African Palm-Swift (<i>Cypsiurus parvus</i>)	African Palm Swift
Malagasy Palm-Swift (<i>Cypsiurus gracilis</i>)	Malagasy Palm Swift
Antillean Palm-swift (<i>Tachornis phoenicobia</i>)	Antillean Palm Swift
Pygmy Palm-Swift (<i>Tachornis furcata</i>)	Pygmy Palm Swift
Fork-tailed Palm-swift (<i>Tachornis squamata</i>)	Fork-tailed Palm Swift
Golden Starfrontlet (<i>Coeligena eos</i>)	Merida Starfrontlet
Congo Bay-owl (<i>Tyto prigoginei</i>)	Itombwe Owl

White-crowned Manakin (minima) (<i>Pseudopipra pipra minima</i>)	White-crowned Manakin (Choco)
Atlantic Mouse-coloured Tyrannulet (<i>Nesotriccus incomta</i>)	Northern Mouse-colored Tyrannulet
Amazonian Mouse-coloured Tyrannulet (<i>Nesotriccus murina</i>)	Southern Mouse-colored Tyrannulet
Tumbesian Tyrannulet (<i>Nesotriccus tumbezana</i>)	Tumbes Tyrannulet
Cocos Flycatcher (<i>Nesotriccus ridgwayi</i>)	Cocos Tyrannulet
Choco Grey Elaenia (<i>Myiopagis parambae</i>)	Choco Elaenia
Amazonian Grey Elaenia (<i>Myiopagis cinerea</i>)	Amazonian Elaenia
Atlantic Grey Elaenia (<i>Myiopagis caniceps</i>)	Gray-headed Elaenia
White-crested Tyrannulet (Eastern) (<i>Serpophaga subcristata subcristata/straminea</i>)	White-crested Tyrannulet (Sulphur-bellied)
Tumbes Tyrant (<i>Ochthoeca salvini</i>)	Tumbes Chat-Tyrant
Slaty-backed Chat-tyrant (<i>Ochthoeca cinnamomeiventris</i>)	Chestnut-bellied Chat-Tyrant
Loggerhead Kingbird (Puerto Rican) (<i>Tyrannus caudifasciatus taylori</i>)	Loggerhead Kingbird (Puerto Rico)
Plumbeous Vireo (Gray-headed) (<i>Vireo plumbeus notius/montanus</i>)	Plumbeous Vireo (Central American)
Yellow-bellied Wattle-eye (Angolan) (<i>Platysteira concreta ansorgei</i>)	Yellow-bellied Wattle-eye (Angola)
White-browed Crombec (Chapin's) (<i>Sylvietta leucophrys chapini</i>)	White-browed Crombec (Lendu)
Red-legged Thrush (Bahama) (<i>Turdus plumbeus plumbeus</i>)	Red-legged Thrush (Bahamas)
White-rumped Shama (ngae) (<i>Copsychus malabaricus ngae</i>)	White-rumped Shama (Long-tailed)
Meratus Jungle Flycatcher (<i>Cyornis kadayangensis</i>)	Meratus Blue Flycatcher
Brown-chested Jungle-flycatcher (<i>Cyornis brunneatus</i>)	Brown-chested Jungle Flycatcher
Nicobar Jungle-flycatcher (<i>Cyornis nicobaricus</i>)	Nicobar Jungle Flycatcher
Gray-chested Jungle-flycatcher (<i>Cyornis umbratilis</i>)	Gray-chested Jungle Flycatcher
Fulvous-chested Jungle-flycatcher (<i>Cyornis olivaceus</i>)	Fulvous-chested Jungle Flycatcher
Chestnut-tailed Jungle-flycatcher (<i>Cyornis ruficauda</i>)	Chestnut-tailed Jungle Flycatcher
Banggai Jungle-Flycatcher (<i>Cyornis pelingensis</i>)	Banggai Jungle Flycatcher
Sula Jungle-Flycatcher (<i>Cyornis colonus</i>)	Sula Jungle Flycatcher
Buru Jungle-flycatcher (<i>Eumyias additus</i>)	Buru Jungle Flycatcher

Sangha Forest Robin (<i>Stiphronis mabirae</i>)	Yellow-breasted Forest Robin
Eyebrowed Jungle-flycatcher (<i>Vauriella gularis</i>)	Eyebrowed Jungle Flycatcher
Rusty-flanked Jungle-flycatcher (<i>Vauriella insignis</i>)	Rusty-flanked Jungle Flycatcher
Negros Jungle-Flycatcher (<i>Vauriella albigularis</i>)	Negros Jungle Flycatcher
Mindanao Jungle-flycatcher (<i>Vauriella goodfellowi</i>)	Mindanao Jungle Flycatcher
Dusky Twinspot (Angolan) (<i>Euschistospiza cinereovinacea cinereovinacea</i>)	Dusky Twinspot (Angola)
Antillean Euphonia (Puerto Rican) (<i>Chlorophonia musica sclateri</i>)	Antillean Euphonia (Puerto Rico)

Scientific name changes

Old Scientific Name	New Scientific Name
Lemon Dove (<i>Columba larvata</i>)	<i>Aplopelia larvata</i>
Malagasy Turtle-Dove (<i>Streptopelia picturata</i>)	<i>Nesoenas picturatus</i>
Spotted Dove (<i>Streptopelia chinensis</i>)	<i>Spilopelia chinensis</i>
Laughing Dove (<i>Streptopelia senegalensis</i>)	<i>Spilopelia senegalensis</i>
Brown Nightjar (<i>Caprimulgus binotatus</i>)	<i>Veles binotatus</i>
Rufous Potoo (<i>Nyctibius bracteatus</i>)	<i>Phyllaemulor bracteatus</i>
Brazilian Ruby (<i>Clytolaema rubricauda</i>)	<i>Heliodoxa rubricauda</i>
Congo Bay-owl (<i>Phodilus prigoginei</i>)	<i>Tyto prigoginei</i>
Fraser's Eagle-owl (<i>Bubo poensis</i>)	<i>Ketupa poensis</i>
Akun Eagle-owl (<i>Bubo leucostictus</i>)	<i>Ketupa leucostictus</i>
Verreaux's Eagle-owl (<i>Bubo lacteus</i>)	<i>Ketupa lacteus</i>
Shelley's Eagle-owl (<i>Bubo shelleyi</i>)	<i>Ketupa shelleyi</i>
Dusky Eagle-owl (<i>Bubo coromandus</i>)	<i>Ketupa coromandus</i>
Spot-bellied Eagle-owl (<i>Bubo nipalensis</i>)	<i>Ketupa nipalensis</i>
Barred Eagle-owl (<i>Bubo sumatranus</i>)	<i>Ketupa sumatranus</i>
Philippine Eagle-Owl (<i>Bubo philippensis</i>)	<i>Ketupa philippensis</i>
Solomons Boobook (<i>Ninox jacquinoti</i>)	<i>Athene jacquinoti</i>
Mottled Owl (<i>Ciccaba virgata</i>)	<i>Strix virgata</i>
Black-and-white Owl (<i>Ciccaba nigrolineata</i>)	<i>Strix nigrolineata</i>
Black-banded Owl (<i>Ciccaba huhula</i>)	<i>Strix huhula</i>
Rufous-banded Owl (<i>Ciccaba albitarsis</i>)	<i>Strix albitarsis</i>
Palau Owl (<i>Pyrroglaux podargina</i>)	<i>Otus podarginus</i>
Forest Woodhoopoe (<i>Phoeniculus castaneiceps</i>)	<i>Rhinopomastus castaneiceps</i>
Shovel-billed Kookaburra (<i>Clytoceyx rex</i>)	<i>Dacelo rex</i>
Scaly Ground-Roller (<i>Brachypteracias squamiger</i>)	<i>Geobiastes squamiger</i>
White-rumped Falcon (<i>Polihierax insignis</i>)	<i>Neohierax insignis</i>
Yellow-tailed Black-cockatoo (<i>Calyptorhynchus funereus</i>)	<i>Zanda funereal</i>
Carnaby's Black-Cockatoo (<i>Calyptorhynchus latirostris</i>)	<i>Zanda latirostris</i>
Baudin's Black-Cockatoo (<i>Calyptorhynchus baudinii</i>)	<i>Zanda baudinii</i>
Collared Lory (<i>Vini solitarius</i>)	<i>Vini solitaria</i>
Goldie's Lorikeet (<i>Glossoptila goldiei</i>)	<i>Glossoptilus goldiei</i>
Arabian Green Bee-eater [najdanus] (<i>Merops cyanophrys najdanus</i>)	<i>Merops cyanophrys muscatensis</i>
Caatinga Antwren (<i>Herpsilochmus sellowi</i>)	<i>Radinopsyche sellowi</i>
Mouse-colored Tyrannulet (<i>Phaeomyias murina</i>)	<i>Nesotriccus incomta</i>

Crowned Chat-tyrant (<i>Ochthoeca frontalis</i>)	<i>Silvicultrix frontalis</i>
Jelski's Chat-tyrant (<i>Ochthoeca jelskii</i>)	<i>Silvicultrix jelskii</i>
Golden-browed Chat-tyrant (<i>Ochthoeca pulchella</i>)	<i>Silvicultrix pulchella</i>
Yellow-bellied Chat-tyrant (<i>Ochthoeca diadema</i>)	<i>Silvicultrix diadema</i>
Tumbes Tyrant (<i>Tumbezia salvini</i>)	<i>Ochthoeca salvini</i>
Lesser Kiskadee (<i>Pitangus lictor</i>)	<i>Philohydor lictor</i>
Yellow-throated Scrubwren (<i>Sericornis citreogularis</i>)	<i>Neosericornis citreogularis</i>
Common Cicadabird (Gray-capped) (<i>Edolisoma tenuirostre remotus</i>)	<i>Edolisoma tenuirostre remotum</i>
Plumbeous Vireo (Plumbeous) (<i>Vireo plumbeus [plumbeus-group]</i>)	<i>Vireo plumbeus plumbeus/gravis</i>
Marsh Tchagra (<i>Tchagra minutus</i>)	<i>Bocagia minuta</i>
Striated Grassbird (<i>Megalurus palustris</i>)	<i>Cincloramphus palustris</i>
Pygmy Tit (<i>Psaltria exilis</i>)	<i>Aegithalos exilis</i>
Pale-breasted Illadopsis (Gray-breasted) [pugensis] (<i>Illadopsis rufipennis pugensis</i>)	<i>Illadopsis rufipennis pugensis</i>
Aberrant Bush Warbler (<i>Horornis flavolivaceus</i>)	<i>Horornis vulcanius</i>
Abbott's Starling (<i>Poeoptera femoralis</i>)	<i>Arizelopsar femoralis</i>
Chinese Thrush (<i>Otocichla mupinensis</i>)	<i>Turdus mupinensis</i>
Groundscraper Thrush (<i>Psophocichla litsitsirupa</i>)	<i>Turdus litsitsirupa</i>
Matinan Flycatcher (<i>Cyornis sanfordi</i>)	<i>Eumyias sanfordi</i>
Blue-fronted Flycatcher (<i>Cyornis hoevelli</i>)	<i>Eumyias hoevelli</i>
Timor Blue Flycatcher (<i>Cyornis hyacinthinus</i>)	<i>Eumyias hyacinthinus</i>
Flores Jungle-flycatcher (<i>Cyornis oscillans</i>)	<i>Eumyias oscillans</i>
Gray-winged Robin-chat (<i>Cossypha polioptera</i>)	<i>Sheppardia polioptera</i>
Gould's Shortwing (<i>Brachypteryx stellata</i>)	<i>Heteroxenicus stellatus</i>
Madanga (<i>Madanga ruficollis</i>)	<i>Anthus ruficollis</i>
Sharpe's Longclaw (<i>Hemimacronyx sharpei</i>)	<i>Macronyx sharpei</i>
European Goldfinch (European) [major] (<i>Carduelis carduelis major</i>)	<i>Carduelis carduelis frigoris</i>
Gray-headed Warbler (<i>Basileuterus griseiceps</i>)	<i>Myiothlypis griseiceps</i>
Laughing Owl (<i>Sceloglaux albifacies</i>)	<i>Ninox albifacies</i>
Yellow-breasted Forest Robin (<i>Stiphornis sanghensis</i>)	<i>Stiphornis mabirae</i>
Bar-tailed Godwit (Siberian) (<i>Limosa lapponica baueri/menzbieri</i>)	<i>Limosa lapponica [baueri-group]</i>
Tiny Hawk (<i>Accipiter superciliosus</i>)	<i>Microspizias superciliosus</i>
Semicollared Hawk (<i>Accipiter collaris</i>)	<i>Microspizias collaris</i>
Yellow-headed Caracara (<i>Milvago chimachima</i>)	<i>Daptrius chimachima</i>
Chimango Caracara (<i>Milvago chimango</i>)	<i>Daptrius chimango</i>
Carunculated Caracara (<i>Phalcoboenus carunculatus</i>)	<i>Daptrius carunculatus</i>

Mountain Caracara (<i>Phalcoboenus megalopterus</i>)	<i>Daptrius megalopterus</i>
White-throated Caracara (<i>Phalcoboenus albogularis</i>)	<i>Daptrius albogularis</i>
Striated Caracara (<i>Phalcoboenus australis</i>)	<i>Daptrius australis</i>
Silvery-cheeked Antshrike (<i>Sakesphorus cristatus</i>)	<i>Sakesphoroides cristatus</i>
Serra Do Mar Tyrannulet (<i>Phylloscartes difficilis</i>)	<i>Pogonotriccus difficilis</i>
Southern Bristle-tyrant (<i>Phylloscartes eximius</i>)	<i>Pogonotriccus eximius</i>
Marble-faced Bristle-tyrant (<i>Phylloscartes ophthalmicus</i>)	<i>Pogonotriccus ophthalmicus</i>
Antioquia Bristle-tyrant (<i>Phylloscartes lanyoni</i>)	<i>Pogonotriccus lanyoni</i>
Sao Paulo Tyrannulet (<i>Phylloscartes paulista</i>)	<i>Pogonotriccus paulista</i>
Variiegated Bristle-tyrant (<i>Phylloscartes poecilotis</i>)	<i>Pogonotriccus poecilotis</i>
Venezuelan Bristle-tyrant (<i>Phylloscartes venezuelanus</i>)	<i>Pogonotriccus venezuelanus</i>
Spectacled Bristle-tyrant (<i>Phylloscartes orbitalis</i>)	<i>Pogonotriccus orbitalis</i>
Chapman's Bristle-tyrant (<i>Phylloscartes chapmani</i>)	<i>Pogonotriccus chapmani</i>
Sangihe Golden-bulbul (<i>Alophoixus platenae</i>)	<i>Hypsipetes platenae</i>
Togian Golden-bulbul (<i>Alophoixus aureus</i>)	<i>Hypsipetes aureus</i>
Sula Golden-bulbul (<i>Alophoixus longirostris</i>)	<i>Hypsipetes longirostris</i>
Halmahera Golden-bulbul (<i>Alophoixus chloris</i>)	<i>Hypsipetes chloris</i>
Obi Golden-bulbul (<i>Alophoixus lucasi</i>)	<i>Hypsipetes lucasi</i>
Buru Golden-Bulbul (<i>Alophoixus mystacalis</i>)	<i>Hypsipetes mysticalis</i>
Seram Golden-Bulbul (<i>Alophoixus affinis</i>)	<i>Hypsipetes affinis</i>
Rufous-vented Grass Babbler [nepalicola] (<i>Laticilla burnesii nepalicola</i>)	<i>Laticilla burnesii nipalensis</i>
Rufous Flycatcher-thrush (<i>Neocossyphus fraseri</i>)	<i>Stizorhina fraseri</i>
Finsch's Flycatcher-thrush (<i>Neocossyphus finschi</i>)	<i>Stizorhina finschi</i>
Pale Blue Flycatcher (Hartert's) (<i>Cyornis unicolor harterti</i>)	<i>Cyornis unicolor cyanopolia</i>

IOC Taxonomy Changes

Implemented changes in IOC 12.1 taxonomy. In addition to the changes noted below there are many species sequence changes in this update. For full details of the IOC changes see the [IOC website](#)

New Groups

Group Name
Bar-tailed Godwit (European) (<i>Limosa lapponica lapponica/taymyrensis</i>)
Black-tailed Godwit (bohail) (<i>Limosa limosa bohail</i>)
Mountain Hawk-Eagle (nipalensis) (<i>Nisaetus nipalensis nipalensis</i>)
Mountain Hawk-Eagle (orientalis) (<i>Nisaetus nipalensis orientalis</i>)
Blakiston's Fish Owl (doerriesi) (<i>Bubo blakistoni doerriesi</i>)
Blakiston's Fish Owl (blakistoni) (<i>Bubo blakistoni blakistoni</i>)
Brown Wood Owl (Nias) (<i>Strix leptogrammica niasensis</i>)
Ruddy Spinetail (Ruddy) (<i>Synallaxis rutilans [rutilans-group]</i>)
Ruddy Spinetail (Sooty) (<i>Synallaxis rutilans omissa</i>)
White-crowned Manakin (Colombian) (<i>Pseudopipra pipra unica/bolivari</i>)
White-crowned Manakin (Choco) (<i>Pseudopipra pipra minima</i>)
White-crowned Manakin (Guianan) (<i>Pseudopipra pipra pipra</i>)
White-crowned Manakin (Foothills) (<i>Pseudopipra pipra coracina</i>)
White-crowned Manakin (Amazonian) (<i>Pseudopipra pipra [microlopha-group]</i>)
White-crowned Manakin (Subtropical) (<i>Pseudopipra pipra comata/occulta</i>)
White-crowned Manakin (Atlantic) (<i>Pseudopipra pipra cephalucos</i>)
Dark-throated Oriole (Dark-throated) (<i>Oriolus xanthonotus xanthonotus/mentawi</i>)
Dark-throated Oriole (Ventriloquial) (<i>Oriolus xanthonotus consobrinus/persuasus</i>)
White-crowned Forktail (Northern) (<i>Enicurus leschenaulti sinensis/indicus</i>)
White-crowned Forktail (Malaysian) (<i>Enicurus leschenaulti frontalis/chaseni</i>)
Maroon Oriole (Maroon) (<i>Oriolus traillii traillii/robinsoni</i>)
Maroon Oriole (Crimson) (<i>Oriolus traillii ardens/nigellicauda</i>)
Japanese Bush Warbler (Northern) (<i>Horornis diphone [cantans-group]</i>)
Japanese Bush Warbler (Bonin) (<i>Horornis diphone diphone</i>)
Thrush-like Wren (Spot-breasted) (<i>Campylorhynchus turdinus turdinus/hypostictus</i>)
Thrush-like Wren (Unspotted) (<i>Campylorhynchus turdinus unicolor</i>)
Common Hill Myna (Simeulue) (<i>Gracula religiosa miotera</i>)
Short-tailed Akalat (Grant's) (<i>Sheppardia poensis granti</i>)
Short-tailed Akalat (Bioko) (<i>Sheppardia poensis poensis</i>)
Short-tailed Akalat (Short-tailed) (<i>Sheppardia poensis [kungwensis-group]</i>)
White-browed Bush Robin (White-browed) (<i>Tarsiger indicus indicus/yunnanensis</i>)
White-browed Bush Robin (Taiwan) (<i>Tarsiger indicus formosanus</i>)

Bananaquit (Puerto Rico) (*Coereba flaveola [portoricensis-group]*)

Chestnut Thrush (Silver-headed) (*Turdus rubrocanus rubrocanus*)

Chestnut Thrush (Grey-headed) (*Turdus rubrocanus gouldii*)

Asian Brown Flycatcher (Northern) (*Muscicapa dauurica dauurica*)

Asian Brown Flycatcher (Siamese) (*Muscicapa dauurica siamensis*)

Riverbank Warbler (Southern) (*Myiothlypis rivularis rivularis*)

Riverbank Warbler (Bolivian) (*Myiothlypis rivularis boliviana*)

Deleted Groups

(N.B. These will still be in the database but marked “not in taxonomy”)

Group Name	Reason
White-crowned Manakin (White-crowned) (<i>Pseudopipra pipra [pipra-group]</i>)	Replaced by new smaller groups
<i>White-crowned Forktail</i> (White-crowned) (<i>Enicurus leschenaulti [frontalis-group]</i>)	Replaced by groups <i>sinensis/indicus</i> and <i>frontalis/chaseni</i>
Riverbank Warbler (rivularis/boliviana) (<i>Myiothlypis rivularis rivularis/boliviana</i>)	Group members are now monotypic groups