

# Wildlife Recorder Species Database – Update 106 July 2020

## Contents

Introduction.....	2
Changes to the birds species database in previous versions .....	3
Changes to the birds species database since last update (version 105 January 2020) .....	4
Clements Taxonomy Changes .....	4
IOC Taxonomy Changes.....	5
Deleted Groups .....	5
New Species and Sub-species .....	5
New Groups .....	5
Deleted Species and Sub-species .....	6
Splits .....	7
Lumps .....	8
Genus Reassigned to New Family .....	8
Sub-Species Reassigned to New Species.....	8
Common Name changes .....	9
Scientific name changes.....	10

## Introduction

This update implements the following:

- IOC World Bird List 10.2
- Corrections to distribution and distribution texts.

### New

In species distribution, extinct species are separable from species of uncertain or historic occurrence. In previous versions this was not possible. This change allows the exclusion of extinct species from Species Checklists and the results of queries such as “Where To Go”.

This species update requires version 4.1.140 or later of Wildlife Recorder 4. This update is not compatible with Wildlife Recorder 3.

### Taxonomy Support

Important notice for users of Howard and Moore and HBW taxonomies.

It has been some years since the publication of Howard and Moore and there seems to be no sign that a new version will appear. We will no longer be updating the HM taxonomy in future versions of the database. You may continue to use your existing version of H&M taxonomy, but it will no longer be updated.

Since the HBW databases have been taken over by Cornell (eBird) and will use the Clements/eBird taxonomy, we will no longer be updating the HBW taxonomy. You may continue to use your existing version of the HBW taxonomy, but it will no longer be updated.

## **Changes to the birds species database in previous versions**

A complete list of all the changes contained in each version of the species database can be found in the Wildlife Recorder User Area on our website.

**Changes to the birds species database since last update (version 105  
January 2020)**

***Clements Taxonomy Changes***

No changes

## IOC Taxonomy Changes

Implemented changes in IOC 10.2 taxonomy. In addition to the changes noted below there are many species sequence changes in this update. For full details of the IOC changes see the [IOC website](#)

### Deleted Groups

(N.B. These will still be in the database but marked “not in taxonomy”)

Species/Sub-species Name	Reason
White-backed Fire-eye (White-backed) ( <i>Pyriglena leuconota</i> [ <i>leuconota-group</i> ])	<i>Pyriglena leuconota</i> , <i>P. maura</i> and <i>P. similis</i> are treated as distinct species. Group ssp split to different species

### New Species and Sub-species

Species/Sub-species Name
Rufous Grasswren [parvus] ( <i>Amytornis whitei parvus</i> )
Rufous Grasswren (Sandhill) ( <i>Amytornis whitei oweni</i> )
Rufous Grasswren [aenigma] ( <i>Amytornis whitei aenigma</i> )
Striated Grasswren [howei] ( <i>Amytornis striatus howei</i> )
Taliabu Myzomela ( <i>Myzomela wahe</i> )
Peleng Fantail ( <i>Rhipidura habibiei</i> )
Penan Bulbul [meratusensis] ( <i>Alophoixus ruficrissus meratusensis</i> )
Taliabu Bush Warbler ( <i>Locustella portenta</i> )
Red-tailed Black Cockatoo [escondidus] ( <i>Calyptorhynchus banksii escondidus</i> )
Hair-crested Drongo (Hair-crested) [termeuleni] ( <i>Dicrurus hottentottus termeuleni</i> )
Mountain Tailorbird [relictus] ( <i>Phyllergates cucullatus relictus</i> )
Mountain Tailorbird [sulanus] ( <i>Phyllergates cucullatus sulanus</i> )
Island Leaf Warbler [suaramerdu] ( <i>Phylloscopus poliocephalus suaramerdu</i> )
Island Leaf Warbler [emilsalimi] ( <i>Phylloscopus poliocephalus emilsalimi</i> )
Eyebrowed Wren-babbler [lucilleae] ( <i>Napothera epilepidota lucilleae</i> )
Island Thrush [sukahujan] ( <i>Turdus poliocephalus sukahujan</i> )
Sulawesi Blue Flycatcher [omississimus] ( <i>Cyornis omissus omississimus</i> )
Snowy-browed Flycatcher [betinabiru] ( <i>Ficedula hyperythra betinabiru</i> )

### New Groups

Group Name
American Crow (Northwestern) ( <i>Corvus Corvus brachyrhynchos caurinus</i> )
American Crow (American) ( <i>Corvus brachyrhynchos</i> [ <i>brachyrhynchos-group</i> ])

## Deleted Species and Sub-species

(N.B. These will still be in the database but marked “not in taxonomy”)

Species/Sub-species Name	Reason
Tawny Piculet ( <i>Picumnus fulvescens</i> )	Synonymized with <i>Picumnus limae</i> . Lima et al. (2020); SACC 845
Western Subalpine Warbler ( <i>Curruca iberiae inornata</i> )	Included in <i>iberiae</i>
Red-tailed Black Cockatoo [macrorhynchus] ( <i>Calyptorhynchus banksii macrorhynchus</i> )	Included in nominate
Sulawesi Babbler [sordidum] ( <i>Pellorneum celebense sordidum</i> )	Included in <i>rufofuscum</i>

## Splits

Species	Split From
Vietnamese Crested Argus ( <i>Rheinardia ocellata</i> )	Crested Argus ( <i>Rheinardia ocellata</i> )
Malaysian Crested Argus ( <i>Rheinardia nigrescens</i> )	“
White-faced Plover ( <i>Charadrius dealbatus</i> )	Kentish Plover ( <i>Charadrius alexandrinus</i> )
Fine-banded Woodpecker ( <i>Campethera taeniolaema</i> ) with ssp. <i>taeniolaema</i> , <i>hausburgi</i>	Tullberg's Woodpecker ( <i>Campethera tullbergi</i> )
Western Fire-eye ( <i>Pyriglena maura</i> ) with ssp. <i>pacifica</i> , <i>castanoptera</i> , <i>picea</i> , <i>marcapatensis</i> , <i>hellmayri</i> , <i>maura</i> , <i>interposita</i>	White-backed Fire-eye ( <i>Pyriglena leuconota</i> )
Tapajos Fire-eye ( <i>Pyriglena similis</i> )	“
East Amazonian Fire-eye ( <i>Pyriglena leuconota</i> ) with ssp. <i>leuconota</i> , <i>pernabucensis</i>	“
Opalton Grasswren ( <i>Amytornis rowleyi</i> )	Striated Grasswren ( <i>Amytornis striatus</i> )
Rufous Grasswren ( <i>Amytornis whitei</i> ) with ssp. <i>whitei</i> , <i>oweni</i> and newly described ssp. <i>parvus</i> and <i>aenigma</i>	“
Palawan Drongo ( <i>Dicrurus palawanensis</i> ) with ssp. <i>palawanensis</i> , <i>cuyensis</i>	Hair-crested Drongo ( <i>Dicrurus hottentottus</i> )
Solomons Robin ( <i>Petroica polymorpha</i> ) with ssp. <i>septentrionalis</i> , <i>kulambangrae</i> , <i>dennisi</i> , <i>polymorpha</i>	Pacific Robin ( <i>Petroica pusilla</i> )
Yellow-eyed Bristlebill ( <i>Bleda ugandae</i> )	Yellow-lored Bristlebill ( <i>Bleda notatus</i> )
Grey-cheeked Bulbul ( <i>Alophoixus tephrogenys</i> ) with ssp. <i>tephrogenys</i> , <i>gutturalis</i>	Grey-cheeked Bulbul ( <i>Alophoixus bres</i> )
Brown-cheeked Bulbul ( <i>Alophoixus bres</i> )	“
Penan Bulbul ( <i>Alophoixus ruficrissus</i> ) with ssp. <i>meratusensis</i> , <i>fowleri</i> , <i>ruficrissus</i>	Ochraceous Bulbul ( <i>Alophoixus ochraceus</i> )
Pale-faced Bulbul ( <i>Pycnonotus leucops</i> )	Flavescent Bulbul ( <i>Pycnonotus flavescens</i> )
Sulawesi Bush Warbler ( <i>Locustella castanea</i> )	Chestnut-backed Bush Warbler ( <i>Locustella castanea</i> )
Seram Bush Warbler ( <i>Locustella musculus</i> )	“
Buru Bush Warbler ( <i>Locustella disturbans</i> )	“
Western Subalpine Warbler ( <i>Curruca iberiae</i> )	Subalpine Warbler ( <i>Curruca cantillans</i> )
Eastern Subalpine Warbler ( <i>Curruca cantillans</i> ) with ssp. <i>cantillans</i> , <i>albistriata</i>	“

## Lumps

Species	Lumped into
Northwestern Crow ( <i>Corvus caurinus</i> )	American Crow ( <i>Corvus brachyrhynchos</i> )

## Genus Reassigned to New Family

Genus	Moved From	Moved to
<i>Rallicula</i>	<i>Rallidae</i>	<i>Sarothruridae</i>
<i>Myzornis</i>	<i>Sylviidae</i>	<i>Paradoxornithidae</i>
<i>Moupinia</i>	“	“
<i>Lioparus</i>	“	“
<i>Chrysomma</i>	“	“
<i>Rhopophilus</i>	“	“
<i>Fulvetta</i>	“	“
<i>Chamaea</i>	“	“
<i>Paradoxornis</i>	“	“
<i>Conostoma</i>	“	“
<i>Cholornis</i>	“	“
<i>Psittiparus</i>	“	“
<i>Neosuthora</i>	“	“
<i>Suthora</i>	“	“
<i>Chleuasicus</i>	“	“
<i>Sinosuthora</i>	“	“
<i>Alcippe</i>	<i>Pellorneidae</i>	<i>Alcippeidae</i>

## Sub-Species Reassigned to New Species

Subspecies	Moved to
Hair-crested Drongo (Short-tailed) [samarensis] ( <i>Dicrurus hottentottus samarensis</i> )	Balicassiao ( <i>Dicrurus balicassius</i> )
Hair-crested Drongo (Short-tailed) [striatus] ( <i>Dicrurus hottentottus striatus</i> )	“
Sumatran Drongo (Mentawai) ( <i>Dicrurus sumatranus viridinitens</i> )	Hair-crested Drongo ( <i>Dicrurus hottentottus</i> )



## Common Name changes

Old Common Name	New Common Name
Grey-necked Wood Rail ( <i>Aramides cajaneus</i> )	Grey-cowled Wood Rail
Rufous-naped Wood Rail ( <i>Aramides albiventris</i> )	Russet-naped Wood Rail
White-throated Wedgebill ( <i>Schistes albogularis</i> )	White-throated Daggerbill
Geoffroy's Wedgebill ( <i>Schistes geoffroyi</i> )	Geoffroy's Daggerbill
Dry-forest Sabrewing ( <i>Campylopterus calcirupicola</i> )	Outcrop Sabrewing
Red Turtle Dove ( <i>Streptopelia tranquebarica</i> )	Red Collared Dove
Checker-throated Antwren ( <i>Epinecrophylla fulviventris</i> )	Checker-throated Stipplethroat
Brown-bellied Antwren ( <i>Epinecrophylla gutturalis</i> )	Brown-bellied Stipplethroat
White-eyed Antwren ( <i>Epinecrophylla leucophthalma</i> )	White-eyed Stipplethroat
Stipple-throated Antwren ( <i>Epinecrophylla haematonota</i> )	Rufous-backed Stipplethroat
Rio Madeira Antwren ( <i>Epinecrophylla amazonica</i> )	Rio Madeira Stipplethroat
Foothill Antwren ( <i>Epinecrophylla spodionota</i> )	Foothill Stipplethroat
Ornate Antwren ( <i>Epinecrophylla ornata</i> )	Ornate Stipplethroat
Rufous-tailed Antwren ( <i>Epinecrophylla erythrura</i> )	Rufous-tailed Stipplethroat
Paltry Tyrannulet ( <i>Zimmerius vilissimus</i> )	Guatemalan Tyrannulet
Eastern Slaty Thrush ( <i>Turdus subalaris</i> )	Blacksmith Thrush

## Scientific name changes

<b>Old Scientific Name</b>	<b>New Scientific Name</b>
Puerto Rican Screech Owl ( <i>Megascops nudipes</i> )	Puerto Rican Owl ( <i>Gymnasio nudipes</i> )
Sulphur-bearded Spinetail ( <i>Cranioleuca sulphurifera</i> )	Sulphur-bearded Reedhaunter ( <i>Limnoctites sulphuriferus</i> )
Dohrn's Thrush-Babbler ( <i>Horizorhinus dohrni</i> )	Dohrn's Warbler ( <i>Sylvia dohrni</i> )
Yellow-thighed Finch ( <i>Pselliophorus tibialis</i> )	Yellow-thighed Brushfinch ( <i>Atlapetes tibialis</i> )
Yellow-green Finch ( <i>Pselliophorus luteoviridis</i> )	Yellow-green Brushfinch ( <i>Atlapetes luteoviridis</i> )
Rothschild's Grosbeak ( <i>Cyanocompsa rothschildii</i> )	Amazonian Grosbeak ( <i>Cyanoloxia rothschildii</i> )
Cabanis's Tanager ( <i>Tangara cabanisi</i> )	Azure-rumped Tanager ( <i>Poecilostreptus cabanisi</i> )
Chestnut-necklaced Partridge ( <i>Arborophila charltonii</i> )	<i>Tropicoperdix charltonii</i>
Green-legged Partridge ( <i>Arborophila chloropus</i> )	<i>Tropicoperdix chloropus</i>
Purple-winged Ground Dove ( <i>Claravis geoffroyi</i> )	<i>Paraclaravis geoffroyi</i>
Maroon-chested Ground Dove ( <i>Claravis mondetoura</i> )	<i>Paraclaravis mondetoura</i>
Bahama Woodstar ( <i>Calliphlox evelynae</i> )	<i>Nesophlox evelynae</i>
Inagua Woodstar ( <i>Calliphlox lyrura</i> )	<i>Nesophlox lyrura</i>
Cuban Emerald ( <i>Chlorostilbon ricordii</i> )	<i>Riccordia ricordii</i>
Brace's Emerald ( <i>Chlorostilbon bracei</i> )	<i>Riccordia bracei</i>
Hispaniolan Emerald ( <i>Chlorostilbon swainsonii</i> )	<i>Riccordia swainsonii</i>
Puerto Rican Emerald ( <i>Chlorostilbon maugaeus</i> )	<i>Riccordia maugaeus</i>
Blue-headed Hummingbird ( <i>Cyanophaia bicolor</i> )	<i>Riccordia bicolor</i>
Gould's Emerald ( <i>Chlorostilbon elegans</i> )	<i>Riccordia elegans</i>
Golden-crowned Emerald ( <i>Chlorostilbon auriceps</i> )	<i>Cynanthus auriceps</i>
Cozumel Emerald ( <i>Chlorostilbon forficatus</i> )	<i>Cynanthus forficatus</i>
Canivet's Emerald ( <i>Chlorostilbon canivetii</i> )	<i>Cynanthus canivetii</i>
Curve-winged Sabrewing ( <i>Campylopterus curvipennis</i> )	<i>Pampa curvipennis</i>
Wedge-tailed Sabrewing ( <i>Campylopterus pampa</i> )	<i>Pampa pampa</i>
Long-tailed Sabrewing ( <i>Campylopterus excellens</i> )	<i>Pampa excellens</i>
Rufous Sabrewing ( <i>Campylopterus rufus</i> )	<i>Pampa rufa</i>
Coppery-headed Emerald ( <i>Elvira cupreiceps</i> )	<i>Microchera cupreiceps</i>
White-tailed Emerald ( <i>Elvira chionura</i> )	<i>Microchera chionura</i>
Pirre Hummingbird ( <i>Goethalsia bella</i> )	<i>Goldmania bella</i>
Mexican Woodnymph ( <i>Thalurania ridgwayi</i> )	<i>Eupherusa ridgwayi</i>
Tumbes Hummingbird ( <i>Leucippus baeri</i> )	<i>Thaumasius baeri</i>
Spot-throated Hummingbird ( <i>Leucippus taczanowskii</i> )	<i>Thaumasius taczanowskii</i>
Sombre Hummingbird ( <i>Aphantochroa cirrochloris</i> )	<i>Eupetomena cirrochloris</i>

Olive-spotted Hummingbird ( <i>Leucippus chlorocercus</i> )	<i>Talaphorus chlorocercus</i>
Violet-crowned Hummingbird ( <i>Amazilia violiceps</i> )	<i>Leucolia violiceps</i>
Green-fronted Hummingbird ( <i>Amazilia viridifrons</i> )	<i>Leucolia viridifrons</i>
Cinnamon-sided Hummingbird ( <i>Amazilia wagneri</i> )	<i>Leucolia wagneri</i>
Azure-crowned Hummingbird ( <i>Amazilia cyanocephala</i> )	<i>Saucerottia cyanocephala</i>
Blue-vented Hummingbird ( <i>Amazilia hoffmanni</i> )	<i>Saucerottia hoffmanni</i>
Berylline Hummingbird ( <i>Amazilia beryllina</i> )	<i>Saucerottia beryllina</i>
Blue-tailed Hummingbird ( <i>Amazilia cyanura</i> )	<i>Saucerottia cyanura</i>
Snowy-bellied Hummingbird ( <i>Amazilia edward</i> )	<i>Saucerottia edward</i>
Steely-vented Hummingbird ( <i>Amazilia saucerottei</i> )	<i>Saucerottia saucerottei</i>
Indigo-capped Hummingbird ( <i>Amazilia cyanifrons</i> )	<i>Saucerottia cyanifrons</i>
Chestnut-bellied Hummingbird ( <i>Amazilia castaneiventris</i> )	<i>Saucerottia castaneiventris</i>
Green-bellied Hummingbird ( <i>Amazilia viridigaster</i> )	<i>Saucerottia viridigaster</i>
Copper-rumped Hummingbird ( <i>Amazilia tobaci</i> )	<i>Saucerottia tobaci</i>
Andean Emerald ( <i>Amazilia franciae</i> )	<i>Uranomitra franciae</i>
Shining-green Hummingbird ( <i>Lepidopyga goudoti</i> )	<i>Chrysuronia goudoti</i>
Versicolored Emerald ( <i>Amazilia versicolor</i> )	<i>Chrysuronia versicolor</i>
Sapphire-throated Hummingbird ( <i>Lepidopyga coeruleogularis</i> )	<i>Chrysuronia coeruleogularis</i>
Sapphire-bellied Hummingbird ( <i>Lepidopyga lilliae</i> )	<i>Chrysuronia lilliae</i>
Humboldt's Sapphire ( <i>Hylocharis humboldtii</i> )	<i>Chrysuronia humboldtii</i>
Blue-headed Sapphire ( <i>Hylocharis grayi</i> )	<i>Chrysuronia grayi</i>
White-chested Emerald ( <i>Amazilia brevirostris</i> )	<i>Chrysuronia brevirostris</i>
Plain-bellied Emerald ( <i>Amazilia leucogaster</i> )	<i>Chrysuronia leucogaster</i>
Glittering-throated Emerald ( <i>Amazilia fimbriata</i> )	<i>Chionomesa fimbriata</i>
Sapphire-spangled Emerald ( <i>Amazilia lactea</i> )	<i>Chionomesa lactea</i>
White-bellied Hummingbird ( <i>Amazilia chionogaster</i> )	<i>Elliotomyia chionogaster</i>
Green-and-white Hummingbird ( <i>Amazilia viridicauda</i> )	<i>Elliotomyia viridicauda</i>
Blue-chested Hummingbird ( <i>Amazilia amabilis</i> )	<i>Polyerata amabilis</i>
Charming Hummingbird ( <i>Amazilia decora</i> )	<i>Polyerata decora</i>
Purple-chested Hummingbird ( <i>Amazilia rosenbergi</i> )	<i>Polyerata rosenbergi</i>
White-bellied Emerald ( <i>Amazilia candida</i> )	<i>Chlorestes candida</i>
Blue-throated Sapphire ( <i>Hylocharis eliciae</i> )	<i>Chlorestes eliciae</i>
White-chinned Sapphire ( <i>Hylocharis cyanus</i> )	<i>Chlorestes cyanus</i>
Violet-bellied Hummingbird ( <i>Juliomyia julie</i> )	<i>Chlorestes julie</i>
Ash-throated Crake ( <i>Porzana albicollis</i> )	<i>Mustelirallus albicollis</i>
African Crake ( <i>Crex egregia</i> )	<i>Crexopsis egregia</i>
Slaty-breasted Rail ( <i>Gallirallus striatus</i> )	<i>Lewinia striata</i>

Slaty-breasted Rail [taiwanus] ( <i>Gallirallus striatus taiwanus</i> )	<i>Lewinia striata taiwana</i>
Slaty-breasted Rail [striatus] ( <i>Gallirallus striatus striatus</i> )	<i>Lewinia striata striata</i>
New Caledonian Rail ( <i>Gallirallus lafresnayanus</i> )	<i>Cabalus lafresnayanus</i>
Chatham Rail ( <i>Gallirallus modestus</i> )	<i>Cabalus modestus</i>
Okinawa Rail ( <i>Gallirallus okinawae</i> )	<i>Hypotaenidia okinawae</i>
Barred Rail ( <i>Gallirallus torquatus</i> )	<i>Hypotaenidia torquata</i>
Barred Rail [torquatus] ( <i>Gallirallus torquatus torquatus</i> )	<i>Hypotaenidia torquata torquata</i>
Barred Rail [limarius] ( <i>Gallirallus torquatus limarius</i> )	<i>Hypotaenidia torquata limaria</i>
Buff-banded Rail ( <i>Gallirallus philippensis</i> )	<i>Hypotaenidia philippensis</i>
Guam Rail ( <i>Gallirallus owstoni</i> )	<i>Hypotaenidia owstoni</i>
Pink-legged Rail ( <i>Gallirallus insignis</i> )	<i>Hypotaenidia insignis</i>
Roviana Rail ( <i>Gallirallus rovianae</i> )	<i>Hypotaenidia rovianae</i>
Woodford's Rail ( <i>Nesoclopeus woodfordi</i> )	<i>Hypotaenidia woodfordi</i>
Bar-winged Rail ( <i>Nesoclopeus poecilopterus</i> )	<i>Hypotaenidia poeciloptera</i>
Lord Howe Woodhen ( <i>Gallirallus sylvestris</i> )	<i>Hypotaenidia sylvestris</i>
Dieffenbach's Rail ( <i>Gallirallus dieffenbachii</i> )	<i>Hypotaenidia dieffenbachii</i>
Tahiti Rail ( <i>Gallirallus pacificus</i> )	<i>Hypotaenidia pacifica</i>
Wake Island Rail ( <i>Gallirallus wakensis</i> )	<i>Hypotaenidia wakensis</i>
Russet-crowned Crake ( <i>Laterallus viridis</i> )	<i>Rufirallus viridis</i>
Chestnut-headed Crake ( <i>Anurolimnas castaneiceps</i> )	<i>Rufirallus castaneiceps</i>
Yellow-breasted Crake ( <i>Porzana flaviventer</i> )	<i>Laterallus flaviventer</i>
Dot-winged Crake ( <i>Porzana spiloptera</i> )	<i>Laterallus spiloptera</i>
Inaccessible Island Rail ( <i>Atlantisia rogersi</i> )	<i>Laterallus rogersi</i>
Black Crake ( <i>Amauornis flavirostra</i> )	<i>Zapornia flavirostra</i>
Sakalava Rail ( <i>Amauornis olivieri</i> )	<i>Zapornia olivieri</i>
Ruddy-breasted Crake ( <i>Porzana fusca</i> )	<i>Zapornia fusca</i>
Band-bellied Crake ( <i>Porzana paykullii</i> )	<i>Zapornia paykullii</i>
Black-tailed Crake ( <i>Porzana bicolor</i> )	<i>Zapornia bicolor</i>
Brown Crake ( <i>Amauornis akool</i> )	<i>Zapornia akool</i>
Baillon's Crake ( <i>Porzana pusilla</i> )	<i>Zapornia pusilla</i>
St. Helena Crake ( <i>Porzana astrictocarpus</i> )	<i>Zapornia astrictocarpus</i>
Little Crake ( <i>Porzana parva</i> )	<i>Zapornia parva</i>
Spotless Crake ( <i>Porzana tabuensis</i> )	<i>Zapornia tabuensis</i>
Kosrae Crake ( <i>Porzana monasa</i> )	<i>Zapornia monasa</i>
Tahiti Crake ( <i>Porzana nigra</i> )	<i>Zapornia nigra</i>
Henderson Crake ( <i>Porzana atra</i> )	<i>Zapornia atra</i>
Hawaiian Rail ( <i>Porzana sandwichensis</i> )	<i>Zapornia sandwichensis</i>

Laysan Rail ( <i>Porzana palmeri</i> )	<i>Zapornia palmeri</i>
White-browed Crake ( <i>Porzana cinerea</i> )	<i>Poliolimnas cinereus</i>
Curl-crested Aracari ( <i>Pteroglossus beauharnaesii</i> )	<i>Pteroglossus beauharnaisii</i>
Buff-spotted Woodpecker ( <i>Campethera nivosa</i> )	<i>Pardipicus nivosus</i>
Brown-eared Woodpecker ( <i>Campethera caroli</i> )	<i>Pardipicus caroli</i>
Olive-backed Woodpecker ( <i>Dinopium rafflesii</i> )	<i>Gecinulus rafflesii</i>
Yellow-tailed Black Cockatoo ( <i>Calyptorhynchus funereus</i> )	<i>Zanda funereal</i>
Baudin's Black Cockatoo ( <i>Calyptorhynchus baudinii</i> )	<i>Zanda baudinii</i>
Carnaby's Black Cockatoo ( <i>Calyptorhynchus latirostris</i> )	<i>Zanda latirostris</i>
Buff-fronted Foliage-gleaner ( <i>Philydor rufum</i> )	<i>Dendroma rufa</i>
Chestnut-winged Foliage-gleaner ( <i>Philydor erythropterum</i> )	<i>Dendroma erythroptera</i>
Tawny Tit-spinetail ( <i>Leptasthenura yanacensis</i> )	<i>Sylviorthorhynchus yanacensis</i>
Striated Bulbul ( <i>Pycnonotus striatus</i> )	<i>Alcurus striatus</i>
Spot-necked Bulbul ( <i>Pycnonotus tympanistrigus</i> )	<i>Alcurus tympanistrigus</i>
Finsch's Bulbul ( <i>Alophoixus finschii</i> )	<i>Iole finschii</i>
Cream-striped Bulbul ( <i>Pycnonotus leucogrammicus</i> )	<i>Hemixos leucogrammicus</i>
Seram Golden Bulbul ( <i>Thapsinillas affinis</i> )	<i>Hypsipetes affinis</i>
Northern Golden Bulbul ( <i>Thapsinillas longirostris</i> )	<i>Hypsipetes longirostris</i>
Buru Golden Bulbul ( <i>Thapsinillas mysticalis</i> )	<i>Hypsipetes mysticalis</i>
White-headed Bulbul ( <i>Cerasophila thompsoni</i> )	<i>Hypsipetes thompsoni</i>
Puff-backed Bulbul ( <i>Pycnonotus eutilotus</i> )	<i>Euptilotus eutilotus</i>
Black-and-white Bulbul ( <i>Pycnonotus melanoleucos</i> )	<i>Microtarsus melanoleucos</i>
Yellow-wattled Bulbul ( <i>Pycnonotus urostictus</i> )	<i>Poliolophus urostictus</i>
Grey-headed Bulbul ( <i>Pycnonotus priocephalus</i> )	<i>Brachypodius priocephalus</i>
Black-headed Bulbul ( <i>Pycnonotus atriceps</i> )	<i>Brachypodius melanocephalos</i>
Andaman Bulbul ( <i>Pycnonotus fuscoflavescens</i> )	<i>Brachypodius fuscoflavescens</i>
Blue-wattled Bulbul ( <i>Pycnonotus nieuwenhuisii</i> )	<i>Brachypodius nieuwenhuisii</i>
Spectacled Bulbul ( <i>Pycnonotus erythroptalmos</i> )	<i>Ixodia erythroptalmos</i>
Grey-bellied Bulbul ( <i>Pycnonotus cyaniventris</i> )	<i>Ixodia cyaniventris</i>
Scaly-breasted Bulbul ( <i>Pycnonotus squamatus</i> )	<i>Ixodia squamata</i>
Black-crested Bulbul ( <i>Pycnonotus flaviventris</i> )	<i>Rubigula flaviventris</i>
Flame-throated Bulbul ( <i>Pycnonotus gularis</i> )	<i>Rubigula gularis</i>
Black-capped Bulbul ( <i>Pycnonotus melanicterus</i> )	<i>Rubigula melanicterus</i>
Ruby-throated Bulbul ( <i>Pycnonotus dispar</i> )	<i>Rubigula dispar</i>
Bornean Bulbul ( <i>Pycnonotus montis</i> )	<i>Rubigula montis</i>
Abyssinian Catbird ( <i>Parophasma galinieri</i> )	<i>Sylvia galinieri</i>
Bush Blackcap ( <i>Lioptilus nigricapillus</i> )	<i>Sylvia nigricapillus</i>

African Hill Babbler ( <i>Pseudoalcippe abyssinica</i> )	<i>Sylvia abyssinica</i>
Rwenzori Hill Babbler ( <i>Pseudoalcippe atriceps</i> )	<i>Sylvia atriceps</i>
Barred Warbler ( <i>Sylvia nisoria</i> )	<i>Curruca nisoria</i>
Layard's Warbler ( <i>Sylvia layardi</i> )	<i>Curruca layardi</i>
Banded Parisoma ( <i>Sylvia boehmi</i> )	<i>Curruca boehmi</i>
Chestnut-vented Warbler ( <i>Sylvia subcoerulea</i> )	<i>Curruca subcoerulea</i>
Desert Whitethroat ( <i>Sylvia minula</i> )	<i>Curruca minula</i>
Lesser Whitethroat ( <i>Sylvia curruca</i> )	<i>Curruca curruca</i>
Hume's Whitethroat ( <i>Sylvia althaea</i> )	<i>Curruca althaea</i>
Brown Parisoma ( <i>Sylvia lugens</i> )	<i>Curruca lugens</i>
Yemen Warbler ( <i>Sylvia buryi</i> )	<i>Curruca buryi</i>
Arabian Warbler ( <i>Sylvia leucomelaena</i> )	<i>Curruca leucomelaena</i>
Western Orphean Warbler ( <i>Sylvia hortensis</i> )	<i>Curruca hortensis</i>
Eastern Orphean Warbler ( <i>Sylvia crassirostris</i> )	<i>Curruca crassirostris</i>
African Desert Warbler ( <i>Sylvia deserti</i> )	<i>Curruca deserti</i>
Asian Desert Warbler ( <i>Sylvia nana</i> )	<i>Curruca nana</i>
Tristram's Warbler ( <i>Sylvia deserticola</i> )	<i>Curruca deserticola</i>
Menetries's Warbler ( <i>Sylvia mystacea</i> )	<i>Curruca mystacea</i>
Rüppell's Warbler ( <i>Sylvia ruppeli</i> )	<i>Curruca ruppeli</i>
Cyprus Warbler ( <i>Sylvia melanothorax</i> )	<i>Curruca melanothorax</i>
Sardinian Warbler ( <i>Sylvia melanocephala</i> )	<i>Curruca melanocephala</i>
Moltoni's Warbler ( <i>Sylvia subalpina</i> )	<i>Curruca subalpine</i>
Eastern Subalpine Warbler ( <i>Sylvia cantillans</i> )	<i>Curruca cantillans</i>
Common Whitethroat ( <i>Sylvia communis</i> )	<i>Curruca communis</i>
Spectacled Warbler ( <i>Sylvia conspicillata</i> )	<i>Curruca conspicillata</i>
Marmora's Warbler ( <i>Sylvia sarda</i> )	<i>Curruca sarda</i>
Dartford Warbler ( <i>Sylvia undata</i> )	<i>Curruca undata</i>
Balearic Warbler ( <i>Sylvia balearica</i> )	<i>Curruca balearica</i>
Reed Parrotbill ( <i>Paradoxornis heudei</i> )	<i>Calamornis heudei</i>
White-collared Yuhina ( <i>Yuhina diademata</i> )	<i>Parayuhina diademata</i>
Chestnut-crested Yuhina ( <i>Yuhina everetti</i> )	<i>Staphida everetti</i>
Striated Yuhina ( <i>Yuhina castaniceps</i> )	<i>Staphida castaniceps</i>
Indochinese Yuhina ( <i>Yuhina torqueola</i> )	<i>Staphida torqueola</i>
Mees's White-eye ( <i>Lophozosterops javanicus</i> )	<i>Heleia javanica</i>
Grey-hooded White-eye ( <i>Lophozosterops pinaiae</i> )	<i>Heleia pinaiae</i>
Pygmy White-eye ( <i>Oculocincta squamifrons</i> )	<i>Heleia squamifrons</i>
Mindanao White-eye ( <i>Lophozosterops goodfellowi</i> )	<i>Heleia goodfellowi</i>
Streak-headed White-eye ( <i>Lophozosterops squamiceps</i> )	<i>Heleia squamiceps</i>

Cream-browed White-eye ( <i>Lophozosterops superciliaris</i> )	<i>Heleia superciliaris</i>
Crested White-eye ( <i>Lophozosterops dohertyi</i> )	<i>Heleia dohertyi</i>
Yellow-ringed White-eye ( <i>Zosterops wallacei</i> )	<i>Heleia wallacei</i>
Bare-eyed White-eye ( <i>Woodfordia superciliosa</i> )	<i>Zosterops superciliosus</i>
Sanford's White-eye ( <i>Woodfordia lacertosa</i> )	<i>Zosterops lacertosus</i>
Dark-fronted Babbler ( <i>Rhopocichla atriceps</i> )	<i>Dumetia atriceps</i>
Grey-faced Tit-babbler ( <i>Macronus kelleyi</i> )	<i>Mixornis kelleyi</i>
Grey-cheeked Tit-babbler ( <i>Macronus flavicollis</i> )	<i>Mixornis flavicollis</i>
Pin-striped Tit-Babbler ( <i>Macronus gularis</i> )	<i>Mixornis gularis</i>
Bold-striped Tit-Babbler ( <i>Macronus bornensis</i> )	<i>Mixornis bornensis</i>
Golden Babbler ( <i>Stachyridopsis chrysaea</i> )	<i>Cyanoderma chrysaenum</i>
Chestnut-winged Babbler ( <i>Stachyris erythroptera</i> )	<i>Cyanoderma erythropterum</i>
Crescent-chested Babbler ( <i>Stachyris melanothorax</i> )	<i>Cyanoderma melanothorax</i>
Rufous-fronted Babbler ( <i>Stachyridopsis rufifrons</i> )	<i>Cyanoderma rufifrons</i>
Black-chinned Babbler ( <i>Stachyridopsis pyrrhops</i> )	<i>Cyanoderma pyrrhops</i>
Rufous-capped Babbler ( <i>Stachyridopsis ruficeps</i> )	<i>Cyanoderma ruficeps</i>
Buff-chested Babbler ( <i>Stachyridopsis ambigua</i> )	<i>Cyanoderma ambiguum</i>
Black Laughingthrush ( <i>Garrulax lugubris</i> )	<i>Melanocichla lugubris</i>
Bare-headed Laughingthrush ( <i>Garrulax calvus</i> )	<i>Melanocichla calva</i>
Large Scimitar Babbler ( <i>Pomatorhinus hypoleucos</i> )	<i>Erythrogonys hypoleucos</i>
Rusty-cheeked Scimitar Babbler ( <i>Pomatorhinus erythrogonys</i> )	<i>Erythrogonys erythrogonys</i>
Spot-breasted Scimitar Babbler ( <i>Pomatorhinus mccllellandi</i> )	<i>Erythrogonys mccllellandi</i>
Black-streaked Scimitar Babbler ( <i>Pomatorhinus gravivox</i> )	<i>Erythrogonys gravivox</i>
Grey-sided Scimitar Babbler ( <i>Pomatorhinus swinhoei</i> )	<i>Erythrogonys swinhoei</i>
Black-necklaced Scimitar Babbler ( <i>Pomatorhinus erythrocnemis</i> )	<i>Erythrogonys erythrocnemis</i>
Large Wren-babbler ( <i>Napothera macrodactyla</i> )	<i>Turdinus macrodactylus</i>
Marbled Wren-babbler ( <i>Napothera marmorata</i> )	<i>Turdinus marmoratus</i>
Black-throated Wren-babbler ( <i>Napothera atrigularis</i> )	<i>Turdinus atrigularis</i>
Yellow-throated Fulvetta ( <i>Alcippe cinerea</i> )	<i>Schoeniparus cinereus</i>
Rufous-winged Fulvetta ( <i>Alcippe castaneiceps</i> )	<i>Schoeniparus castaneiceps</i>
Black-crowned Fulvetta ( <i>Alcippe klossi</i> )	<i>Schoeniparus klossi</i>
Golden-fronted Fulvetta ( <i>Alcippe variegaticeps</i> )	<i>Schoeniparus variegaticeps</i>
Rufous-throated Fulvetta ( <i>Alcippe rufogularis</i> )	<i>Schoeniparus rufogularis</i>
Rusty-capped Fulvetta ( <i>Alcippe dubia</i> )	<i>Schoeniparus dubius</i>
Dusky Fulvetta ( <i>Alcippe brunnea</i> )	<i>Schoeniparus brunneus</i>
Short-tailed Babbler ( <i>Malacocincla malaccensis</i> )	<i>Pellorneum malaccense</i>

Ashy-headed Babbler ( <i>Malacocincla cinereiceps</i> )	<i>Pellorneum cinereiceps</i>
White-chested Babbler ( <i>Trichastoma rostratum</i> )	<i>Pellorneum rostratum</i>
Ferruginous Babbler ( <i>Trichastoma bicolor</i> )	<i>Pellorneum bicolor</i>
Sulawesi Babbler ( <i>Trichastoma celebense</i> )	<i>Pellorneum celebense</i>
Spotted Thrush-babbler ( <i>Ptyrticus turdinus</i> )	<i>Illadopsis turdina</i>
Mountain Wren-babbler ( <i>Napothera crassa</i> )	<i>Gypsophila crassa</i>
Streaked Wren-babbler ( <i>Napothera brevicaudata</i> )	<i>Gypsophila brevicaudata</i>
Limestone Wren-babbler ( <i>Napothera crispifrons</i> )	<i>Gypsophila crispifrons</i>
Rusty-breasted Wren-babbler ( <i>Napothera rufipectus</i> )	<i>Gypsophila rufipectus</i>
Long-billed Wren-babbler ( <i>Rimator malacoptilus</i> )	<i>Napothera malacoptila</i>
Sumatran Wren-babbler ( <i>Rimator albostriatus</i> )	<i>Napothera albostriata</i>
White-throated Wren-babbler ( <i>Rimator pasquieri</i> )	<i>Napothera pasquieri</i>
Naung Mung Scimitar Babbler ( <i>Jabouilleia naungmungensis</i> )	<i>Napothera naungmungensis</i>
Short-tailed Scimitar Babbler ( <i>Jabouilleia danjoui</i> )	<i>Napothera danjoui</i>
Slaty-backed Flycatcher ( <i>Ficedula hodgsonii</i> )	<i>Ficedula erithacus</i>
Pygmy Flycatcher ( <i>Muscicapella hodgsoni</i> )	<i>Ficedula hodgsoni</i>
Star Finch ( <i>Neochmia ruficauda</i> )	<i>Bathilda ruficauda</i>
Plum-headed Finch ( <i>Neochmia modesta</i> )	<i>Aidemosyne modesta</i>
Double-barred Finch ( <i>Taeniopygia bichenovii</i> )	<i>Stizoptera bichenovii</i>
Grey-headed Silverbill ( <i>Odontospiza caniceps</i> )	<i>Spermestes griseicapilla</i>
Bronze Mannikin ( <i>Lonchura cucullata</i> )	<i>Spermestes cucullata</i>
Magpie Mannikin ( <i>Lonchura fringilloides</i> )	<i>Spermestes fringilloides</i>
Black-and-white Mannikin ( <i>Lonchura bicolor</i> )	<i>Spermestes bicolor</i>
Red-backed Mannikin ( <i>Lonchura nigriceps</i> )	<i>Spermestes nigriceps</i>
Gouldian Finch ( <i>Erythrura gouldiae</i> )	<i>Chloebia gouldiae</i>
Grey-headed Oliveback ( <i>Nesocharis capistrata</i> )	<i>Delacourella capistrata</i>
Black-cheeked Waxbill ( <i>Estrilda charmosyna</i> )	<i>Brunhilda charmosyna</i>
Black-faced Waxbill ( <i>Estrilda erythronotos</i> )	<i>Brunhilda erythronotos</i>
Lavender Waxbill ( <i>Estrilda caerulescens</i> )	<i>Glaucestrilda caerulescens</i>
Grey Waxbill ( <i>Estrilda perreini</i> )	<i>Glaucestrilda perreini</i>
Cinderella Waxbill ( <i>Estrilda thomensis</i> )	<i>Glaucestrilda thomensis</i>
Purple Grenadier ( <i>Uraeginthus ianthinogaster</i> )	<i>Granatina ianthinogaster</i>
Violet-eared Waxbill ( <i>Uraeginthus granatinus</i> )	<i>Granatina granatina</i>
LeConte's Sparrow ( <i>Ammodramus leconteii</i> )	<i>Ammospiza leconteii</i>
Seaside Sparrow ( <i>Ammodramus maritimus</i> )	<i>Ammospiza maritima</i>
Nelson's Sparrow ( <i>Ammodramus nelsoni</i> )	<i>Ammospiza nelson</i>
Saltmarsh Sparrow ( <i>Ammodramus caudacutus</i> )	<i>Ammospiza caudacuta</i>
Baird's Sparrow ( <i>Ammodramus bairdii</i> )	<i>Centronyx bairdii</i>
Henslow's Sparrow ( <i>Ammodramus henslowii</i> )	<i>Centronyx henslowii</i>



Blue-black Grosbeak ( <i>Cyanocompsa cyanoides</i> )	<i>Cyanoloxia cyanoides</i>
Ultramarine Grosbeak ( <i>Cyanocompsa brissonii</i> )	<i>Cyanoloxia brissonii</i>
Mourning Sierra Finch ( <i>Phrygilus fruticeti</i> )	<i>Rhopospina fruticeti</i>
Band-tailed Sierra Finch ( <i>Phrygilus alaudinus</i> )	<i>Porphyrospiza alaudina</i>
Carbonated Sierra Finch ( <i>Phrygilus carbonarius</i> )	<i>Porphyrospiza carbonaria</i>
Black-throated Saltator ( <i>Saltator atricollis</i> )	<i>Saltatricula atricollis</i>
Puerto Rican Bullfinch ( <i>Loxigilla portoricensis</i> )	<i>Melopyrrha portoricensis</i>
Greater Antillean Bullfinch ( <i>Loxigilla violacea</i> )	<i>Melopyrrha violacea</i>
Cuban Grassquit ( <i>Tiaris canorus</i> )	<i>Phonipara canora</i>
Black-faced Grassquit ( <i>Tiaris bicolor</i> )	<i>Melanospiza bicolor</i>
Sooty Grassquit ( <i>Tiaris fuliginosus</i> )	<i>Asemospiza fuliginosa</i>
Dull-colored Grassquit ( <i>Tiaris obscurus</i> )	<i>Asemospiza obscura</i>
Flame-crested Tanager ( <i>Tachyphonus cristatus</i> )	<i>Loriotus cristatus</i>
White-shouldered Tanager ( <i>Tachyphonus luctuosus</i> )	<i>Loriotus luctuosus</i>
Yellow-crested Tanager ( <i>Tachyphonus rufiventer</i> )	<i>Loriotus rufiventer</i>
White-naped Seedeater ( <i>Dolospingus fringilloides</i> )	<i>Sporophila fringilloides</i>
Thick-billed Seed Finch ( <i>Oryzoborus funereus</i> )	<i>Sporophila funereal</i>
Chestnut-bellied Seed Finch ( <i>Oryzoborus angolensis</i> )	<i>Sporophila angolensis</i>
Nicaraguan Seed Finch ( <i>Oryzoborus nuttingi</i> )	<i>Sporophila nuttingi</i>
Great-billed Seed Finch ( <i>Oryzoborus maximiliani</i> )	<i>Sporophila maximiliani</i>
Large-billed Seed Finch ( <i>Oryzoborus crassirostris</i> )	<i>Sporophila crassirostris</i>
Black-billed Seed Finch ( <i>Oryzoborus atrirostris</i> )	<i>Sporophila atrirostris</i>
Black-headed Hemispingus ( <i>Hemispingus verticalis</i> )	<i>Pseudospingus verticalis</i>
Drab Hemispingus ( <i>Hemispingus xanthophthalmus</i> )	<i>Pseudospingus xanthophthalmus</i>
Tucuman Mountain Finch ( <i>Compsospiza baeri</i> )	<i>Poospiza baeri</i>
Cochabamba Mountain Finch ( <i>Compsospiza garleppi</i> )	<i>Poospiza garleppi</i>
Slaty-backed Hemispingus ( <i>Hemispingus goeringi</i> )	<i>Poospiza goeringi</i>
Rufous-browed Hemispingus ( <i>Hemispingus rufosuperciliaris</i> )	<i>Poospiza rufosuperciliaris</i>
Grey-capped Hemispingus ( <i>Hemispingus reyi</i> )	<i>Kleinothraupis reyi</i>
Black-capped Hemispingus ( <i>Hemispingus atropileus</i> )	<i>Kleinothraupis atropileus</i>
White-browed Hemispingus ( <i>Hemispingus auricularis</i> )	<i>Kleinothraupis auricularis</i>
Orange-browed Hemispingus ( <i>Hemispingus calophrys</i> )	<i>Kleinothraupis calophrys</i>
Parodi's Hemispingus ( <i>Hemispingus parodii</i> )	<i>Kleinothraupis parodii</i>
Oleaginous Hemispingus ( <i>Hemispingus frontalis</i> )	<i>Sphenopsis frontalis</i>
Black-eared Hemispingus ( <i>Hemispingus melanotis</i> )	<i>Sphenopsis melanotis</i>
Western Hemispingus ( <i>Hemispingus ochraceus</i> )	<i>Sphenopsis ochracea</i>
Piura Hemispingus ( <i>Hemispingus piurae</i> )	<i>Sphenopsis piurae</i>

Chestnut-headed Tanager ( <i>Pyrrhocomma ruficeps</i> )	<i>Thlypopsis pyrrhocomma</i>
Superciliaried Hemispingus ( <i>Hemispingus superciliaris</i> )	<i>Thlypopsis superciliaris</i>
Bay-chested Warbling Finch ( <i>Poospiza thoracica</i> )	<i>Castanozoster thoracicus</i>
Buff-throated Warbling Finch ( <i>Poospiza lateralis</i> )	<i>Microspingus lateralis</i>
Grey-throated Warbling Finch ( <i>Poospiza cabanisi</i> )	<i>Microspingus cabanisi</i>
Rusty-browed Warbling Finch ( <i>Poospiza erythrophrys</i> )	<i>Microspingus erythrophrys</i>
Plain-tailed Warbling Finch ( <i>Poospiza alticola</i> )	<i>Microspingus alticola</i>
Ringed Warbling Finch ( <i>Poospiza torquata</i> )	<i>Microspingus torquatus</i>
Three-striped Hemispingus ( <i>Hemispingus trifasciatus</i> )	<i>Microspingus trifasciatus</i>
Black-capped Warbling Finch ( <i>Poospiza melanoleuca</i> )	<i>Microspingus melanoleucus</i>
Cinereous Warbling Finch ( <i>Poospiza cinerea</i> )	<i>Microspingus cinereus</i>
Ash-breasted Sierra Finch ( <i>Phrygilus plebejus</i> )	<i>Geospizopsis plebejus</i>
Plumbeous Sierra Finch ( <i>Phrygilus unicolor</i> )	<i>Geospizopsis unicolor</i>
Red-backed Sierra Finch ( <i>Phrygilus dorsalis</i> )	<i>Idiopsar dorsalis</i>
White-throated Sierra Finch ( <i>Phrygilus erythronotus</i> )	<i>Idiopsar erythronotus</i>
White-winged Diuca Finch ( <i>Diuca specularifera</i> )	<i>Idiopsar speculariferus</i>
Blue-and-yellow Tanager ( <i>Thraupis bonariensis</i> )	<i>Pipraeidea bonariensis</i>
Chestnut-bellied Mountain Tanager ( <i>Delothraupis castaneiventris</i> )	<i>Dubusia castaneiventris</i>
Blue-capped Tanager ( <i>Thraupis cyanocephala</i> )	<i>Sporathraupis cyanocephala</i>
Masked Mountain Tanager ( <i>Buthraupis wetmorei</i> )	<i>Tephrophilus wetmorei</i>
Black-chested Mountain Tanager ( <i>Buthraupis eximia</i> )	<i>Cnemathraupis eximia</i>
Golden-backed Mountain Tanager ( <i>Buthraupis aureodorsalis</i> )	<i>Cnemathraupis aureodorsalis</i>
Dotted Tanager ( <i>Tangara varia</i> )	<i>Ixothraupis varia</i>
Rufous-throated Tanager ( <i>Tangara rufigula</i> )	<i>Ixothraupis rufigula</i>
Spotted Tanager ( <i>Tangara punctata</i> )	<i>Ixothraupis punctata</i>
Speckled Tanager ( <i>Tangara guttata</i> )	<i>Ixothraupis guttata</i>
Yellow-bellied Tanager ( <i>Tangara xanthogastra</i> )	<i>Ixothraupis xanthogastra</i>
Golden-naped Tanager ( <i>Tangara ruficervix</i> )	<i>Chalcothraupis ruficervix</i>
Grey-and-gold Tanager ( <i>Tangara palmeri</i> )	<i>Poecilostreptus palmeri</i>
Black-headed Tanager ( <i>Tangara cyanoptera</i> )	<i>Stilpnia cyanoptera</i>
Silver-backed Tanager ( <i>Tangara viridicollis</i> )	<i>Stilpnia viridicollis</i>
Sira Tanager ( <i>Tangara phillipsi</i> )	<i>Stilpnia phillipsi</i>
Straw-backed Tanager ( <i>Tangara argyrofenges</i> )	<i>Stilpnia argyrofenges</i>
Black-capped Tanager ( <i>Tangara heinei</i> )	<i>Stilpnia heinei</i>
Golden-hooded Tanager ( <i>Tangara larvata</i> )	<i>Stilpnia larvata</i>
Blue-necked Tanager ( <i>Tangara cyanicollis</i> )	<i>Stilpnia cyanicollis</i>

Masked Tanager ( <i>Tangara nigrocincta</i> )	<i>Stilpnia nigrocincta</i>
Black-backed Tanager ( <i>Tangara peruviana</i> )	<i>Stilpnia peruviana</i>
Chestnut-backed Tanager ( <i>Tangara preciosa</i> )	<i>Stilpnia preciosa</i>
Green-capped Tanager ( <i>Tangara meyerdeschauenseei</i> )	<i>Stilpnia meyerdeschauenseei</i>
Scrub Tanager ( <i>Tangara vitriolina</i> )	<i>Stilpnia vitriolina</i>
Burnished-buff Tanager ( <i>Tangara cayana</i> )	<i>Stilpnia cayana</i>
Lesser Antillean Tanager ( <i>Tangara cucullata</i> )	<i>Stilpnia cucullate</i>
Bumblebee Hummingbird ( <i>Atthis heloisa</i> )	<i>Selasphorus heloisa</i>
Wine-throated Hummingbird ( <i>Atthis ellioti</i> )	<i>Selasphorus ellioti</i>
Dusky Hummingbird ( <i>Cynanthus sordidus</i> )	<i>Phaeoptila sordida</i>
Amazilia Hummingbird ( <i>Amazilia amazilia</i> )	<i>Amazilis amazilia</i>
Sikkim Wedge-billed Babbler ( <i>Sphenocichla humei</i> )	<i>Stachyris humei</i>
Cachar Wedge-billed Babbler ( <i>Sphenocichla roberti</i> )	<i>Stachyris roberti</i>
Rufous-sided Warbling Finch ( <i>Poospiza hypocondria</i> )	<i>Poospizopsis hypocondria</i>
Chestnut-breasted Mountain Finch ( <i>Poospiza caesar</i> )	<i>Poospizopsis caesar</i>
Giant Conebill ( <i>Oreomanes fraseri</i> )	<i>Conirostrum binghami</i>