

Wildlife Recorder Species Database – Update 108 August 2021

Contents

Introduction	2
Important Note for Nature Lister Users	3
Changes to the Bird Species Database in previous versions	4
Changes to the Bird Species Database since last update (version 107 January 2021)	5
Clements Taxonomy Changes.....	5
New Species and Sub-species.....	5
New Groups	11
Deleted Groups	14
Deleted Species and Sub-species	20
Splits	25
Lumps	30
Sub-Species Reassigned to New Species	30
Common Name changes	31
Scientific name changes	35
IOC Taxonomy Changes	48
New Species and Sub-species.....	48
New Groups	49
Deleted Groups	52
Deleted Species and Sub-species	57
Splits	58
Lumps	63
Sub-Species Reassigned to New Species	63
Family Reassignments.....	63
Common Name changes	64
Scientific name changes	66

Introduction

This update implements the following:

- IOC v 11.2 update
- Clements 2021 Update
- Corrections to distribution and distribution texts.

New

In species distribution, extinct species are separable from species of uncertain or historic occurrence. In previous versions this was not possible. This change allows the exclusion of extinct species from Species Checklists and the results of queries such as “Where To Go”.

This species update requires version 4.1.140 or later of Wildlife Recorder 4. This update is not compatible with Wildlife Recorder 3.

Taxonomy Support

Important notice for users of Howard and Moore and HBW taxonomies.

It has been some years since the publication of Howard and Moore and there seems to be no sign that a new version will appear. We will no longer be updating the HM taxonomy in future versions of the database. You may continue to use your existing version of H&M taxonomy, but it will no longer be updated.

Since the HBW databases have been taken over by Cornell (eBird) and will use the Clements/eBird taxonomy, we will no longer be updating the HBW taxonomy. You may continue to use your existing version of the HBW taxonomy, but it will no longer be updated.

Not specifically identified sightings

Please note that “spuhs” e.g. Black-eared Wheatear sp. (*Oenanthe hispanica/melanoleuca*) are no longer by default added to lists. You can add a parameter to your lists which allows the addition of “spuhs” to the list.

Important Note for Nature Lister Users

If you use Nature Lister or WR4M you will need to reload your workspaces to your device(s) after you have applied the species update to your WR4 database. Please undertake the following steps:

1. Export any outstanding trips from Nature Lister and import them into WR4.
2. Backup your WR4 databases.
3. Apply the new species update to your WR4 database.
4. Upload your workspaces from WR4 to the cloud server.
5. Import the new workspaces to your device(s).

Changes to the Bird Species Database in previous versions

A complete list of all the changes contained in each version of the species database can be found in the Wildlife Recorder User Area on our website.

Changes to the Bird Species Database since last update (version 107 January 2021)

Clements Taxonomy Changes

Implemented changes in Clements 2021 update. In addition to the changes noted below there are many species sequence changes in this update. For full details of the Clements changes see the [Clements Checklist website](#)

New Species and Sub-species

Species/Sub-species Name
Spruce Grouse (Franklin's) [isleibi] (<i>Canachites canadensis isleibi</i>)
Green-fronted Hummingbird (villadai) (<i>Leucolia viridifrons villadai</i>)
Gentoo Penguin [taeniata] (<i>Pygoscelis papua taeniata</i>)
Gentoo Penguin [poncetii] (<i>Pygoscelis papua poncetii</i>)
Magnificent Frigatebird [rothschildi] (<i>Fregata magnificens rothschildi</i>)
Magnificent Frigatebird [magnificens] (<i>Fregata magnificens magnificens</i>)
Oxapampa Antpitta (<i>Grallaria centralis</i>)
Ayacucho Antpitta (<i>Grallaria ayacuchensis</i>)
Urubamba Antpitta [marcapatensis] (<i>Grallaria occabambae marcapatensis</i>)
Puno Antpitta (<i>Grallaria sinaensis</i>)
Chami Antpitta (<i>Grallaria alvarezi</i>)
Equatorial Antpitta (<i>Grallaria saturata</i>)
Panao Antpitta (<i>Grallaria oneilli</i>)
Ampay Tapaculo (<i>Scytalopus whitneyi</i>)
Jalca Tapaculo (<i>Scytalopus frankeae</i>)
White-winged Tapaculo (<i>Scytalopus krabbei</i>)
Chachapoyas Antpitta (<i>Grallaria gravesi</i>)
Alor Myzomela (<i>Myzomela prawiradilagae</i>)
Taliabu Myzomela (<i>Myzomela wahe</i>)
Western Whistler [occidentalis] (<i>Pachycephala fuliginosa occidentalis</i>)
Peleng Fantail (<i>Rhipidura habibiei</i>)
Red-capped Lark [rufipecta] (<i>Calandrella cinerea rufipecta</i>)
Asian Short-toed Lark [tuvinica] (<i>Alaudala cheleensis tuvinica</i>)
Turkestan Short-toed Lark [aharonii] (<i>Alaudala heinei aharonii</i>)
Brown Prinia [deignani] (<i>Prinia polychroa deignani</i>)
Graceful Prinia [ashi] (<i>Prinia gracilis ashi</i>)
Himalayan Prinia [yunnanensis] (<i>Prinia crinigera yunnanensis</i>)

Taliabu Bush Warbler (*Locustella portenta*)

Island Leaf Warbler (Peleng) (*Phylloscopus poliocephalus suaramerdu*)

Island Leaf Warbler (Taliabu) (*Phylloscopus poliocephalus emilsalimi*)

Mountain Tailorbird [relictus] (*Phyllergates cucullatus relictus*)

Mountain Tailorbird [sulanus] (*Phyllergates cucullatus sulanus*)

Western Subalpine Warbler (*Curruca iberiae*)

Reed Parrotbill (Northern) (*Calamornis heudei polivanovi*)

Island Thrush (Taliabu) (*Turdus poliocephalus sukahujan*)

Sulawesi Blue Flycatcher [omississimus] (*Cyornis omissus omississimus*)

Snowy-browed Flycatcher [betinabiru] (*Ficedula hyperythra betinabiru*)

Spectacled Flowerpecker (*Dicaeum dayakorum*)

Chestnut-bellied Flowerpiercer [boylei] (*Diglossa gloriosissima boylei*)

Chestnut-bellied Flowerpiercer [gloriosissima] (*Diglossa gloriosissima gloriosissima*)

Black-throated Flowerpiercer (vuilleumieri) (*Diglossa brunneiventris vuilleumieri*)

Black-throated Flowerpiercer (Black-throated) (*Diglossa brunneiventris brunneiventris*)

Andean Tinamou [patriciae] (*Nothoprocta pentlandii patriciae*)

Little Grebe [albescens] (*Tachybaptus ruficollis albescens*)

Elegant Quail [vanderbilti] (*Callipepla douglasii vanderbilti*)

Hill Partridge [interstincta] (*Arborophila torqueola interstincta*)

Jungle Bush-quail [vellorei] (*Perdicula asiatica vellorei*)

Pale-vented Pigeon [occidentalis] (*Patagioenas cayennensis occidentalis*)

Laughing Dove [ermanni] (*Streptopelia senegalensis ermanni*)

Andaman Cuckoo-dove [andamanica] (*Macropygia rufipennis andamanica*)

Andaman Cuckoo-dove [rufipennis] (*Macropygia rufipennis rufipennis*)

Asian Emerald Dove [maxima] (*Chalcophaps indica maxima*)

Ecuadorian Ground Dove [buckleyi] (*Columbina buckleyi buckleyi*)

Ecuadorian Ground Dove [dorsti] (*Columbina buckleyi dorsti*)

White-throated Quail-dove [subgrisea] (*Zentrygon frenata subgrisea*)

Ashy-headed Green-Pigeon [conoveri] (*Treron phayrei conoveri*)

Ashy-headed Green-pigeon [phayrei] (*Treron phayrei phayrei*)

Green-tailed Trainbearer [aureliae] (*Lesbia nuna aureliae*)

Green-tailed Trainbearer [huallagae] (*Lesbia nuna huallagae*)

Green-tailed Trainbearer [boliviana] (*Lesbia nuna boliviana*)

Greenish Puffleg [floccus] (*Haplophaedia aureliae floccus*)

Greenish Puffleg [galindoi] (*Haplophaedia aureliae galindoi*)

Mountain Velvetbreast [longirostris] (*Lafresnaya lafresnayi longirostris*)

Mountain Velvetbreast [orestes] (*Lafresnaya lafresnayi orestes*)

Amethyst-throated Mountain-gem (Amethyst-throated) [circumventus] (*Lampornis amethystinus circumventus*)

Blue-throated Hummingbird [phasmorus] (*Lampornis clemenciae phasmorus*)
Fork-tailed Woodnymph [orenocensis] (*Thalurania furcata orenocensis*)
Scaly-breasted Hummingbird (Cuvier's) [furvescens] (*Phaeochroa cuvierii furvescens*)
Mangrove Rail (Atlantic) [dillonripleyi] (*Rallus longirostris dillonripleyi*)
Slate-coloured Coot [atrura] (*Fulica ardesiaca atrura*)
Slate-coloured Coot [ardesiaca] (*Fulica ardesiaca ardesiaca*)
Whimbrel (Siberian) [rogachevae] (*Numenius phaeopus rogachevae*)
Puna Snipe [andina] (*Gallinago andina andina*)
Puna Snipe [innotata] (*Gallinago andina innotata*)
Temminck's Courser [temminckii] (*Cursorius temminckii temminckii*)
Temminck's Courser [ruvanensis] (*Cursorius temminckii ruvanensis*)
Temminck's Courser [aridus] (*Cursorius temminckii aridus*)
Double-banded Courser [erlangeri] (*Smutsornis africanus erlangeri*)
Three-banded Courser [mayaudi] (*Rhinoptilus cinctus mayaudi*)
Three-banded Courser [balsaci] (*Rhinoptilus cinctus balsaci*)
Common Murre [hyperborea] (*Uria aalge hyperborea*)
Antarctic Tern (Antarctic) [sanctipauli] (*Sterna vittata sanctipauli*)
Kerguelen Tern [mercuri] (*Sterna virgata mercuri*)
Kerguelen Tern [virgata] (*Sterna virgata virgata*)
Buller's Albatross [bulleri] (*Thalassarche bulleri bulleri*)
Buller's Albatross [bulleri] (*Thalassarche bulleri bulleri*)
Wedge-tailed Shearwater [pacific] (*Ardenna pacifica pacifica*)
Wedge-tailed Shearwater [chlororhyncha] (*Ardenna pacifica chlororhyncha*)
African Darter [chantrei] (*Anhinga rufa chantrei*)
Double-crested Cormorant [heuretum] (*Nannopterum auritum heuretum*)
Least Bittern [limoncochae] (*Ixobrychus exilis limoncochae*)
Striated Heron (Old World) [didi] (*Butorides striata didi*)
Striated Heron (Old World) [albidula] (*Butorides striata albidula*)
Striated Heron (Old World) [flyensis] (*Butorides striata flyensis*)
White-backed Night-heron [leuconotus] (*Gorsachius leuconotus leuconotus*)
White-backed Night-heron [natalensis] (*Gorsachius leuconotus natalensis*)
Malayan Night-heron [melanolophus] (*Gorsachius melanolophus melanolophus*)
Malayan Night-heron [minor] (*Gorsachius melanolophus minor*)
White Ibis [albus] (*Eudocimus albus albus*)
White Ibis [ramobustorum] (*Eudocimus albus ramobustorum*)
Northern Goshawk (Eurasian) [marginatus] (*Accipiter gentilis marginatus*)
African Grass-owl [cameroonensis] (*Tyto capensis cameroonensis*)
African Grass-owl [capensis] (*Tyto capensis capensis*)
Western Screech Owl (Northern) [macfarlanei] (*Megascops kennicottii macfarlanei*)
Great Horned Owl (Great Horned) [algistus] (*Bubo virginianus algistus*)

Great Horned Owl (Great Horned) [pinorum] (*Bubo virginianus pinorum*)
Great Horned Owl (Great Horned) [deserti] (*Bubo virginianus deserti*)
Eurasian Eagle-owl [tarimensis] (*Bubo bubo tarimensis*)
Eurasian Eagle-owl [tibetanus] (*Bubo bubo tibetanus*)
Eurasian Eagle-owl [borissowi] (*Bubo bubo borissowi*)
Pearl-spotted Owlet [diurnum] (*Glaucidium perlatum diurnum*)
Ferruginous Pygmy-Owl (Ferruginous) [intermedium] (*Glaucidium brasilianum intermedium*)
Cuban Pygmy Owl [turquinense] (*Glaucidium siju turquinense*)
Spotted Owlet [ultra] (*Athene brama ultra*)
Spotted Owlet [mayri] (*Athene brama mayri*)
Northern Boobook [florensis] (*Ninox japonica florensis*)
White-backed Mousebird [damarensis] (*Colius colius damarensis*)
White-backed Mousebird [colius] (*Colius colius colius*)
Blue-naped Mousebird [syntactus] (*Urocolius macrourus syntactus*)
Southern Yellow-billed Hornbill [elegans] (*Tockus leucomelas elegans*)
Southern Yellow-billed Hornbill [leucomelas] (*Tockus leucomelas leucomelas*)
Amazonian Motmot [marcgravianus] (*Momotus momota marcgravianus*)
African Dwarf Kingfisher [ruficeps] (*Ispidina lecontei ruficeps*)
African Dwarf Kingfisher [lecontei] (*Ispidina lecontei lecontei*)
Chocolate-backed Kingfisher [obscuridorsalis] (*Halcyon badia obscuridorsalis*)
Cinnamon-banded Kingfisher [tringorum] (*Todiramphus australasia tringorum*)
Cinnamon-banded Kingfisher [interpositus] (*Todiramphus australasia interpositus*)
White-rumped Kingfisher [fulgidus] (*Caridonax fulgidus fulgidus*)
White-rumped Kingfisher [gracilirostris] (*Caridonax fulgidus gracilirostris*)
Green-and-rufous Kingfisher [inda] (*Chloroceryle inda inda*)
Green-and-rufous Kingfisher [chocoensis] (*Chloroceryle inda chocoensis*)
Green Bee-eater (Russet-crowned) [ceylonicus] (*Merops orientalis ceylonicus*)
Black-streaked Puffbird [substriata] (*Malacoptila fulvogularis substriata*)
Black-streaked Puffbird [huilae] (*Malacoptila fulvogularis huilae*)
Black-streaked Puffbird [fulvogularis] (*Malacoptila fulvogularis fulvogularis*)
Moustached Tinkerbird [leucomystax] (*Pogoniulus leucomystax leucomystax*)
Moustached Tinkerbird [meridionalis] (*Pogoniulus leucomystax meridionalis*)
Spot-flanked Barbet [ruahae] (*Tricholaema lacrymosa ruahae*)
Green-backed Honeyguide [lathburyi] (*Prodotiscus zambesiae lathburyi*)
Least Honeyguide [cerophagus] (*Indicator exilis cerophagus*)
Eurasian Wryneck [sarudnyi] (*Jynx torquilla sarudnyi*)
Eurasian Wryneck [chinensis] (*Jynx torquilla chinensis*)
Chestnut Piculet [larensis] (*Picumnus cinnamomeus larensis*)
Brown-capped Pygmy Woodpecker [hardwickii] (*Yungipicus nanus hardwickii*)
Japanese Pygmy Woodpecker [permutatus] (*Yungipicus kizuki permutatus*)

Japanese Pygmy Woodpecker [wilderi] (*Yungipicus kizuki wilderi*)
Japanese Pygmy Woodpecker [nippon] (*Yungipicus kizuki nippon*)
Japanese Pygmy Woodpecker [kotataki] (*Yungipicus kizuki kotataki*)
Japanese Pygmy Woodpecker [shikokuensis] (*Yungipicus kizuki shikokuensis*)
Japanese Pygmy Woodpecker [matsudairai] (*Yungipicus kizuki matsudairai*)
Japanese Pygmy Woodpecker [matsudairai] (*Yungipicus kizuki matsudairai*)
Japanese Pygmy Woodpecker [orii] (*Yungipicus kizuki orii*)
White-backed Woodpecker (White-backed) [uralensis] (*Dendrocopos leucotos uralensis*)
White-backed Woodpecker (White-backed) [quelpartensis] (*Dendrocopos leucotos quelpartensis*)
Ladder-backed Woodpecker [soulei] (*Dryobates scalaris soulei*)
Greater Flameback (Greater) [sultaneus] (*Chrysocolaptes guttacrystatus sultaneus*)
Crimson-crested Woodpecker [cearae] (*Campephilus melanoleucos cearae*)
Rufous Woodpecker [williamsoni] (*Micropternus brachyurus williamsoni*)
Common Flameback [borneonense] (*Dinopium javanense borneonense*)
Greater Yellownape [kumaonense] (*Chrysophlegma flavinucha kumaonense*)
White-bellied Woodpecker [esthloterus] (*Dryocopus javensis esthloterus*)
Pale-crested Woodpecker [olrogii] (*Celeus lugubris olrogii*)
Crimson-mantled Woodpecker (Crimson-mantled) [zuliensis] (*Colaptes rivolii zuliensis*)
Northern Flicker (Red-shafted) [nanus] (*Colaptes auratus nanus*)
Laughing Falcon [fulvescens] (*Herpetotheres cachinnans fulvescens*)
Eurasian Kestrel (Eurasian) [perpallidus] (*Falco tinnunculus perpallidus*)
Malagasy Kestrel [aldabranus] (*Falco newtoni aldabranus*)
Malagasy Kestrel [newtoni] (*Falco newtoni newtoni*)
Australian Hobby [murchisonianus] (*Falco longipennis murchisonianus*)
Saker Falcon [coatsi] (*Falco cherrug coatsi*)
Saker Falcon [hendersoni] (*Falco cherrug hendersoni*)
Palm Cockatoo [macgillivrayi] (*Probosciger aterrimus macgillivrayi*)
Red-tailed Black Cockatoo [escondidus] (*Calyptorhynchus banksii escondidus*)
Yellow-crested Cockatoo (Yellow-crested) [djampeana] (*Cacatua sulphurea djampeana*)
Yellow-crested Cockatoo (Yellow-crested) [occidentalis] (*Cacatua sulphurea occidentalis*)
Red-breasted Parakeet [perionca] (*Psittacula alexandri perionca*)
Crimson Rosella (Crimson) [filewoodi] (*Platycercus elegans filewoodi*)
Carolina Parakeet [ludoviciana] (*Conuropsis carolinensis ludoviciana*)
Carolina Parakeet [carolinensis] (*Conuropsis carolinensis carolinensis*)
Leaden Antwren [assimilis] (*Myrmotherula assimilis assimilis*)
Leaden Antwren [transamazonica] (*Myrmotherula assimilis transamazonica*)
Long-tailed Minivet [mariae] (*Pericrocotus ethologus mariae*)
Yellow-billed Cough [forsythi] (*Pyrrhocorax graculus forsythi*)
Satin Berrypecker (*Melanocharis citreola*)

White-crowned Penduline Tit [coronatus] (*Remiz coronatus coronatus*)

White-crowned Penduline Tit [stoliczkae] (*Remiz coronatus stoliczkae*)

Kilombero Cisticola (*Cisticola bakerorum*)

White-tailed Cisticola (*Cisticola anderseni*)

Red-vented Bulbul [haemorrhousus] (*Pycnonotus cafer haemorrhousus*)

Penan Bulbul [meratusensis] (*Alophoixus ruficrissus meratusensis*)

Black-throated Parrotbill (Black-throated) [garhwalensis] (*Suthora nipalensis garhwalensis*)

Bar-winged Wren-babbler [indiraji] (*Spelaeoris troglodytoides indiraji*)

Bar-winged Wren-babbler [nanchuanensis] (*Spelaeoris troglodytoides nanchuanensis*)

Sri Lankan Scimitar-Babbler (*Pomatorhinus melanurus melanurus*)

Sri Lankan Scimitar-babbler [holdsworthi] (*Pomatorhinus melanurus holdsworthi*)

Puff-throated Babbler [pallidum] (*Pellorneum ruficeps pallidum*)

Puff-throated Babbler [dusiti] (*Pellorneum ruficeps dusiti*)

Short-tailed Babbler [sordidum] (*Pellorneum malaccense sordidum*)

Variiegated Laughingthrush [nuristani] (*Trochalopteron variegatum nuristani*)

Beautiful Sibia (Black-eared) (*Heterophasia pulchella nigroaurita*)

Beautiful Sibia (Gray-eared) (*Heterophasia pulchella pulchella*)

Chestnut-vented Nuthatch [montium] (*Sitta nagaensis montium*)

Indian Spotted Creeper [rajputanae] (*Salpornis spilonota rajputanae*)

Indian Spotted Creeper [spilonota] (*Salpornis spilonota spilonota*)

Blyth's Leaf Warbler [kashmiriensis] (*Phylloscopus reguloides kashmiriensis*)

Gray-hooded Warbler [albosuperciliaris] (*Phylloscopus xanthoschistos albosuperciliaris*)

Clay-colored Thrush [lanyoni] (*Turdus grayi lanyoni*)

Clay-colored Thrush [yucatanensis] (*Turdus grayi yucatanensis*)

Clay-colored Thrush [linnaei] (*Turdus grayi linnaei*)

Asian Fairy-bluebird (Asian) [andamanica] (*Irena puella andamanica*)

Black-throated Munia [vernayi] (*Lonchura kelaarti vernayi*)

Reed Bunting [lusitanica] (*Emberiza schoeniclus lusitanica*)

Reed Bunting [stresemanni] (*Emberiza schoeniclus stresemanni*)

Reed Bunting [tschusii] (*Emberiza schoeniclus tschusii*)

Reed Bunting [harterti] (*Emberiza schoeniclus harterti*)

Reed Bunting [centralasiae] (*Emberiza schoeniclus centralasiae*)

Bluethroat (Red-spotted) [saturator] (*Luscinia svecica saturator*)

New Groups

Group Name
Spruce Grouse (Franklin's) (<i>Canachites canadensis franklinii/isleibi</i>)
Crested Coua (Crested) (<i>Coua cristata cristata/dumonti</i>)
Crested Coua (Chestnut-vented) (<i>Coua cristata pyropyga/maxima</i>)
Brace's Emerald (Brace's) (<i>Riccordia bracei bracei</i>)
Brace's Emerald (Caribbean) (<i>Riccordia bracei elegans</i>)
Green-fronted Hummingbird (villadai) (<i>Leucolia viridifrons villadai</i>)
White-bellied Hummingbird (chionogaster) (<i>Elliotomyia chionogaster chionogaster</i>)
White-bellied Hummingbird (hypoleuca) (<i>Elliotomyia chionogaster hypoleuca</i>)
Common Paradise-Kingfisher (Common) (<i>Tanyiptera galatea [galatea-group]</i>)
Common Paradise-Kingfisher (Rossel) (<i>Tanyiptera galatea rosseliana</i>)
Crested Caracara (Northern) (<i>Caracara plancus [cheriway-group]</i>)
Crested Caracara (Southern) (<i>Caracara plancus plancus</i>)
Azure-rumped Parrot (Azure-rumped) (<i>Tanygnathus sumatranus sumatranus/sangirensis</i>)
Azure-rumped Parrot (Blue-backed) (<i>Tanygnathus sumatranus [everetti-group]</i>)
Western Fire-eye (maura Group) (<i>Pyriglena maura [maura-group]</i>)
Plain-brown Woodcreeper (Line-throated) (<i>Dendrocincla fuliginosa fuliginosa/rufoolivacea</i>)
Plain-brown Woodcreeper (atrirostris/trumaii) (<i>Dendrocincla fuliginosa atrirostris/trumaii</i>)
Dusky-capped Woodcreeper (Rondonia) (<i>Lepidocolaptes fuscicapillus fuscicapillus</i>)
Dusky-capped Woodcreeper (Layard's) (<i>Lepidocolaptes fuscicapillus layardi</i>)
White-chinned Thistletail (fumigata) (<i>Asthenes fuliginosa fumigata</i>)
White-chinned Thistletail (fuliginosa) (<i>Asthenes fuliginosa fuliginosa</i>)
White-chinned Thistletail (peruviana/plengei) (<i>Asthenes fuliginosa peruviana/plengei</i>)
Yellow-bellied Whistler (fallax) (<i>Pachycephala philippinensis fallax</i>)
Yellow-bellied Whistler (illex) (<i>Pachycephala philippinensis illex</i>)
Yellow-bellied Whistler (philippinensis Group) (<i>Pachycephala philippinensis [philippinensis-group]</i>)
Australasian Figbird (flaviventris Group) (<i>Sphecotheres vieilloti [flaviventris-group]</i>)
Australasian Figbird (salvadorii) (<i>Sphecotheres vieilloti salvadorii</i>)
Australasian Figbird (vieilloti) (<i>Sphecotheres vieilloti vieilloti</i>)
Canada Jay (Boreal) (<i>Perisoreus canadensis [canadensis-group]</i>)
Canada Jay (Rocky Mts.) (<i>Perisoreus canadensis capitalis/bicolor</i>)
Island Leaf Warbler (Peleng) (<i>Phylloscopus poliocephalus suaramerdu</i>)
Island Leaf Warbler (Taliabu) (<i>Phylloscopus poliocephalus emilsalimi</i>)
Reed Parrotbill (Northern) (<i>Calamornis heudei polivanovi</i>)
Black-crowned Babbler (affinis) (<i>Sterrhoptilus nigrocapitatus affinis</i>)
Black-crowned Babbler (nigrocapitatus/boholensis) (<i>Sterrhoptilus nigrocapitatus nigrocapitatus/boholensis</i>)

Northern Yellow White-eye (senegalensis/demeryi) (*Zosterops senegalensis senegalensis/demeryi*)

Northern Yellow White-eye (quanzae Group) (*Zosterops senegalensis [quanzae-group]*)

Northern Yellow White-eye (jacksoni/gerhardi) (*Zosterops senegalensis jacksoni/gerhardi*)

Striated Wren-Babbler (minuta/fortichi) (*Ptilocichla mindanensis minuta/fortichi*)

Striated Wren-Babbler (mindanensis/basilanica) (*Ptilocichla mindanensis mindanensis/basilanica*)

Rufous-backed Sibia (Rufous-backed) (*Leioptila annectens [annectens-group]*)

Rufous-backed Sibia (Dalat) (*Leioptila annectens eximia*)

Red-legged Thrush (plumbeus) (*Turdus plumbeus plumbeus*)

Island Thrush (Taliabu) (*Turdus poliocephalus sukahujan*)

White-bellied Flowerpecker (obscurum/cagayanense) (*Dicaeum hypoleucum obscurum/cagayanense*)

White-bellied Flowerpecker (pontifex) (*Dicaeum hypoleucum pontifex*)

White-bellied Flowerpecker (hypoleucum/mindanense) (*Dicaeum hypoleucum hypoleucum/mindanense*)

Black-throated Sunbird (Black-throated) (*Aethopyga saturata [saturata-group]*)

Black-throated Sunbird (Dalat) (*Aethopyga saturata johnsi*)

Philippine Fairy-bluebird (cyanogastra) (*Irena cyanogastra cyanogastra*)

Philippine Fairy-bluebird (ellae) (*Irena cyanogastra ellae*)

Philippine Fairy-bluebird (melanochlamys/hoogstraali) (*Irena cyanogastra melanochlamys/hoogstraali*)

Streak-headed Munia (White-spotted) (*Mayrimunia tristissima leucosticta*)

Long-billed Pipit (East African) (*Anthus similis [nivescens-group]*)

Black-throated Flowerpiercer (vuilleumieri) (*Diglossa brunneiventris vuilleumieri*)

Black-throated Flowerpiercer (Black-throated) (*Diglossa brunneiventris brunneiventris*)

Masked Flowerpiercer (cyanea Group) (*Diglossa cyanea [cyanea-group]*)

Masked Flowerpiercer (melanopsis) (*Diglossa cyanea melanopsis*)

Barn Owl (White-winged) (*Tyto alba furcata*)

Rufous-fronted Thornbird (specularis) (*Phacellodomus rufifrons specularis*)

Carrion Crow (Western) (*Corvus corone corone*)

Carrion Crow (Eastern) (*Corvus corone orientalis*)

Little Slaty Flycatcher (samarensis) (*Ficedula basilanica samarensis*)

Little Slaty Flycatcher (basilanica) (*Ficedula basilanica basilanica*)

Whimbrel (Siberian) (*Numenius phaeopus variegatus/rogachevae*)

Peregrine Falcon (Australian) (*Falco peregrinus macropus/submelanogenys*)

Red-lored Parrot (Red-lored) (*Amazona autumnalis autumnalis/salvini*)

Red-lored Parrot (Lilacine) (*Amazona autumnalis lilacina*)

Blue-crowned Parakeet (Blue-crowned) (*Psittacara acuticaudatus [haemorrhous-group]*)

Blue-crowned Parakeet (Blue-headed) (*Psittacara acuticaudatus acuticaudatus/neumanni*)

White-browed Fulvetta (White-throated) (*Fulvetta vinipectus vinipectus/kangrae*)

White-browed Fulvetta (Bhutan) (*Fulvetta vinipectus chumbiensis*)
White-browed Fulvetta (Naga Hills) (*Fulvetta vinipectus austeni*)
White-browed Fulvetta (Chin Hills) (*Fulvetta vinipectus ripponi*)
White-browed Fulvetta (Chinese) (*Fulvetta vinipectus bieti/perstriata*)
White-browed Fulvetta (Vietnam) (*Fulvetta vinipectus valentinae*)
Black-throated Parrotbill (Black-throated) (*Suthora nipalensis nipalensis/garhwalensis*)
Black-throated Parrotbill (Orange-eared) (*Suthora nipalensis humii/crocotia*)
Striated Yuhina (Gray-crowned) (*Staphida castaniceps [striata-group]*)
Striated Yuhina (Rufous-crowned) (*Staphida castaniceps castaniceps*)
Beautiful Sibia (Black-eared) (*Heterophasia pulchella nigroaurita*)
Beautiful Sibia (Gray-eared) (*Heterophasia pulchella pulchella*)
Streak-throated Barwing (Rufous-chested) (*Actinodura waldeni [waldeni-group]*)
Streak-throated Barwing (Gray-chested) (*Actinodura waldeni daflaensis*)
Happy Wren (Mainland) (*Pheugopedius felix [felix-group]*)
Happy Wren (Tres Marias Is.) (*Pheugopedius felix lawrencii*)
Blue-throated Flycatcher (Blue-throated) (*Cyornis rubeculoides rubeculoides*)
Blue-throated Flycatcher (Notch-throated) (*Cyornis rubeculoides dialilaemus/rogersi*)
Rufous Grasswren (Pilbara) (*Amytornis whitei whitei*)
Rufous Grasswren (Sandhill) (*Amytornis whitei oweni*)
Hume's Warbler (Western) (*Phylloscopus humei humei*)
Hume's Warbler (Eastern) (*Phylloscopus humei mandellii*)
Jerdon's Babbler (Indus) (*Chrysomma altirostre scindicum*)
Jerdon's Babbler (Himalayan) (*Chrysomma altirostre griseigulare*)
Jerdon's Babbler (Irrawaddy) (*Chrysomma altirostre altirostre*)
Chestnut-tailed Starling (Western) (*Sturnia malabarica malabarica*)
Chestnut-tailed Starling (Eastern) (*Sturnia malabarica nemoricola*)
Indian Blackbird (Black-capped) (*Turdus simillimus nigropileus*)

Deleted Groups

(N.B. These will still be in the database but marked “not in taxonomy”)

Group Name	Reason
Crested Coua (Crested) (<i>Coua cristata</i> [<i>cristata</i> -group])	Ssp <i>maxima</i> moved to another group
Double-crested Cormorant (Dark-crested) (<i>Nannopterum auritum</i> [<i>auritum</i> -group])	No longer listed in Clements checklist
Double-crested Cormorant (White-crested) (<i>Nannopterum auritum cincinatum/albociliatum</i>)	“
Plain-brown Woodcreeper (Line-throated) (<i>Dendrocincla fuliginosa</i> [<i>fuliginosa</i> -group])	Group split into two new groups, <i>fuliginosa/rufolivacea</i> and <i>atirostris/trumaii</i>
Canada Jay (Northern) (<i>Perisoreus canadensis</i> [<i>canadensis</i> -group])	Group members re-assigned
Canada Jay (Rocky Mts.) (<i>Perisoreus canadensis capitalis/albescens</i>)	“
Reed Parrotbill (Northern) (<i>Calamornis heudei polivanovi/mongolicus</i>)	Ssp <i>mongolicus</i> no longer accepted
Limestone Wren-babbler (Greyish) (<i>Gypsophila crispifrons crispifrons/annamensis</i>)	Group members split as species
Red-legged Thrush (plumbeus/schistaceus) (<i>Turdus plumbeus plumbeus/schistaceus</i>)	<i>plumbeus</i> becomes a monotypic group, <i>schistaceus</i> moved to <i>rubripes</i> group
Streak-headed Munia (White-spotted) (<i>Mayrimunia tristissima leucosticta/moresbyensis</i>)	Ssp is included in <i>leucosticta</i>
Long-billed Pipit (Nicholson's) (<i>Anthus similis</i> [<i>nicholsoni</i> -group])	Group members split between Long-billed Pipit (East African) (<i>Anthus similis</i> [<i>nivescens</i> -group]) and Nicholson's Pipit (<i>Anthus nicholsoni</i>)
Copper Pheasant (Scintillant) (<i>Syrmaticus soemmerringii</i> [<i>scintillans</i> -group])	No longer listed as a group in Clements
Copper Pheasant (Copper) (<i>Syrmaticus soemmerringii soemmerringii</i>)	“
Copper Pheasant (White-rumped) (<i>Syrmaticus soemmerringii ijimae</i>)	“
White-tufted Grebe (Chilean) (<i>Rollandia rolland chilensis/morrisoni</i>)	“
White-tufted Grebe (Falkland) (<i>Rollandia rolland rolland</i>)	“
Japanese Wood Pigeon (Japanese) (<i>Columba janthina janthina</i>)	“
Japanese Wood-pigeon (Red-headed) (<i>Columba janthina nitens</i>)	“

Mindanao Bleeding-heart (Leyte) (<i>Gallicolumba crinigera leytensis</i>)	“
Mindanao Bleeding-heart (Mindanao) (<i>Gallicolumba crinigera crinigera/bartletti</i>)	“
Pin-tailed Green-Pigeon (Pin-tailed) (<i>Treron apicauda apicauda/laotianus</i>)	“
Pin-tailed Green-Pigeon (Lowe's) (<i>Treron apicauda lowei</i>)	“
Pink-spotted Fruit-Dove (Pink-spotted) (<i>Ptilinopus perlatus perlatus/zonurus</i>)	“
Pink-spotted Fruit-Dove (Huon) (<i>Ptilinopus perlatus plumbeicollis</i>)	“
Spotted Imperial-Pigeon (Spotted) (<i>Ducula carola carola</i>)	“
Spotted Imperial-Pigeon (Black-breasted) (<i>Ducula carola nigrorum/mindanensis</i>)	“
Black-throated Coucal (Black-throated) (<i>Centropus leucogaster leucogaster/efulenensis</i>)	“
Black-throated Coucal (Neumann's) (<i>Centropus leucogaster neumanni</i>)	“
Long-tailed Potoo (Long-tailed) (<i>Nyctibius aethereus longicaudatus/chocoensis</i>)	“
Long-tailed Potoo (Large-tailed) (<i>Nyctibius aethereus aethereus</i>)	“
Ameline Swiftlet (Gray) (<i>Aerodramus amelis amelis</i>)	“
Ameline Swiftlet (Palawan) (<i>Aerodramus amelis palawanensis</i>)	“
Blue-tailed Hummingbird (Guatemalan) (<i>Saucerottia cyanura guatemalae</i>)	“
Blue-tailed Hummingbird (Blue-tailed) (<i>Saucerottia cyanura cyanura/impatiens</i>)	“
Snowy-bellied Hummingbird (Northern) (<i>Saucerottia edward niveoventer</i>)	“
Snowy-bellied Hummingbird (Southern) (<i>Saucerottia edward [edward-group]</i>)	No longer listed as a group in Clements
Andean Emerald (Andean) (<i>Uranomitra franciae franciae/cyanocollis</i>)	“
Andean Emerald (Ecuadorian) (<i>Uranomitra franciae viridiceps</i>)	“
Golden-tailed Sapphire (Northern) (<i>Chrysuronia oenone oenone</i>)	“
Golden-tailed Sapphire (Southern) (<i>Chrysuronia oenone josephinae/alleni</i>)	No longer listed as a group in Clements
White-throated Rail (Aldabra) (<i>Dryolimnas cuvieri aldabranus/abbotti</i>)	“

White-throated Rail (White-throated) (<i>Dryolimnas cuvieri cuvieri</i>)	“
Red-wattled Lapwing (Red-wattled) (<i>Vanellus indicus [indicus-group]</i>)	“
Red-wattled Lapwing (Black-necked) (<i>Vanellus indicus atronuchalis</i>)	“
Rufous-bellied Seedsnipe (Ecuadorian) (<i>Attagis gayi latreillii</i>)	“
Rufous-bellied Seedsnipe (Rufous-bellied) (<i>Attagis gayi gayi/simonsi</i>)	“
Barred Buttonquail (Dusky) (<i>Turnix suscitator powelli</i>)	“
Barred Buttonquail (Barred) (<i>Turnix suscitator [suscitator-group]</i>)	“
White-faced Storm-Petrel (White-faced) (<i>Pelagodroma marina [marina-group]</i>)	“
White-faced Storm-Petrel (Kermadec) (<i>Pelagodroma marina albiclunis</i>)	“
Snow Petrel (Lesser) (<i>Pagodroma nivea nivea</i>)	“
Snow Petrel (Greater) (<i>Pagodroma nivea major</i>)	“
Common Diving-Petrel (Falkland) (<i>Pelecanoides urinatrix berard</i>)	No longer listed as a group in Clements
Common Diving Petrel (Subantarctic) (<i>Pelecanoides urinatrix exsul/dacunhae</i>)	“
Common Diving-Petrel (Common) (<i>Pelecanoides urinatrix [urinatrix-group]</i>)	“
Little Pied Cormorant (Little Pied) (<i>Microcarbo melanoleucos melanoleucos/brevicauda</i>)	“
Little Pied Cormorant (Little Shag) (<i>Microcarbo melanoleucos brevirostris</i>)	“
Australian Masked-Owl (New Guinea) (<i>Tyto novaehollandiae calabyi</i>)	“
Australian Masked-Owl (Tasmanian) (<i>Tyto novaehollandiae castanops</i>)	“
Australian Masked Owl (Australian) (<i>Tyto novaehollandiae [novaehollandiae-group]</i>)	“
Crested Owl (Northern) (<i>Lophostrix cristata stricklandi</i>)	“
Crested Owl (Southern) (<i>Lophostrix cristata cristata/wedeli</i>)	“
Spectacled Owl (Spectacled) (<i>Pulsatrix perspicillata [perspicillata-group]</i>)	“
Spectacled Owl (Short-browed) (<i>Pulsatrix perspicillata pulsatrix</i>)	“

Masked Trogon (Masked) (<i>Trogon personatus</i> [<i>personatus-group</i>])	“
Masked Trogon (Highland) (<i>Trogon personatus temperatus</i>)	“
Whyte's Barbet (Sowerby's) (<i>Stactolaema whytii</i> [<i>sowerbyi-group</i>])	No longer listed as a group in Clements
Whyte's Barbet (Whyte's) (<i>Stactolaema whytii whytii</i>)	“
Black-throated Barbet (Black-throated) (<i>Tricholaema melanocephala</i> [<i>melanocephala-group</i>])	“
Black-throated Barbet (Yellow-cheeked) (<i>Tricholaema melanocephala flavibuccalis</i>)	“
West Indian Woodpecker (West Indian) (<i>Melanerpes superciliaris</i> [<i>superciliaris-group</i>])	“
West Indian Woodpecker (Cayman) (<i>Melanerpes superciliaris caymanensis</i>)	“
Brown-capped Pygmy Woodpecker (Indian) (<i>Yungipicus nanus</i> [<i>nanus-group</i>])	“
Brown-capped Pygmy Woodpecker (Sri Lanka) (<i>Yungipicus nanus gymnophthalmos</i>)	“
Freckle-breasted Woodpecker (Freckle-breasted) (<i>Dendrocopos analis analis/longipennis</i>)	“
Freckle-breasted Woodpecker (Andaman Pied) (<i>Dendrocopos analis andamanensis</i>)	“
Little Woodpecker (Northern) (<i>Dryobates passerinus</i> [<i>passerinus-group</i>])	“
Little Woodpecker (Southern) (<i>Dryobates passerinus olivinus</i>)	“
Black Lory (Western) (<i>Chalcopsitta atra atra/bernsteini</i>)	“
Black Lory (Eastern) (<i>Chalcopsitta atra insignis</i>)	“
White-bellied Cuckooshrike (Papuan) (<i>Coracina papuensis</i> [<i>papuensis-group</i>])	“
White-bellied Cuckooshrike (White-bellied) (<i>Coracina papuensis robusta</i>)	“
Yellow-bellied Prinia (Sind) (<i>Prinia flaviventris sindiana</i>)	Now included in [flaviventris Group]
Hume's Warbler (Hume's) (<i>Phylloscopus humei humei</i>)	No longer listed as a group in Clements
Hume's Warbler (Mandelli's) (<i>Phylloscopus humei mandellii</i>)	“
Rose-crowned Fruit-Dove (Rose-crowned) (<i>Ptilinopus regina</i> [<i>regina-group</i>])	“
Rose-crowned Fruit-Dove (Gray-capped) (<i>Ptilinopus regina xanthogaster/rosepileum</i>)	“

Variable Goshawk (Variable) (<i>Accipiter hiogaster</i> [<i>hiogaster-group</i>])	<i>Accipiter</i> [<i>hiogaster-group</i>] and Variable Goshawk (Gray-throated) (<i>Accipiter hiogaster</i> [<i>griseogularis-group</i>]) merged into a new single group
Variable Goshawk (Gray-throated) (<i>Accipiter hiogaster</i> [<i>griseogularis-group</i>])	“
Speckled Mousebird (Western) (<i>Colius striatus nigricollis/leucophthalmus</i>)	No longer listed as a group in Clements
Speckled Mousebird (Southern) (<i>Colius striatus</i> [<i>striatus-group</i>])	“
Speckled Mousebird (Eastern) (<i>Colius striatus</i> [<i>leucotis-group</i>])	“
Yellow-throated Woodpecker (Yellow-throated) (<i>Piculus flavigula flavigula/magnus</i>)	“
Yellow-throated Woodpecker (Red-throated) (<i>Piculus flavigula erythropis</i>)	“
Azure-rumped Parrot (Azure-rumped) (<i>Tanygnathus sumatranus</i> [<i>sumatranus-group</i>])	<i>burbidgii</i> moved to <i>everetti</i> -group
Red-lored Parrot (Yellow-cheeked) (<i>Amazona autumnalis autumnalis</i>)	Included in <i>autumnalis/salvini</i> group
Red-lored Parrot (Salvin's) (<i>Amazona autumnalis lilacina/salvini</i>)	ssp. <i>salvini</i> included in a group with <i>autumnalis</i> , <i>lilacina</i> treated as a monotypic group
Blue-crowned Parakeet (Blue-crowned) (<i>Thectocercus acuticaudatus</i> [<i>acuticaudatus-group</i>])	Groups redefined; ssp. <i>koenigi</i> and <i>neoxenus</i> moved to <i>haemorrhous</i> -group
Blue-crowned Parakeet (Highland) (<i>Thectocercus acuticaudatus neumanni</i>)	Included in <i>acuticaudatus/neumanni</i> group
Little Shrikethrush (Little) (<i>Colluricincla megarhyncha parvula</i>)	Included in split species Arafura Shrikethrush (<i>Colluricincla megarhyncha</i>)
Black-throated Parrotbill (Black-throated) (<i>Suthora nipalensis nipalensis/crocotius</i>)	ssp. <i>nipalensis</i> moves to <i>nipalensis/garhwalensis</i> group; <i>crocotius</i> to <i>humii/crocotia</i> group
Black-throated Parrotbill (Orange-eared) (<i>Suthora nipalensis humii</i>)	Included in to <i>humii/crocotia</i> group
Indian Blackbird (Black-capped) (<i>Turdus simillimus nigropileus/spencei</i>)	ssp <i>spencei</i> now included in <i>nigropileus</i>
Spotted Nothura (Spotted) (<i>Nothura maculosa</i> [<i>maculosa-group</i>])	Group not in Clements
Spotted Nothura (Chaco) (<i>Nothura maculosa chacoensis</i>)	“

Mountain Owlet-nightjar (Arfak) (<i>Aegotheles albertisi albertisi/wondiwoi</i>)	“
Mountain Owlet-nightjar (Mountain) (<i>Aegotheles albertisi salvadorii</i>)	“
Eastern Subalpine Warbler (cantillans) (<i>Curruca cantillans cantillans</i>)	“
Eastern Subalpine Warbler (albistriata) (<i>Curruca cantillans albistriata</i>)	“
Swinhoe's White-eye (Swinhoe's) (<i>Zosterops simplex [simplex-group]</i>)	“
Swinhoe's White-eye (Enggano) (<i>Zosterops simplex salvadorii</i>)	“
Mocking Cliff-chat (Mocking) (<i>Thamnolaea cinnamomeiventris [cinnamomeiventris-group]</i>)	“
Mocking Cliff-chat (White-crowned) (<i>Thamnolaea cinnamomeiventris coronata</i>)	“

Deleted Species and Sub-species

(N.B. These will still be in the database but marked “not in taxonomy”)

Species/Sub-species Name	Reason
African Green-Pigeon (African) [orientalis] (<i>Treron calvus orientalis</i>)	Included in <i>delalandii</i>
Vaurie's Nightjar (<i>Caprimulgus centralasicus</i>)	Synonymous with European Nightjar [plumipes] (<i>Caprimulgus europaeus plumipes</i>)
Schouteden's Swift (<i>Schoutedenapus schoutedeni</i>)	Deemed to be darker juvenile or sub-adult Scarce Swifts subspecies chapini (Fishpool 2019)
Tawny Piculet (<i>Picumnus fulvescens</i>)	Synonymized with <i>Picumnus limae</i> . Lima et al. (2020); SACC 845
Rufous-margined Antwren [scapularis] (<i>Herpsilochmus rufimarginatus scapularis</i>)	Monotypic
Rufous-margined Antwren [rufimarginatus] (<i>Herpsilochmus rufimarginatus rufimarginatus</i>)	“
Mediterranean Short-toed Lark [polatzeki] (<i>Alaudala rufescens polatzeki</i>)	Included in nominate <i>rufescens</i>
Asian Short-toed Lark [seebohmi] (<i>Alaudala cheleensis seebohmi</i>)	Included in <i>kukunoorensis</i>
Asian Short-toed Lark [beicki] (<i>Alaudala cheleensis beicki</i>)	“
Asian Short-toed Lark [stegmanni] (<i>Alaudala cheleensis stegmanni</i>)	“
Asian Short-toed Lark [tangutica] (<i>Alaudala cheleensis tangutica</i>)	“
Mediterranean Short-toed Lark [nicolli] (<i>Alaudala rufescens nicolli</i>)	Included in <i>minor</i>
Turkestan Short-toed Lark [niethammeri] (<i>Alaudala heinei niethammeri</i>)	Included in <i>aharonii</i>
Turkestan Short-toed Lark [pseudobaetica] (<i>Alaudala heinei pseudobaetica</i>)	Included in nominate <i>heinei</i>
Striated Prinia [parvirostris] (<i>Prinia striata parvirostris</i>)	Included in <i>catharia</i>
Graceful Prinia [palaestinae] (<i>Prinia gracilis palaestinae</i>)	Included in nominate <i>gracilis</i>
Graceful Prinia [carlo] (<i>Prinia gracilis carlo</i>)	“
Delicate Prinia [irakensis] (<i>Prinia lepida irakensis</i>)	Included in nominate <i>lepida</i>
Western Subalpine Warbler [inornata] (<i>Curruca iberiae inornata</i>)	Included in nominate <i>iberiae</i>
White-spotted Munia [leucosticta] (<i>Mayrimunia leucosticta leucosticta</i>)	Monotypic
White-spotted Munia [moresbyae] (<i>Mayrimunia leucosticta moresbyae</i>)	“

White-throated Quail-dove [erythropareia] (<i>Zentrygon frenata erythropareia</i>)	Included in <i>bourcierii</i>
Green-tailed Trainbearer [eucharis] (<i>Lesbia nuna eucharis</i>)	Included in <i>huallagae</i>
Mountain Velvetbreast [tamae] (<i>Lafresnaya lafresnayi tamae</i>)	Included in nominate
Double-banded Courser [sharpei] (<i>Smutsornis africanus sharpei</i>)	Included in nominate
Antarctic Tern (Antarctic) [macquariensis] (<i>Sterna vittata macquariensis</i>)	Included in <i>bethunei</i>
Striated Heron (Old World) [chloriceps] (<i>Butorides striata chloriceps</i>)	Included in <i>javanica</i>
Eurasian Eagle-owl [swinhoei] (<i>Bubo bubo swinhoei</i>)	Included in <i>kiautschensis</i>
Spotted Owlet [albida] (<i>Athene brama albida</i>)	Included in <i>indica</i>
Northern Boobook [totogo] (<i>Ninox japonica totogo</i>)	Included in <i>japonica</i>
Chocolate-backed Kingfisher [lopezi] (<i>Halcyon badia lopezi</i>)	Included in nominate
Japanese Pygmy Woodpecker [ijimae] (<i>Yungipicus kizuki ijimae</i>)	Included in <i>seebohmi</i>
Laughing Falcon [chapmani] (<i>Herpetotheres cachinnans chapmani</i>)	Included in nominate
Laughing Falcon [queribundus] (<i>Herpetotheres cachinnans queribundus</i>)	“
Red-tailed Black-cockatoo [macrorhynchus] (<i>Calyptorhynchus banksii macrorhynchus</i>)	“
White-fringed Antwren (Southern) [deluzae] (<i>Formicivora grisea deluzae</i>)	The validity of proposed subspecies <i>deluzae</i> , is considered to be dubious , included in <i>grisea</i>
Short-tailed Babbler [saturatum] (<i>Pellorneum malaccense saturatum</i>)	Included in nominate
Short-tailed Babbler [feriatum] (<i>Pellorneum malaccense feriatum</i>)	Included in <i>poliogenys</i>
Happy Wren [magdalенаe] (<i>Pheugopedius felix magdalенаe</i>)	Included in <i>lawrencii</i>
Bluethroat (Red-spotted) [tianschanica] (<i>Luscinia svecica tianschanica</i>)	Replaced by <i>saturator</i>
Indian Blackbird (Black-capped) [spencei] (<i>Turdus simillimus spencei</i>)	Included in <i>nigropileus</i>
Crested Bobwhite (Crested) [continentis] (<i>Colinus cristatus continentis</i>)	Included in nominate
Gambel's Quail [sana] (<i>Callipepla gambelii sana</i>)	“
Gambel's Quail [friedmanni] (<i>Callipepla gambelii friedmanni</i>)	Included in <i>fulvipectus</i>

Singing Quail [ginetensis] (<i>Dactylortyx thoracicus ginetensis</i>)	Included in <i>chiapensis</i>
Singing Quail [edwardsi] (<i>Dactylortyx thoracicus edwardsi</i>)	“
Singing Quail [moorei] (<i>Dactylortyx thoracicus moorei</i>)	“
Singing Quail [rufescens] (<i>Dactylortyx thoracicus rufescens</i>)	Included in <i>fuscus</i>
Singing Quail [calophonus] (<i>Dactylortyx thoracicus calophonus</i>)	Included in <i>dolichonyx</i>
Singing Quail [taylori] (<i>Dactylortyx thoracicus taylori</i>)	Included in <i>salvadoranus</i>
Koklass Pheasant [bethelae] (<i>Pucrasia macrolopha bethelae</i>)	Included in <i>biddulphi</i>
Ring-necked Pheasant (Ring-necked) [bergii] (<i>Phasianus colchicus bergii</i>)	Included in <i>turcestanicus</i>
Gray Peacock-pheasant [bakeri] (<i>Polyplectron bicalcaratum bakeri</i>)	Monotypic
Gray Peacock-pheasant [bailyi] (<i>Polyplectron bicalcaratum bailyi</i>)	“
Gray Peacock-pheasant [bicalcaratum] (<i>Polyplectron bicalcaratum bicalcaratum</i>)	“
Gray Peacock-pheasant [ghigii] (<i>Polyplectron bicalcaratum ghigii</i>)	“
Australasian Grebe [timorensis] (<i>Tachybaptus novaehollandiae timorensis</i>)	Included in nominate
Common Wood-Pigeon (White-necked) [excelsa] (<i>Columba palumbus excelsa</i>)	“
Wompoo Fruit-dove [alaris] (<i>Ptilinopus magnificus alaris</i>)	Included in <i>puella</i>
Wompoo Fruit-dove [interpositus] (<i>Ptilinopus magnificus interpositus</i>)	Included in <i>poliurus</i>
Wompoo Fruit-dove [septentrionalis] (<i>Ptilinopus magnificus septentrionalis</i>)	“
Short-tailed Nighthawk (Short-tailed) [noctivagus] (<i>Lurocalis semitorquatus noctivagus</i>)	Included in <i>stonei</i>
Indian Nightjar [siamensis] (<i>Caprimulgus asiaticus siamensis</i>)	Included in nominate
Glittering-throated Emerald [distans] (<i>Chionomesa fimbriata distans</i>)	Included in <i>elegantissima</i>
Least Seedsnipe [pallidus] (<i>Thinocorus rumicivorus pallidus</i>)	Included in <i>cuneicauda</i>
Brown Noddy [plumbeigularis] (<i>Anous stolidus plumbeigularis</i>)	Included in <i>pileatus</i>
Sooty Tern [infuscatus] (<i>Onychoprion fuscatus infuscatus</i>)	Included in <i>nubilosus</i>
Bridled Tern [recognitus] (<i>Onychoprion anaethetus recognitus</i>)	included in <i>melanopterus</i>

Bridled Tern [fuligulus] (<i>Onychoprion anaethetus fuligulus</i>)	Included in <i>antarcticus</i>
Little Tern [pusilla] (<i>Sternula albifrons pusilla</i>)	Included in <i>sinensis</i>
Besra [nisoides] (<i>Accipiter virgatus nisoides</i>)	Included in nominate
Australasian Grass-owl [baliem] (<i>Tyto longimembris baliem</i>)	Included in <i>papuensis</i>
Barn Owl [niveicauda] (<i>Tyto alba niveicauda</i>)	Included in <i>furcata</i>
Blakiston's Fish-owl [piscivora] (<i>Ketupa blakistoni piscivora</i>)	Included in <i>doerriesi</i>
Blakiston's Fish-owl [karafutonis] (<i>Ketupa blakistoni karafutonis</i>)	Included in nominate
Green-backed Trogon [viridis] (<i>Trogon viridis viridis</i>)	Monotypic
Green-backed Trogon [melanopterus] (<i>Trogon viridis melanopterus</i>)	“
Mountain Trogon [lutescens] (<i>Trogon mexicanus lutescens</i>)	Included in nominate
Diard's Trogon [neglectus] (<i>Harpactes diardii neglectus</i>)	Included in <i>sumatranus</i>
Red-headed Trogon [hodgsoni] (<i>Harpactes erythrocephalus hodgsoni</i>)	Included in nominate
Eurasian Hoopoe (Eurasian) [orientalis] (<i>Upupa epops orientalis</i>)	“
Eurasian Hoopoe (Eurasian) [saturata] (<i>Upupa epops saturata</i>)	“
Blue-eared Kingfisher [laubmanni] (<i>Alcedo meninting laubmanni</i>)	Included in <i>coltarti</i>
Blue-eared Kingfisher [amadoni] (<i>Alcedo meninting amadoni</i>)	Included in <i>verreauxii</i>
Blue-eared Kingfisher [proxima] (<i>Alcedo meninting proxima</i>)	Included in nominate
Blue-eared Kingfisher [subviridis] (<i>Alcedo meninting subviridis</i>)	“
Blue-eared Kingfisher [callima] (<i>Alcedo meninting callima</i>)	“
Azure Kingfisher [wallaceanus] (<i>Ceyx azureus wallaceanus</i>)	Included in <i>lessonii</i>
Dollarbird [connectens] (<i>Eurystomus orientalis connectens</i>)	Included in <i>pacificus</i>
White-necked Puffbird [cryptoleucus] (<i>Notharchus hyperrhynchus cryptoleucus</i>)	Included in nominate
Scarlet Minivet (Scarlet) [elegans] (<i>Pericrocotus speciosus elegans</i>)	Included in <i>fraterculus</i>
Desert Lark [coxi] (<i>Ammomanes deserti coxi</i>)	Included in <i>isabellina</i>
Desert Lark [darica] (<i>Ammomanes deserti darica</i>)	Included in <i>iranica</i>

Baikal Bush Warbler [shanensis] (<i>Locustella davidi shanensis</i>)	Included in <i>suschkini</i>
Bank Swallow [innominata] (<i>Riparia riparia innominata</i>)	Included in nominate
Pale Sand Martin [gavrilovi] (<i>Riparia diluta gavrilovi</i>)	“
Pale Sand Martin [transbaykalica] (<i>Riparia diluta transbaykalica</i>)	“
Red-vented Bulbul [primrosei] (<i>Pycnonotus cafer primrosei</i>)	Included in <i>bengalensis</i>
Red-vented Bulbul [pusillus] (<i>Pycnonotus cafer pusillus</i>)	Included in nominate
Gray-sided Bush Warbler [muroides] (<i>Cettia brunnifrons muroides</i>)	Included in <i>umbratical</i>
Black-chinned Yuhina [nigrimenta] (<i>Yuhina nigrimenta nigrimenta</i>)	Monotypic
Black-chinned Yuhina [intermedia] (<i>Yuhina nigrimenta intermedia</i>)	“
Black-chinned Yuhina [pallida] (<i>Yuhina nigrimenta pallida</i>)	“
Black-streaked Scimitar Babbler [sowerbyi] (<i>Erythrogonys gravivox sowerbyi</i>)	Included in nominate
Brown-capped Babbler [scortillum] (<i>Pellorneum fuscicapillus scortillum</i>)	“
Hoary-throated Barwing [nipalensis] (<i>Actinodura nipalensis nipalensis</i>)	Monotypic
Hoary-throated Barwing [vinctura] (<i>Actinodura nipalensis vinctura</i>)	“
Chestnut-tailed Minla [cinereigenae] (<i>Actinodura strigula cinereigenae</i>)	Included in <i>yunnanensis</i>
Red-billed Leiothrix [luteola] (<i>Leiothrix lutea luteola</i>)	Included in <i>calipyga</i>
Rufous-chinned Laughingthrush [grosvenori] (<i>Ianthocincla rufogularis grosvenori</i>)	Included in <i>occidentalis</i>
Greater Necklaced Laughingthrush [melanotis] (<i>Pterorhinus pectoralis melanotis</i>)	Included in nominate
Greater Necklaced Laughingthrush [pingi] (<i>Pterorhinus pectoralis pingi</i>)	Intergrade between nominate and <i>robini</i>
Desert Wheatear [atrogularis] (<i>Oenanthe deserti atrogularis</i>)	Included in nominate
Tawny Pipit [campestris] (<i>Anthus campestris campestris</i>)	Monotypic
Tawny Pipit [kastschenkoii] (<i>Anthus campestris kastschenkoii</i>)	“
Tawny Pipit [griseus] (<i>Anthus campestris griseus</i>)	“

Splits

Species	Split From
Chestnut-headed Chachalaca (<i>Ortalis ruficeps</i>)	Variable Chachalaca (<i>Ortalis motmot</i>)
Yungas Guan (<i>Penelope bridgesi</i>)	Dusky-legged Guan (<i>Penelope obscura</i>)
Vietnamese Crested Argus (<i>Rheinardia ocellata</i>)	Crested Argus (<i>Rheinardia ocellata</i>)
Malayan Crested Argus (<i>Rheinardia nigrescens</i>)	“
Ashy-tailed Swift (<i>Chaetura andrei</i>)	Vaux's Swift (<i>Chaetura vauxi</i>)
Malagasy Palm Swift (<i>Cypsiurus gracilis</i>) with ssp. <i>griveaudi</i> , <i>gracilis</i>	African Palm-swift (<i>Cypsiurus parvus</i>)
Butterfly Coquette (<i>Lophornis verreauxii</i>) with ssp. <i>verreauxii</i> , <i>klagesi</i>	Butterfly Coquette (<i>Lophornis verreauxii</i>)
Turquoise-crowned Hummingbird (<i>Cyananthus doubledayi</i>)	Broad-billed Hummingbird (<i>Cyananthus latirostris</i>)
Diamantina Sabrewing (<i>Campylopterus diamantinensis</i>)	Gray-breasted Sabrewing (<i>Campylopterus largipennis</i>)
White-faced Plover (<i>Charadrius dealbatus</i>)	Kentish Plover (<i>Charadrius alexandrinus</i>)
Paraguayan Snipe (<i>Gallinago paraguaiae</i>)	South American Snipe (<i>Gallinago paraguaiae</i>)
Magellanic Snipe (<i>Gallinago magellanica</i>)	“
Short-billed Gull (<i>Larus brachyrhynchus</i>)	Mew Gull (<i>Larus canus</i>)
Common Gull (<i>Larus canus</i>) with ssp. <i>canus</i> , <i>henei</i> , <i>kamtschatschensis</i>	“
West African Crested Tern (<i>Thalasseus albididorsalis</i>)	Royal Tern (<i>Thalasseus maximus</i>)
Cyprus Scops-Owl (<i>Otus cyprius</i>)	Eurasian Scops-owl (<i>Otus scops</i>)
Arabian Eagle-Owl (<i>Bubo milesi</i>)	Spotted Eagle-owl (<i>Bubo africanus</i>)
Sunda Owlet (<i>Taenioptynx sylvaticus</i>) with ssp. <i>sylvaticus</i> , <i>borneensis</i>	Collared Owlet (<i>Taenioptynx brodiei</i>)
Maghreb Owl (<i>Strix mauritanica</i>)	Tawny Owl (<i>Strix aluco</i>)
Cinereous Owl (<i>Strix sartorii</i>)	Barred Owl (<i>Strix varia</i>)
Rote Boobook (<i>Ninox rotiensis</i>)	Southern Boobook (<i>Ninox boobook</i>)
Timor Boobook (<i>Ninox fusca</i>)	“
Alor Boobook (<i>Ninox plesseni</i>)	“
Seram Boobook (<i>Ninox squamipila</i>)	Hantu Boobook (<i>Ninox squamipila</i>)
Buru Boobook (<i>Ninox hantu</i>)	“
Yellow-cheeked Lorikeet (<i>Saudareos meyeri</i>)	Yellow-and-green Lorikeet (<i>Saudareos flavoviridis</i>)
Sula Lorikeet (<i>Saudareos flavoviridis</i>)	“
Turquoise-winged Parrotlet (<i>Forpus spengeli</i>)	Blue-winged Parrotlet (<i>Forpus xanthopterygius</i>)

Riparian Parrotlet (<i>Forpus crassirostris</i>)	“
Cobalt-rumped Parrotlet (<i>Forpus xanthopterygius</i>)	“
Ornate Pitta (<i>Pitta concinna</i>)	Elegant Pitta (<i>Pitta elegans</i>)
Banda Sea Pitta (<i>Pitta vigorsii</i>)	“
Rusty-winged Antwren (<i>Herpsilochmus frater</i>) with ssp. <i>exiguus</i> , <i>frater</i>	Rufous-winged Antwren (<i>Herpsilochmus rufimarginatus</i>)
Rufous-margined Antwren (<i>Herpsilochmus rufimarginatus</i>)	“
Western Fire-eye (<i>Pyriglena maura</i>) including ssp. <i>pacifica</i> , <i>castanoptera</i> , <i>picea</i> , <i>marcapatensis</i> , <i>hellmayri</i> , <i>maura</i>	White-backed Fire-eye (<i>Pyriglena leuconota</i>)
Tapajos Fire-eye (<i>Pyriglena similis</i>)	“
East Amazonian Fire-eye (<i>Pyriglena leuconota</i>) with ssp. <i>interposita</i> , <i>leuconota</i> , <i>pernambucensis</i>	“
Sierra Nevada Antpitta (<i>Grallaria spatiator</i>)	Rufous Antpitta (<i>Grallaria rufula</i>)
Perija Antpitta (<i>Grallaria saltuensis</i>)	“
Muisca Antpitta (<i>Grallaria rufula</i>)	“
Bolivian Antpitta (<i>Grallaria cochabambae</i>)	“
Urubamba Antpitta (<i>Grallaria occabambae</i>)	“
Cajamarca Antpitta (<i>Grallaria cajamarcae</i>)	“
Junin Antpitta (<i>Grallaria obscura</i>)	“
Loja Tapaculo (<i>Scytalopus androstictus</i>)	Paramo Tapaculo (<i>Scytalopus opacus</i>)
Utcubamba Tapaculo (<i>Scytalopus intermedius</i>)	Blackish Tapaculo (<i>Scytalopus latrans</i>)
Mayan Antthrush (<i>Formicarius moniliger</i>) with ssp. <i>moniliger</i> , <i>pallidus</i> , <i>intermedius</i>	Black-faced Antthrush (<i>Formicarius analis</i>)
Middle American Leaf Tosser (<i>Sclerurus mexicanus</i>) with ssp. <i>mexicanus</i> , <i>pullus</i>	Tawny-throated Leaf Tosser (<i>Sclerurus mexicanus</i>)
South American Leaf Tosser (<i>Sclerurus obscurior</i>) with ssp. <i>andinus</i> , <i>obscurior</i> , <i>peruvianus</i> , <i>macconnelli</i> , <i>bahiae</i>	“
Uniform Woodcreeper (<i>Hylexetastes uniformis</i>) with ssp. <i>uniformis</i> , <i>brigidai</i>	Red-billed Woodcreeper (<i>Hylexetastes perrotii</i>)
Chinchipe Spinetail (<i>Synallaxis chinchipensis</i>)	Necklaced Spinetail (<i>Synallaxis stictothorax</i>)
Sierra de Lema Flycatcher (<i>Mionectes roraimae</i>)	McConnell's Flycatcher (<i>Mionectes macconnelli</i>)
Fulvous-headed Pygmy-Tyrant (<i>Euscarthmus fulviceps</i>)	Tawny-crowned Pygmy-tyrant (<i>Euscarthmus meloryphus</i>)
Rufous-crowned Pygmy-Tyrant (<i>Euscarthmus meloryphus</i>) with ssp. <i>paulus</i> , <i>meloryphus</i>	“
Giant Shrike (<i>Lanius giganteus</i>)	Chinese Gray Shrike (<i>Lanius sphenocercus</i>)

Mediterranean Short-toed Lark (<i>Alaudala rufescens</i>) with ssp. <i>rufescens</i> , <i>apetzii</i> , <i>minor</i>	Lesser Short-toed Lark (<i>Alaudala rufescens</i>)
Turkestan Short-toed Lark (<i>Alaudala heinei</i>) with ssp. <i>heinei</i> , <i>ahornii</i> , <i>persica</i>	“
Himalayan Prinia (<i>Prinia crinigera</i>) with ssp. <i>striatula</i> , <i>crinigera</i> , <i>yunnanensis</i> , <i>bangsi</i>	Striated Prinia (<i>Prinia crinigera</i>)
Striped Prinia (<i>Prinia striata</i>) with ssp. <i>catharia</i> , <i>parumstriata</i> , <i>striata</i>	“
Burmese Prinia (<i>Prinia cooki</i>)	Brown Prinia (<i>Prinia polychroa</i>)
Annam Prinia (<i>Prinia rocki</i>)	“
Delicate Prinia (<i>Prinia lepida</i>) with ssp. <i>akyildizi</i> , <i>hufufae</i> , <i>carpenteri</i> , <i>lepida</i> , <i>stevensi</i>	Graceful Prinia (<i>Prinia gracilis</i>)
Sulawesi Bush Warbler (<i>Locustella castanea</i>)	Chestnut-backed Bush Warbler (<i>Locustella castanea</i>)
Seram Bush Warbler (<i>Locustella musculus</i>)	“
Buru Bush Warbler (<i>Locustella disturbans</i>)	“
Highland Rush Warbler (<i>Bradypterus centralis</i>) with ssp. <i>elgonensis</i> , <i>centralis</i> , <i>sudanensis</i>	Little Rush Warbler (<i>Bradypterus baboecala</i>)
Island Leaf Warbler (<i>Phylloscopus poliocephalus</i>) with ssp. <i>poliocephalus</i> , <i>suaramerdu</i> , <i>emilsalimi</i> , <i>henrietta</i> , <i>waterstradti</i> , <i>everetti</i> , <i>ceramensis</i> , <i>avicola</i> , <i>albigularis paniaiaae</i> , <i>cyclopum</i> , <i>giulianettii</i> , <i>hamlini</i> , <i>matthiae</i> , <i>moorhousei</i> , <i>leletensis</i> , <i>becki</i> , <i>bougainvillei</i> , <i>pallescens</i>	Island Leaf Warbler (<i>Phylloscopus maforensis</i>)
Numfor Leaf Warbler (<i>Phylloscopus maforensis</i>)	“
Biak Leaf Warbler (<i>Phylloscopus misoriensis</i>)	“
Western Subalpine Warbler (<i>Curruca iberiae</i>)	Subalpine Warbler (<i>Sylvia cantillans</i>)
Eastern Subalpine Warbler (<i>Curruca cantillans</i>) with ssp. <i>cantillans</i> , <i>albistriata</i>	“
Socotra White-eye (<i>Zosterops socotranus</i>)	Abyssinian White-eye (<i>Zosterops abyssinicus</i>)
Forest White-eye (<i>Zosterops stenocricotus</i>)	African Yellow White-eye (<i>Zosterops senegalensis</i>)
Green White-eye (<i>Zosterops stuhlmanni</i>) with ssp. <i>stuhlmanni</i> , <i>reichenowi</i> , <i>toroensis</i>	“
Southern Yellow White-eye (<i>Zosterops anderssoni</i>) with ssp. <i>stierlingi</i> , <i>anderssoni</i> , <i>tongensis</i>	“
Northern Yellow White-eye (<i>Zosterops senegalensis</i>) with ssp. <i>senegalensis</i> , <i>demeryi</i> , <i>kasaicus</i> , <i>heinrichi</i> , <i>quanzae</i> , <i>gerhardi</i> , <i>jacksoni</i>	“
Wakatobi White-eye (<i>Zosterops flavissimus</i>)	Lemon-bellied White-eye (<i>Zosterops chloris</i>)

Dark-eyed White-eye (<i>Zosterops tetiparius</i>) with ssp. <i>paradoxus</i> , <i>tetiparius</i>	Solomons White-eye (<i>Zosterops kulambangrae</i>)
Annam Limestone Babbler (<i>Gypsophila annamensis</i>)	Limestone Wren-babbler (<i>Turdinus crispifrons</i>)
Rufous Limestone Babbler (<i>Gypsophila calcicola</i>)	“
Variable Limestone Babbler (<i>Gypsophila crispifrons</i>)	“
Bahama Nuthatch (<i>Sitta insularis</i>)	Brown-headed Nuthatch (<i>Sitta pusilla</i>)
White-browed Gnatcatcher (<i>Polioptila bilineata</i>) with ssp. <i>brodkorbi</i> , <i>superciliaris</i> , <i>cinericia</i> , <i>bilineata</i> , <i>daguae</i>	Tropical Gnatcatcher (<i>Polioptila plumbea</i>)
Sedge Wren (<i>Cistothorus stellaris</i>)	Sedge Wren (<i>Cistothorus platensis</i>)
Hill Blue Flycatcher (<i>Cyornis whitei</i>) with ssp. <i>whitei</i> , <i>lekhakuni</i> , <i>deignani</i> , <i>coerulifrons</i>	Hill Blue Flycatcher (<i>Cyornis banyumas</i>)
Javan Blue Flycatcher (<i>Cyornis banyumas</i>) with ssp. <i>banyumas</i> , <i>ligus</i>	“
Dayak Blue Flycatcher (<i>Cyornis montanus</i>)	“
Ryukyu Flycatcher (<i>Ficedula owstoni</i>)	Narcissus Flycatcher (<i>Ficedula narcissina</i>)
Amur Stonechat (<i>Saxicola stejnegeri</i>)	Siberian Stonechat (<i>Saxicola maurus</i>)
Western Black-eared Wheatear (<i>Oenanthe hispanica</i>)	Black-eared Wheatear (<i>Oenanthe hispanica</i>)
Eastern Black-eared Wheatear (<i>Oenanthe melanoleuca</i>)	“
Nicholson's Pipit (<i>Anthus nicholsoni</i>) with ssp. <i>palliditinctus</i> , <i>leucocraspedon</i> , <i>nicholsoni</i> , <i>petricolus</i> , <i>primarius</i>	Long-billed Pipit (<i>Anthus similis</i>)
West Mexican Euphonia (<i>Euphonia godmani</i>)	Scrub Euphonia (<i>Euphonia affinis</i>)
Taiwan Bullfinch (<i>Pyrrhula owstoni</i>)	Gray-headed Bullfinch (<i>Pyrrhula erythaca</i>)
Yungas Sparrow (<i>Rhynchospiza dabbenei</i>)	Stripe-capped Sparrow (<i>Rhynchospiza strigiceps</i>)
Chaco Sparrow (<i>Rhynchospiza strigiceps</i>)	“
Moss-backed Sparrow (<i>Arremon dorbignii</i>)	Saffron-billed Sparrow (<i>Arremon flavirostris</i>)
Chestnut-capped Warbler (<i>Basileuterus delatirii</i>) with ssp. <i>delatirii</i> , <i>mesochrysus</i> , <i>actuosus</i>	Rufous-capped Warbler (<i>Basileuterus rufifrons</i>)
St. Kitts Bullfinch (<i>Melopyrrha grandis</i>)	Puerto Rican Bullfinch (<i>Melopyrrha portoricensis</i>)
Brujo Flycatcher (<i>Pyrocephalus nanus</i>) with ssp. <i>nanus</i> , <i>dubius</i>	Vermilion Flycatcher (<i>Pyrocephalus rubinus</i>)
Variable Shrikethrush (<i>Colluricincla fortis</i>) with ssp. <i>neos</i> , <i>despecta</i> , <i>superflua</i> , <i>fortis</i> , <i>trobriandi</i>	Little Shrikethrush (<i>Colluricincla megarhyncha</i>)

Waigeo Shrikethrush (<i>Colluricincla affinis</i>)	“
Mamberamo Shrikethrush (<i>Colluricincla obscura</i>) with ssp. <i>obscura</i> , <i>idenburgi</i> , <i>hybridus</i>	“
Sepik-Ramu Shrikethrush (<i>Colluricincla tappenbecki</i>) with ssp. <i>tappenbecki</i> , <i>maeandrina</i> , <i>madaraszi</i>	“
Arafura Shrikethrush (<i>Colluricincla megarhyncha</i>) with ssp. <i>batantae</i> , <i>misoliensis</i> , <i>aruensis</i> , <i>megarhyncha</i> , <i>ferruginea</i> , <i>wuroi</i> , <i>palmeri</i> , <i>parvula</i>	“
Tagula Shrikethrush (<i>Colluricincla discolor</i>)	“
Rufous Shrikethrush (<i>Colluricincla rufogaster</i>) with ssp. <i>goodsoni</i> , <i>aelpetes</i> , <i>normani</i> , <i>griseata</i> , <i>synaptica</i> , <i>gouldii</i> , <i>rufogaster</i>	“
Arabian Lark (<i>Eremalauda eremodites</i>)	Dunn's Lark (<i>Eremalauda dunnii</i>)
Gray-cheeked Bulbul (<i>Alophoixus tephrogenys</i>) with ssp. <i>tephrogenys</i> , <i>gutturalis</i>	Gray-cheeked Bulbul (<i>Alophoixus bres</i>)
Brown-cheeked Bulbul (<i>Alophoixus bres</i>) with ssp. <i>bres</i> , <i>balicus</i>	“
Penan Bulbul (<i>Alophoixus ruficrissus</i>) with ssp. <i>fowleri</i> , <i>ruficrissus</i> , <i>meratusensis</i>	Ochraceous Bulbul (<i>Alophoixus ochraceus</i>)
Speckled Nightingale-Thrush (<i>Catharus maculatus</i>) with ssp. <i>maculatus</i> , <i>blakei</i>	Spotted Nightingale-thrush (<i>Catharus dryas</i>)
Yellow-throated Nightingale-Thrush (<i>Catharus dryas</i>) with ssp. <i>ovandensis</i> , <i>dryas</i>	“
White-spotted Munia (<i>Mayrimunia leucosticta</i>)	Streak-headed Munia (<i>Mayrimunia tristissima</i>)
Olivaceous Saltator (<i>Saltator olivascens</i>) with ssp. <i>plumbeus</i> , <i>brewsteri</i> , <i>olivascens</i>	Grayish Saltator (<i>Saltator coerulescens</i>)
Cinnamon-bellied Saltator (<i>Saltator grandis</i>) with ssp. <i>vigorsii</i> , <i>plumbiceps</i> , <i>grandis</i> , <i>yucatanensis</i> , <i>hesperis</i> , <i>brevicaudus</i>	“
Blue-gray Saltator (<i>Saltator coerulescens</i>) with ssp. <i>azarae</i> , <i>mutus</i> , <i>superciliaris</i> , <i>coerulescens</i>	“

Lumps

Species	Lumped into
Amazonian Swift (<i>Chaetura viridipennis</i>)	Chapman's Swift (<i>Chaetura chapmani</i>)
Gould's Emerald (<i>Riccordia elegans</i>)	Brace's Emerald (<i>Riccordia bracei</i>)
Crested Caracara (<i>Caracara cheriway</i>)	Crested Caracara (<i>Caracara plancus</i>)
Southern Caracara (<i>Caracara plancus</i>)	“
Rondonia Woodcreeper (<i>Lepidocolaptes fuscicapillus</i>)	Dusky-capped Woodcreeper (<i>Lepidocolaptes fuscicapillus</i>)
Layard's Woodcreeper (<i>Lepidocolaptes layardi</i>)	“
Sandhill Grasswren (<i>Amytornis oweni</i>)	Rufous Grasswren (<i>Amytornis whitei</i>)
Northwestern Crow (<i>Corvus caurinus</i>)	American Crow (<i>Corvus brachyrhynchos</i>)

Sub-Species Reassigned to New Species

Subspecies	Moved to
Golden Whistler (fuliginosa) (<i>Pachycephala pectoralis fuliginosa</i>)	Western Whistler (<i>Pachycephala occidentalis</i>)
Brown Prinia [bangsi] (<i>Prinia polychroa bangsi</i>)	Himalayan Prinia (<i>Prinia crinigera</i>)
Reed Bunting [minor] (<i>Emberiza schoeniclus minor</i>)	Pallas's Bunting (<i>Emberiza pallasi</i>)

Common Name changes

Old Common Name	New Common Name
Green-bellied Hummingbird (Green-bellied) [pacaraimae] (<i>Saucerottia viridigaster pacaraimae</i>)	Green-bellied Hummingbird (Copper-tailed) [pacaraimae]
Rusty Grasswren (<i>Amytornis rowleyi</i>)	Opalton Grasswren
Sedge Wren (<i>Cistothorus platensis</i>)	Grass Wren
Hottentot Teal (<i>Spatula hottentota</i>)	Blue-billed Teal
Malaysian Partridge (<i>Arborophila campbelli</i>)	Malayan Partridge
Orange River Francolin (Kalahari) (<i>Scleroptila gutturalis jugularis</i>)	Orange River Francolin (Kunene)
Crestless Fireback (Malay) (<i>Lophura erythrophthalma erythrophthalma</i>)	Crestless Fireback (Malayan)
Crested Fireback (Malay) (<i>Lophura ignita rufa</i>)	Crested Fireback (Malayan)
Madagascar Turtle-dove (<i>Streptopelia picturata</i>)	Malagasy Turtle-Dove
White-breasted Fruit Dove (White-banded) (<i>Ptilinopus rivoli prasinorrhous</i>)	White-breasted Fruit-Dove (Moluccan)
White-breasted Fruit Dove (Yellow-vented) (<i>Ptilinopus rivoli</i> [rivoli-group])	White-breasted Fruit-Dove (White-bibbed)
Madagascar Coucal (<i>Centropus toulou</i>)	Malagasy Coucal
Thick-billed Cuckoo (Malagasy) (<i>Pachycoccyx audeberti audeberti</i>)	Thick-billed Cuckoo (Madagascar)
Malagasy Spinetail (<i>Zoonavena grandidieri</i>)	Madagascar Spinetail
Madagascar Swift (<i>Apus balstoni</i>)	Malagasy Swift
Choco Daggerbill (<i>Schistes albogularis</i>)	White-throated Daggerbill
Dry-forest Sabrewing (<i>Campylopterus calcirupicola</i>)	Outcrop Sabrewing
Lesser Sand-Plover (Mongolian) (<i>Charadrius mongolus mongolus/stegmanni</i>)	Lesser Sand-Plover (Siberian)
Hottentot Buttonquail (<i>Turnix hottentottus</i>)	Fynbos Buttonquail
Neotropical Cormorant (<i>Nannopterum brasilianum</i>)	Neotropic Cormorant
Little Bittern (Malagasy) (<i>Ixobrychus minutus podiceps</i>)	Little Bittern (Madagascar)
Great Blue Heron (Blue form) (<i>Ardea herodias</i> [herodias-group])	Great Blue Heron (Great Blue)
Great Blue Heron (White form) (<i>Ardea herodias occidentalis</i>)	Great Blue Heron (Great White)
Gray Heron (Malagasy) (<i>Ardea cinerea firasa</i>)	Gray Heron (Madagascar)
Madagascar Pond-heron (<i>Ardeola idae</i>)	Malagasy Pond-Heron
Madagascar Sacred Ibis (<i>Threskiornis bernieri</i>)	Malagasy Sacred Ibis
Madagascar Harrier (<i>Circus macroscelus</i>)	Malagasy Harrier

Malagasy Scops Owl (<i>Otus rutilus</i>)	Madagascar Scops-Owl
Puerto Rican Screech-owl (<i>Gymnasio nudipes</i>)	Puerto Rican Owl
Blue-banded Kingfisher (Malay) (<i>Alcedo euryzona peninsulae</i>)	Blue-banded Kingfisher (Malaysian)
Golden-throated Barbet (Malaysian) (<i>Psilopogon franklinii ramsayi</i>)	Golden-throated Barbet (Malayan)
Sulawesi Woodpecker (<i>Yungipicus temminckii</i>)	Sulawesi Pygmy Woodpecker
Philippine Woodpecker (<i>Yungipicus maculatus</i>)	Philippine Pygmy Woodpecker
Sulu Woodpecker (<i>Yungipicus ramsayi</i>)	Sulu Pygmy Woodpecker
Brown-capped Woodpecker (<i>Yungipicus nanus</i>)	Brown-capped Pygmy Woodpecker
Sunda Woodpecker (<i>Yungipicus moluccensis</i>)	Sunda Pygmy Woodpecker
Gray-capped Woodpecker (<i>Yungipicus canicapillus</i>)	Gray-capped Pygmy Woodpecker
Pygmy Woodpecker (<i>Yungipicus kizuki</i>)	Japanese Pygmy Woodpecker
Madagascar Kestrel (<i>Falco newtoni</i>)	Malagasy Kestrel
Peregrine Falcon (Malagasy) (<i>Falco peregrinus radama</i>)	Peregrine Falcon (Madagascar)
Yellow-crested Cockatoo (Citron-crested) (<i>Cacatua sulphurea citrinocristata</i>)	Yellow-crested Cockatoo (Orange-crested)
Siao Pitta (<i>Erythropitta palliceptis</i>)	Siau Pitta
Yellow-olive Flycatcher (Santa Marta) (<i>Tolmomyias sulphurescens exortivus</i>)	Yellow-olive Flycatcher (exortivus)
Dusky-capped Flycatcher (Arizona) (<i>Myiarchus tuberculifer olivascens</i>)	Dusky-capped Flycatcher (olivascens)
Cerulean Paradise-flycatcher (<i>Eutrichomyias rowleyi</i>)	Cerulean Flycatcher
Rufous Fantail (Moluccan) (<i>Rhipidura rufifrons torrida</i>)	Rufous Fantail (Gilolo)
Crested Drongo (Malagasy) (<i>Dicrurus forficatus forficatus</i>)	Crested Drongo (Madagascar)
Madagascar Paradise-flycatcher (<i>Terpsiphone mutata</i>)	Malagasy Paradise-Flycatcher
Grey-capped Shrike (<i>Lanius validirostris</i>)	Mountain Shrike
Black Magpie (Malay) (<i>Platysmurus leucopterus leucopterus</i>)	Black Magpie (Malayan)
Mountain Chickadee (Sierra Nevada) (<i>Poecile gambeli [baileyae-group]</i>)	Mountain Chickadee (Pacific)
Sykes's Short-toed Lark (<i>Calandrella dukhunensis</i>)	Mongolian Short-toed Lark
Zitting Cisticola (Zitting) (<i>Cisticola juncidis [juncidis-group]</i>)	Zitting Cisticola (Western)

Zitting Cisticola (tinnabulans Group) (<i>Cisticola juncidis</i> [tinnabulans-group])	Zitting Cisticola (Double Zitting)
Zitting Cisticola (Eastern) (<i>Cisticola juncidis bruniceps</i>)	Zitting Cisticola (Far Eastern)
Madagascar Brush Warbler (<i>Nesillas typica</i>)	Malagasy Brush-Warbler
Sakhalin Grasshopper-Warbler (<i>Helopsaltes amnicola</i>)	Sakhalin Grasshopper Warbler
Madagascar Bulbul (<i>Hypsipetes madagascariensis</i>)	Malagasy Bulbul
Ludlow's Fulvetta (<i>Fulvetta ludlowi</i>)	Brown-throated Fulvetta
Madagascar White-eye (<i>Zosterops maderaspatanus</i>)	Malagasy White-eye
Rusty-throated Wren-babbler (<i>Spelaeornis badeigularis</i>)	Mishmi Wren-Babbler
Long-tailed Wren-Babbler (<i>Spelaeornis chocolatinus</i>)	Naga Wren-Babbler
Blackish-breasted Babbler (<i>Stachyris humei</i>)	Sikkim Wedge-billed Babbler
Chevron-breasted Babbler (<i>Stachyris roberti</i>)	Cachar Wedge-billed Babbler
Fulvous Babbler (<i>Argya fulva</i>)	Fulvous Chatterer
Long-billed Gnatwren (Long-billed) (<i>Ramphocaenus melanurus</i> [melanurus-group])	Long-billed Gnatwren (Trilling)
Klage's Gnatcatcher (<i>Polioptila paraensis</i>)	Klages's Gnatcatcher
Grass Wren (Grass) (<i>Cistothorus platensis</i> [elegans-group])	Grass Wren (Northern)
Eastern Slaty Thrush (<i>Turdus subalaris</i>)	Blacksmith Thrush
Madagascar Sunbird (<i>Cinnyris notatus</i>)	Malagasy Sunbird
Pine Grosbeak (Queen Charlotte) (<i>Pinicola enucleator carlottae</i>)	Pine Grosbeak (Haida Gwaii)
Brown Bullfinch (Malay) (<i>Pyrrhula nipalensis waterstradti</i>)	Brown Bullfinch (Malayan)
Red Crossbill (Da Lat) (<i>Loxia curvirostra meridionalis</i>)	Red Crossbill (Dalat)
McCown's Longspur (<i>Rhynchophanes mccownii</i>)	Thick-billed Longspur
Eastern Meadowlark (Lilian's) (<i>Sturnella magna [lilianae-group]</i>)	Eastern Meadowlark (Chihuahuan)
Common Diuca-finch (<i>Diuca diuca</i>)	Diuca Finch
White-winged Diuca Finch (<i>Idiopsar speculifer</i>)	Glacier Finch
Island Collared-dove (<i>Streptopelia bitorquata</i>)	Sunda Collared Dove
Rufous Night-heron (<i>Nycticorax caledonicus</i>)	Nankeen Night-Heron
Australian Kestrel (<i>Falco cenchroides</i>)	Nankeen Kestrel
Large-billed Parrotlet (<i>Forpus crassirostris</i>)	Riparian Parrotlet

Rufous-fronted Thornbird (<i>specularis</i>) (<i>Phacellodomus rufifrons specularis</i>)	Rufous-fronted Thornbird (Rufous-winged)
Carrion Crow (<i>corone</i>) (<i>Corvus corone corone</i>)	Carrion Crow (Western)
Carrion Crow (<i>orientalis</i>) (<i>Corvus corone orientalis</i>)	Carrion Crow (Eastern)
Vivid Niltava (Large) (<i>Niltava vivida oatesi</i>)	Vivid Niltava (Chinese)
Vivid Niltava (Small) (<i>Niltava vivida vivida</i>)	Vivid Niltava (Taiwan)
Ryukyu Flycatcher (<i>Ficedula owstoni</i>)	Ryuku Flycatcher
Short-toed Rock-Thrush (Short-toed) (<i>Monticola brevipes brevipes</i>)	Short-toed Rock-Thrush (White-crowned)
Short-toed Rock-Thrush (White-crowned) (<i>Monticola brevipes pretoriae</i>)	Short-toed Rock-Thrush (Short-toed)
Short-tailed Finch (<i>Idiopsar brachyurus</i>)	Boulder Finch

Scientific name changes

Old Scientific Name	New Scientific Name
Udzungwa Partridge (Rubeho) (<i>Xenoperdix udzungwensis obscurata</i>)	<i>Xenoperdix udzungwensis obscuratus</i>
Spruce Grouse (<i>Falcipennis canadensis</i>)	<i>Canachites canadensis</i>
Black Grouse (<i>Tetrao tetrix</i>)	<i>Lyrurus tetrix</i>
Caucasian Grouse (<i>Tetrao mlokosiewiczii</i>)	<i>Lyrurus mlokosiewiczii</i>
Scaly-breasted Partridge (<i>Arborophila chloropus</i>)	<i>Tropicoperdix chloropus</i>
Chestnut-necklaced Partridge (<i>Arborophila charltonii</i>)	<i>Tropicoperdix charltonii</i>
Crested Francolin (<i>Dendroperdix sephaena</i>)	<i>Ortygornis sephaena</i>
Gray Francolin (<i>Francolinus pondicerianus</i>)	<i>Ortygornis pondicerianus</i>
Swamp Francolin (<i>Francolinus gularis</i>)	<i>Ortygornis gularis</i>
Coqui Francolin (<i>Peliperdix coqui</i>)	<i>Campocolinus coqui</i>
White-throated Francolin (<i>Peliperdix albogularis</i>)	<i>Campocolinus albogularis</i>
Schlegel's Francolin (<i>Peliperdix schlegelii</i>)	<i>Campocolinus schlegelii</i>
Snow Mountain Quail (<i>Anurophasis monorthonyx</i>)	<i>Synoicus monorthonyx</i>
Bumblebee Hummingbird (<i>Atthis heloisa</i>)	<i>Selasphorus heloisa</i>
Wine-throated Hummingbird (<i>Atthis ellioti</i>)	<i>Selasphorus ellioti</i>
Dusky Hummingbird (<i>Cynanthus sordidus</i>)	<i>Phaeoptila sordida</i>
Cuban Emerald (<i>Chlorostilbon ricordii</i>)	<i>Riccordia ricordii</i>
Brace's Emerald (<i>Chlorostilbon elegans</i>)	<i>Riccordia bracei</i>
Hispaniolan Emerald (<i>Chlorostilbon swainsonii</i>)	<i>Riccordia swainsonii</i>
Puerto Rican Emerald (<i>Chlorostilbon maugaeus</i>)	<i>Riccordia maugaeus</i>
Blue-headed Hummingbird (<i>Cyanophaea bicolor</i>)	<i>Riccordia bicolor</i>
Golden-crowned Emerald (<i>Chlorostilbon auriceps</i>)	<i>Cynanthus auriceps</i>
Cozumel Emerald (<i>Chlorostilbon forficatus</i>)	<i>Cynanthus forficatus</i>
Canivet's Emerald (<i>Chlorostilbon canivetii</i>)	<i>Cynanthus canivetii</i>
White-eared Hummingbird (<i>Hylocharis leucotis</i>)	<i>Basilinna leucotis</i>
Xantus's Hummingbird (<i>Hylocharis xantusii</i>)	<i>Basilinna xantusii</i>
Wedge-tailed Sabrewing (<i>Campylopterus curvipennis</i>)	<i>Pampa curvipennis</i>
Long-tailed Sabrewing (<i>Campylopterus excellens</i>)	<i>Pampa excellens</i>
Rufous Sabrewing (<i>Campylopterus rufus</i>)	<i>Pampa rufa</i>
Coppery-headed Emerald (<i>Elvira cupreiceps</i>)	<i>Microchera cupreiceps</i>
White-tailed Emerald (<i>Elvira chionura</i>)	<i>Microchera chionura</i>
Pirre Hummingbird (<i>Goethalsia bella</i>)	<i>Goldmania bella</i>
Mexican Woodnymph (<i>Thalurania ridgwayi</i>)	<i>Eupherusa ridgwayi</i>
Tumbes Hummingbird (<i>Leucippus baeri</i>)	<i>Thaumasius baeri</i>
Spot-throated Hummingbird (<i>Leucippus taczanowskii</i>)	<i>Thaumasius taczanowskii</i>

Sombre Hummingbird (<i>Aphantochroa cirrochloris</i>)	<i>Eupetomena cirrochloris</i>
Olive-spotted Hummingbird (<i>Leucippus chlorocercus</i>)	<i>Talaphorus chlorocercus</i>
Violet-crowned Hummingbird (<i>Amazilia violiceps</i>)	<i>Leucolia violiceps</i>
Green-fronted Hummingbird (<i>Amazilia viridifrons</i>)	<i>Leucolia viridifrons</i>
Azure-crowned Hummingbird (<i>Amazilia cyanocephala</i>)	<i>Saucerottia cyanocephala</i>
Blue-vented Hummingbird (<i>Amazilia hoffmanni</i>)	<i>Saucerottia hoffmanni</i>
Berylline Hummingbird (<i>Amazilia beryllina</i>)	<i>Saucerottia beryllina</i>
Blue-tailed Hummingbird (<i>Amazilia cyanura</i>)	<i>Saucerottia cyanura</i>
Snowy-bellied Hummingbird (<i>Amazilia edward</i>)	<i>Saucerottia Edward</i>
Steely-vented Hummingbird (<i>Amazilia saucerottei</i>)	<i>Saucerottia saucerottei</i>
Indigo-capped Hummingbird (<i>Amazilia cyanifrons</i>)	<i>Saucerottia cyanifrons</i>
Chestnut-bellied Hummingbird (<i>Amazilia castaneiventris</i>)	<i>Saucerottia castaneiventris</i>
Green-bellied Hummingbird (<i>Amazilia viridigaster</i>)	<i>Saucerottia viridigaster</i>
Copper-rumped Hummingbird (<i>Amazilia tobaci</i>)	<i>Saucerottia tobaci</i>
Amazilia Hummingbird (<i>Amazilia amazilia</i>)	<i>Amazilis amazilia</i>
Andean Emerald (<i>Amazilia franciae</i>)	<i>Uranomitra franciae</i>
Versicolored Emerald (<i>Amazilia versicolor</i>)	<i>Chrysuronia versicolor</i>
Shining-green Hummingbird (<i>Lepidopyga goudoti</i>)	<i>Chrysuronia goudoti</i>
Sapphire-bellied Hummingbird (<i>Lepidopyga lilliae</i>)	<i>Chrysuronia lilliae</i>
Humboldt's Sapphire (<i>Hylocharis humboldtii</i>)	<i>Chrysuronia humboldtii</i>
Blue-headed Sapphire (<i>Hylocharis grayi</i>)	<i>Chrysuronia grayi</i>
White-chested Emerald (<i>Amazilia brevirostris</i>)	<i>Chrysuronia brevirostris</i>
Plain-bellied Emerald (<i>Amazilia leucogaster</i>)	<i>Chrysuronia leucogaster</i>
Glittering-throated Emerald (<i>Amazilia fimbriata</i>)	<i>Chionomesa fimbriata</i>
Sapphire-spangled Emerald (<i>Amazilia lactea</i>)	<i>Chionomesa lactea</i>
White-bellied Hummingbird (<i>Amazilia chionogaster</i>)	<i>Elliotomyia chionogaster</i>
Green-and-white Hummingbird (<i>Amazilia viridicauda</i>)	<i>Elliotomyia viridicauda</i>
Purple-chested Hummingbird (<i>Amazilia rosenbergi</i>)	<i>Polyerata rosenbergi</i>
Blue-chested Hummingbird (<i>Amazilia amabilis</i>)	<i>Polyerata amabilis</i>
Charming Hummingbird (<i>Amazilia decora</i>)	<i>Polyerata decora</i>
White-bellied Emerald (<i>Amazilia candida</i>)	<i>Chlorestes candida</i>
Blue-throated Goldentail (<i>Hylocharis eliciae</i>)	<i>Chlorestes eliciae</i>
White-chinned Sapphire (<i>Hylocharis cyanus</i>)	<i>Chlorestes cyanus</i>
Violet-bellied Hummingbird (<i>Juliomyia julie</i>)	<i>Chlorestes julie</i>
Green-bellied Hummingbird (Green-bellied) (<i>Saucerottia viridigaster</i> [<i>viridigaster</i> -group])	<i>Saucerottia viridigaster viridigaster/iodura</i>
Sapphire-throated Hummingbird (<i>Lepidopyga coeruleogularis</i>)	<i>Chrysuronia coeruleogularis</i>
Madagascar Wood Rail (<i>Mentocrex kioloides</i>)	<i>Mentocrex kioloides</i>

Tsingy Wood Rail (<i>Mentocrex beankaensis</i>)	<i>Mentocrex beankaensis</i>
White-browed Crake (<i>Amaurornis cinerea</i>)	<i>Poliolimnas cinereus</i>
Tahiti Rail (<i>Hypotaenidia pacifica</i>)	<i>Gallirallus pacificus</i>
Fork-tailed Storm-petrel (<i>Oceanodroma furcata</i>)	<i>Hydrobates furcatus</i>
Ringed Storm Petrel (<i>Oceanodroma hornbyi</i>)	<i>Hydrobates hornbyi</i>
Leach's Storm-petrel (<i>Oceanodroma leucorhoa</i>)	<i>Hydrobates leucorhous</i>
Townsend's Storm-petrel (<i>Oceanodroma socorroensis</i>)	<i>Hydrobates socorroensis</i>
Ainley's Storm-petrel (<i>Oceanodroma cheimomnestes</i>)	<i>Hydrobates cheimomnestes</i>
Swinhoe's Storm-petrel (<i>Oceanodroma monorhis</i>)	<i>Hydrobates monorhis</i>
Ashy Storm-petrel (<i>Oceanodroma homochroa</i>)	<i>Hydrobates homochroa</i>
Band-rumped Storm-Petrel (<i>Oceanodroma castro</i>)	<i>Hydrobates castro</i>
Monteiro's Storm-Petrel (<i>Oceanodroma monteiroi</i>)	<i>Hydrobates monteiroi</i>
Cape Verde Storm-Petrel (<i>Oceanodroma jabejabe</i>)	<i>Hydrobates jabejabe</i>
Wedge-rumped Storm-petrel (<i>Oceanodroma tethys</i>)	<i>Hydrobates tethys</i>
Black Storm-petrel (<i>Oceanodroma melania</i>)	<i>Hydrobates melania</i>
Guadalupe Storm-petrel (<i>Oceanodroma macrodactyla</i>)	<i>Hydrobates macrodactylus</i>
Markham's Storm-petrel (<i>Oceanodroma markhami</i>)	<i>Hydrobates markhami</i>
Matsudaira's Storm-petrel (<i>Oceanodroma matsudairae</i>)	<i>Hydrobates matsudairae</i>
Tristram's Storm-petrel (<i>Oceanodroma tristrami</i>)	<i>Hydrobates tristrami</i>
Least Storm-petrel (<i>Oceanodroma microsoma</i>)	<i>Hydrobates microsoma</i>
Red-legged Cormorant (<i>Phalacrocorax gaimardi</i>)	<i>Poikilocarbo gaimardi</i>
Brandt's Cormorant (<i>Phalacrocorax penicillatus</i>)	<i>Urile penicillatus</i>
Red-faced Cormorant (<i>Phalacrocorax urile</i>)	<i>Urile urile</i>
Pelagic Cormorant (<i>Phalacrocorax pelagicus</i>)	<i>Urile pelagicus</i>
Pallas's Cormorant (<i>Phalacrocorax perspicillatus</i>)	<i>Urile perspicillatus</i>
European Shag (<i>Phalacrocorax aristotelis</i>)	<i>Gulosus aristotelis</i>
Flightless Cormorant (<i>Phalacrocorax harrisi</i>)	<i>Nannopterum harrisi</i>
Neotropic Cormorant (<i>Phalacrocorax brasilianus</i>)	<i>Nannopterum brasilianum</i>
Double-crested Cormorant (<i>Phalacrocorax auritus</i>)	<i>Nannopterum auratum</i>
Magellanic Cormorant (<i>Phalacrocorax magellanicus</i>)	<i>Leucocarbo magellanicus</i>
Guanay Cormorant (<i>Phalacrocorax bougainvillii</i>)	<i>Leucocarbo bougainvillii</i>
Bounty Islands Shag (<i>Phalacrocorax ranfurlyi</i>)	<i>Leucocarbo ranfurlyi</i>
New Zealand King Shag (<i>Phalacrocorax carunculatus</i>)	<i>Leucocarbo carunculatus</i>
Stewart Island Shag (<i>Phalacrocorax chalconotus</i>)	<i>Leucocarbo chalconotus</i>
Chatham Islands Shag (<i>Phalacrocorax onslowi</i>)	<i>Leucocarbo onslowi</i>
Auckland Islands Shag (<i>Phalacrocorax colensoi</i>)	<i>Leucocarbo colensoi</i>
Campbell Islands Shag (<i>Phalacrocorax campbelli</i>)	<i>Leucocarbo campbelli</i>

South Georgia Shag (<i>Phalacrocorax georgianus</i>)	<i>Leucocarbo georgianus</i>
Imperial Cormorant (<i>Phalacrocorax atriceps</i>)	<i>Leucocarbo atriceps</i>
Antarctic Shag (<i>Phalacrocorax bransfieldensis</i>)	<i>Leucocarbo bransfieldensis</i>
Crozet Shag (<i>Phalacrocorax melanogenis</i>)	<i>Leucocarbo melanogenis</i>
Kerguelen Shag (<i>Phalacrocorax verrucosus</i>)	<i>Leucocarbo verrucosus</i>
Heard Island Shag (<i>Phalacrocorax nivalis</i>)	<i>Leucocarbo nivalis</i>
Macquarie Shag (<i>Phalacrocorax purpurascens</i>)	<i>Leucocarbo purpurascens</i>
Barn Owl (Eastern) (<i>Tyto alba [delicatula-group]</i>)	<i>Tyto alba [javanica-group]</i>
Barn Owl (American) (<i>Tyto alba [furcata-group]</i>)	<i>Tyto alba [tuidara-group]</i>
Puerto Rican Screech-owl (<i>Megascops nudipes</i>)	<i>Gymnasio nudipes</i>
Collared Owlet (<i>Glaucidium brodiei</i>)	<i>Taenioptynx brodiei</i>
Jamaican Owl (<i>Pseudoscops grammicus</i>)	<i>Asio grammicus</i>
Fearful Owl (<i>Nesasio solomonensis</i>)	<i>Asio solomonensis</i>
Pygmy Lorikeet (<i>Charmosyna wilhelminae</i>)	<i>Charminetta wilhelminae</i>
Duchess Lorikeet (<i>Charmosyna margarethae</i>)	<i>Charmosynoides margarethae</i>
Red-fronted Lorikeet (<i>Charmosyna rubronotata</i>)	<i>Hypocharmosyna rubronotata</i>
Red-flanked Lorikeet (<i>Charmosyna placentis</i>)	<i>Hypocharmosyna placentis</i>
Blue-fronted Lorikeet (<i>Charmosyna toxopei</i>)	<i>Charmosynopsis toxopei</i>
Fairy Lorikeet (<i>Charmosyna pulchella</i>)	<i>Charmosynopsis pulchella</i>
Striated Lorikeet (<i>Charmosyna multistriata</i>)	<i>Synorhacma multistriata</i>
Meek's Lorikeet (<i>Charmosyna meeki</i>)	<i>Vini meeki</i>
New Caledonian Lorikeet (<i>Charmosyna diadema</i>)	<i>Vini diadema</i>
Red-chinned Lorikeet (<i>Charmosyna rubrigularis</i>)	<i>Vini rubrigularis</i>
Palm Lorikeet (<i>Charmosyna palmarum</i>)	<i>Vini palmarum</i>
Red-throated Lorikeet (<i>Charmosyna amabilis</i>)	<i>Vini amabilis</i>
Collared Lory (<i>Phigys solitarius</i>)	<i>Vini solitarius</i>
Little Lorikeet (<i>Glossopsitta pusilla</i>)	<i>Parvipsitta pusilla</i>
Purple-crowned Lorikeet (<i>Glossopsitta porphyrocephala</i>)	<i>Parvipsitta porphyrocephala</i>
Cardinal Lory (<i>Chalcopsitta cardinalis</i>)	<i>Pseudeos cardinalis</i>
Goldie's Lorikeet (<i>Psitteuteles goldiei</i>)	<i>Glossoptila goldiei</i>
Mindanao Lorikeet (<i>Trichoglossus johnstoniae</i>)	<i>Saudareos johnstoniae</i>
Iris Lorikeet (<i>Psitteuteles iris</i>)	<i>Saudareos iris</i>
Ornate Lorikeet (<i>Trichoglossus ornatus</i>)	<i>Saudareos ornatus</i>
Visayan Broadbill (<i>Eurylaimus samarensis</i>)	<i>Sarcophanops samarensis</i>
Wattled Broadbill (<i>Eurylaimus steerii</i>)	<i>Sarcophanops steerii</i>
Parana Antwren (<i>Stymphalornis acutirostris</i>)	Marsh Antwren (<i>Formicivora acutirostris</i>)
Speckle-breasted Antpitta (<i>Hylopezus nattereri</i>)	<i>Cryptopezus nattereri</i>
White-lored Antpitta (<i>Hylopezus fulviventris</i>)	<i>Myrmothera fulviventris</i>
Amazonian Antpitta (<i>Hylopezus berlepschi</i>)	<i>Myrmothera berlepschi</i>

Thicket Antpitta (<i>Hylopezus dives</i>)	<i>Myrmothera dives</i>
Buff-fronted Foliage-gleaner (<i>Philydor rufum</i>)	<i>Dendroma rufa</i>
Chestnut-winged Foliage-gleaner (<i>Philydor erythroptera</i>)	<i>Dendroma erythroptera</i>
White-crowned Manakin (<i>Dixiphia pipra</i>)	<i>Pseudopipra pipra</i>
Chapada Flycatcher (<i>Suiriri affinis</i>)	<i>Guyramemua affine</i>
Little Ground-tyrant (<i>Muscisaxicola fluviatilis</i>)	<i>Syrtidicola fluviatilis</i>
Rufous-webbed Bush-Tyrant (<i>Polioxolmis rufipennis</i>)	<i>Cnemarchus rufipennis</i>
Fire-eyed Diucon (<i>Xolmis pyrope</i>)	<i>Pyrope pyrope</i>
Gray Monjita (<i>Xolmis cinereus</i>)	<i>Nengetus cinereus</i>
Black-crowned Monjita (<i>Xolmis coronatus</i>)	<i>Neoxolmis coronatus</i>
Salinas Monjita (<i>Xolmis salinarum</i>)	<i>Neoxolmis salinarum</i>
Rusty-backed Monjita (<i>Xolmis rubetra</i>)	<i>Neoxolmis rubetra</i>
Black-and-white Monjita (<i>Xolmis dominicanus</i>)	<i>Heteroxolmis dominicana</i>
Flammulated Flycatcher (<i>Deltarhynchus flammulatus</i>)	<i>Ramphotrigon flammulatum</i>
Streak-breasted Honeyeater (<i>Meliphaga reticulata</i>)	<i>Territornis reticulata</i>
Kimberley Honeyeater (<i>Meliphaga fordiana</i>)	<i>Territornis fordiana</i>
White-lined Honeyeater (<i>Meliphaga albilineata</i>)	<i>Territornis albilineata</i>
Forest Honeyeater (<i>Meliphaga montana</i>)	<i>Microptilotis montanus</i>
Spot-breasted Meliphaga (<i>Meliphaga mimikae</i>)	Mottled Honeyeater (<i>Microptilotis mimikae</i>)
Yellow-gaped Honeyeater (<i>Meliphaga flavirictus</i>)	<i>Microptilotis flavirictus</i>
Mountain Meliphaga (<i>Meliphaga orientalis</i>)	Mountain Honeyeater (<i>Microptilotis orientalis</i>)
Scrub Honeyeater (<i>Meliphaga albonotata</i>)	<i>Microptilotis albonotatus</i>
Mimic Honeyeater (<i>Meliphaga analoga</i>)	<i>Microptilotis analogus</i>
Tagula Honeyeater (<i>Meliphaga vicina</i>)	<i>Microptilotis vicina</i>
Graceful Honeyeater (<i>Meliphaga gracilis</i>)	<i>Microptilotis gracilis</i>
Elegant Honeyeater (<i>Meliphaga cinereifrons</i>)	<i>Microptilotis cinereifrons</i>
Scrub Greenlet (Scrub) [acuticauda] (<i>Hylophilus flavipes acuticauda</i>)	<i>Hylophilus flavipes acuticaudus</i>
Yellow-billed Shrike (<i>Corvinella corvina</i>)	<i>Lanius corvinus</i>
Magpie Shrike (<i>Corvinella melanoleuca</i>)	<i>Lanius melanoleucus</i>
Pacific Robin (Vanuatu) (<i>Petroica pusilla</i> [pusilla-group])	<i>Petroica pusilla</i> [similis-group]
Gray's Grasshopper-Warbler (<i>Locustella fasciolata</i>)	<i>Helopsaltes fasciolatus</i>
Sakhalin Grasshopper-warbler (<i>Locustella amnicola</i>)	"
Marsh Grassbird (<i>Locustella pryeri</i>)	<i>Helopsaltes pryeri</i>
Pallas's Grasshopper-warbler (<i>Locustella certhiola</i>)	<i>Helopsaltes certhiola</i>

Middendorff's Grasshopper Warbler (<i>Locustella ochotensis</i>)	<i>Helopsaltes ochotensis</i>
Pleske's Grasshopper Warbler (<i>Locustella pleskei</i>)	<i>Helopsaltes pleskei</i>
Bamboo Warbler (<i>Bradypterus alfredi</i>)	<i>Locustella alfredi</i>
Bristled Grassbird (<i>Chaetornis striata</i>)	<i>Schoenicola striatus</i>
Fan-tailed Grassbird (<i>Schoenicola brevirostris</i>)	<i>Catriscus brevirostris</i>
Grey Emutail (<i>Amphilais seebohmi</i>)	<i>Bradypterus seebohmi</i>
Banded Martin (<i>Riparia cincta</i>)	<i>Neophedina cincta</i>
Black-headed Bulbul (<i>Brachypodius atriceps</i>)	<i>Brachypodius melanocephalos</i>
Cream-vented Bulbul (Red-eyed) (<i>Pycnonotus simplex perplexus/prillwiti</i>)	<i>Pycnonotus simplex prillwiti /perplexus</i>
Abyssinian Catbird (<i>Parophasma galinieri</i>)	<i>Sylvia galinieri</i>
Barred Warbler (<i>Sylvia nisoria</i>)	<i>Curruca nisoria</i>
Layard's Warbler (<i>Sylvia layardi</i>)	<i>Curruca layardi</i>
Banded Parisoma (<i>Sylvia boehmi</i>)	<i>Curruca boehmi</i>
Chestnut-vented Warbler (<i>Sylvia subcoerulea</i>)	<i>Curruca subcoerulea</i>
Lesser Whitethroat (<i>Sylvia curruca</i>)	<i>Curruca curruca</i>
Brown Parisoma (<i>Sylvia lugens</i>)	<i>Curruca lugens</i>
Yemen Warbler (<i>Sylvia buryi</i>)	<i>Curruca buryi</i>
Arabian Warbler (<i>Sylvia leucomelaena</i>)	<i>Curruca leucomelaena</i>
Western Orphean Warbler (<i>Sylvia hortensis</i>)	<i>Curruca hortensis</i>
Eastern Orphean Warbler (<i>Sylvia crassirostris</i>)	<i>Curruca crassirostris</i>
African Desert Warbler (<i>Sylvia deserti</i>)	<i>Curruca deserti</i>

Asian Desert Warbler (<i>Sylvia nana</i>)	<i>Curruca nana</i>
Tristram's Warbler (<i>Sylvia deserticola</i>)	<i>Curruca deserticola</i>
Menetries's Warbler (<i>Sylvia mystacea</i>)	<i>Curruca mystacea</i>
Rüppell's Warbler (<i>Sylvia ruppeli</i>)	<i>Curruca ruppeli</i>
Cyprus Warbler (<i>Sylvia melanothorax</i>)	<i>Curruca melanothorax</i>
Sardinian Warbler (<i>Sylvia melanocephala</i>)	<i>Curruca melanocephala</i>
Moltoni's Warbler (<i>Sylvia subalpina</i>)	<i>Curruca subalpina</i>
Greater Whitethroat (<i>Sylvia communis</i>)	<i>Curruca communis</i>
Spectacled Warbler (<i>Sylvia conspicillata</i>)	<i>Curruca conspicillata</i>
Marmora's Warbler (<i>Sylvia sarda</i>)	<i>Curruca sarda</i>
Dartford Warbler (<i>Sylvia undata</i>)	<i>Curruca undata</i>
Balearic Warbler (<i>Sylvia balearica</i>)	<i>Curruca balearica</i>
Rufous-tailed Babbler (<i>Chrysomma poecilotis</i>)	<i>Moupinia poecilotis</i>
Reed Parrotbill (<i>Paradoxornis heudei</i>)	<i>Calamornis heudei</i>
White-collared Yuhina (<i>Yuhina diademata</i>)	<i>Parayuhina diademata</i>
Chestnut-crested Yuhina (<i>Yuhina everetti</i>)	<i>Staphida everetti</i>
Indochinese Yuhina (<i>Yuhina torqueola</i>)	<i>Staphida torqueola</i>
Striated Yuhina (<i>Yuhina castaniceps</i>)	<i>Staphida castaniceps</i>
Javan Grey-throated White-eye (<i>Lophozosterops javanicus</i>)	<i>Heleia javanica</i>
Gray-hooded White-eye (<i>Lophozosterops pinaiae</i>)	<i>Heleia pinaiae</i>
Pygmy White-eye (<i>Oculocincta squamifrons</i>)	<i>Heleia squamifrons</i>

Mindanao White-eye (<i>Lophozosterops goodfellowi</i>)	<i>Heleia goodfellowi</i>
Streak-headed White-eye (<i>Lophozosterops squamiceps</i>)	<i>Heleia squamiceps</i>
White-browed White-eye (<i>Lophozosterops superciliaris</i>)	<i>Heleia superciliaris</i>
Dark-crowned White-eye (<i>Lophozosterops dohertyi</i>)	<i>Heleia dohertyi</i>
Yellow-spectacled White-eye (<i>Zosterops wallacei</i>)	<i>Heleia wallacei</i>
Mountain Black-eye (<i>Chlorocharis emiliae</i>)	<i>Zosterops emiliae</i>
Bare-eyed White-eye (<i>Woodfordia superciliosa</i>)	<i>Zosterops superciliosus</i>
Sanford's White-eye (<i>Woodfordia lacertosa</i>)	<i>Zosterops lacertosus</i>
Gray-throated White-Eye (<i>Zosterops ugiensis</i>)	<i>Zosterops rendovae</i>
Dark-fronted Babbler (<i>Rhopocichla atriceps</i>)	<i>Dumetia atriceps</i>
Black Laughingthrush (<i>Garrulax lugubris</i>)	<i>Melanocichla lugubris</i>
Bare-headed Laughingthrush (<i>Garrulax calvus</i>)	<i>Melanocichla calva</i>
Large Scimitar Babbler (<i>Megapomatorhinus hypoleucos</i>)	<i>Erythrogenys hypoleucos</i>
Rusty-cheeked Scimitar Babbler (<i>Megapomatorhinus erythrogenys</i>)	<i>Erythrogenys erythrogenys</i>
Spot-breasted Scimitar Babbler (<i>Megapomatorhinus maclellandi</i>)	<i>Erythrogenys maclellandi</i>
Black-streaked Scimitar Babbler (<i>Megapomatorhinus gravivox</i>)	<i>Erythrogenys gravivox</i>
Grey-sided Scimitar Babbler (<i>Megapomatorhinus swinhoei</i>)	<i>Erythrogenys swinhoei</i>
Black-necklaced Scimitar Babbler (<i>Megapomatorhinus erythrocnemis</i>)	<i>Erythrogenys erythrocnemis</i>
Gold-fronted Fulvetta (<i>Alcippe variegaticeps</i>)	<i>Schoeniparus variegaticeps</i>
Abbott's Babbler (<i>Turdinus abbotti</i>)	<i>Malacocincla abbotti</i>
Horsfield's Babbler (<i>Turdinus sepiarius</i>)	<i>Malacocincla sepiaria</i>

Black-browed Babbler (<i>Turdinus perspicillatus</i>)	<i>Malacocincla perspicillata</i>
Mountain Wren-babbler (<i>Turdinus crassus</i>)	<i>Gypsophila crassa</i>
Streaked Wren-babbler (<i>Turdinus brevicaudatus</i>)	<i>Gypsophila brevicaudata</i>
Limestone Wren-babbler (<i>Turdinus crispifrons</i>)	<i>Gypsophila crispifrons</i>
Rusty-breasted Wren-babbler (<i>Turdinus rufipectus</i>)	<i>Gypsophila rufipectus</i>
Rufous-backed Sibia (<i>Minla annectens</i>)	<i>Leioptila annectens</i>
Large Grey Babbler (<i>Turdoides malcolmi</i>)	<i>Argya malcolmi</i>
Ashy-headed Laughingthrush (<i>Garrulax cinereifrons</i>)	<i>Argya cinereifrons</i>
Slender-billed Babbler (<i>Turdoides longirostris</i>)	<i>Argya longirostris</i>
Rufous Babbler (<i>Turdoides subrufa</i>)	<i>Argya subrufa</i>
Orange-billed Babbler (<i>Turdoides rufescens</i>)	<i>Argya rufescens</i>
Jungle Babbler (<i>Turdoides striata</i>)	<i>Argya striata</i>
Yellow-billed Babbler (<i>Turdoides affinis</i>)	<i>Argya affinis</i>
Rufous Chatterer (<i>Turdoides rubiginosa</i>)	<i>Argya rubiginosa</i>
Rufous Chatterer [sharpii] (<i>Argya rubiginosa sharpii</i>)	<i>Argya rubiginosa bowdleri</i>
Scaly Chatterer (<i>Turdoides aylmeri</i>)	<i>Argya aylmeri</i>
Iraq Babbler (<i>Turdoides altirostris</i>)	<i>Argya altirostris</i>
Afghan Babbler (<i>Turdoides huttoni</i>)	<i>Argya huttoni</i>
Common Babbler (<i>Turdoides caudata</i>)	<i>Argya caudata</i>
Fulvous Chatterer (<i>Turdoides fulva</i>)	<i>Argya fulva</i>
Arabian Babbler (<i>Turdoides squamiceps</i>)	<i>Argya squamiceps</i>

Striated Babbler (<i>Turdoides earlei</i>)	<i>Argya earlei</i>
White-throated Babbler (<i>Turdoides gularis</i>)	<i>Argya gularis</i>
Wayanad Laughingthrush (<i>Ianthocincla delesserti</i>)	<i>Pterorhinus delesserti</i>
Rufous-vented Laughingthrush (<i>Ianthocincla gularis</i>)	<i>Pterorhinus gularis</i>
White-cheeked Laughingthrush (<i>Ianthocincla vassali</i>)	<i>Pterorhinus vassal</i>
Yellow-throated Laughingthrush (<i>Ianthocincla galbana</i>)	<i>Pterorhinus galbanus</i>
Blue-crowned Laughingthrush (<i>Ianthocincla courtoisi</i>)	<i>Pterorhinus courtoisi</i>
Chestnut-capped Laughingthrush (<i>Ianthocincla mitrata</i>)	<i>Pterorhinus mitratus</i>
Chestnut-hooded Laughingthrush (<i>Ianthocincla treacheri</i>)	<i>Pterorhinus treachery</i>
Rufous-necked Laughingthrush (<i>Ianthocincla ruficollis</i>)	<i>Pterorhinus ruficollis</i>
Chestnut-backed Laughingthrush (<i>Ianthocincla nuchalis</i>)	<i>Pterorhinus nuchalis</i>
Black-throated Laughingthrush (<i>Ianthocincla chinensis</i>)	<i>Pterorhinus chinensis</i>
White-browed Laughingthrush (<i>Ianthocincla sannio</i>)	<i>Pterorhinus sannio</i>
Greater Necklaced Laughingthrush (<i>Ianthocincla pectoralis</i>)	<i>Pterorhinus pectoralis</i>
Pere David's Laughingthrush (<i>Ianthocincla davidi</i>)	<i>Pterorhinus davidi</i>
Mount Victoria Babax (<i>Ianthocincla woodi</i>)	<i>Pterorhinus woodi</i>
Chinese Babax (<i>Ianthocincla lanceolata</i>)	<i>Pterorhinus lanceolatus</i>
Giant Babax (<i>Ianthocincla waddelli</i>)	<i>Pterorhinus waddelli</i>
Tibetan Babax (<i>Ianthocincla koslowi</i>)	<i>Pterorhinus koslowi</i>
White-throated Laughingthrush (<i>Ianthocincla albogularis</i>)	<i>Pterorhinus albogularis</i>
Rufous-crowned Laughingthrush (<i>Ianthocincla ruficeps</i>)	<i>Pterorhinus ruficeps</i>

Grey-sided Laughingthrush (<i>Ianthocincla caerulea</i>)	<i>Pterorhinus caeruleus</i>
Buffy Laughingthrush (<i>Ianthocincla berthemyi</i>)	<i>Pterorhinus berthemyi</i>
Rusty Laughingthrush (<i>Ianthocincla poecilorhyncha</i>)	<i>Pterorhinus poecilorhynchus</i>
Masked Laughingthrush (<i>Garrulax perspicillatus</i>)	<i>Pterorhinus perspicillatus</i>
Ruby-crowned Kinglet (<i>Regulus calendula</i>)	<i>Corthylio calendula</i>
Southern Black-flycatcher [poliogyne] (<i>Melaenornis pammelaina poliogyne</i>)	<i>Melaenornis pammelaina poliogynus</i>
Star Finch (<i>Neochmia ruficauda</i>)	<i>Bathilda ruficauda</i>
Plum-headed Finch (<i>Neochmia modesta</i>)	<i>Aidemosyne modesta</i>
Double-barred Finch (<i>Taeniopygia bichenovii</i>)	<i>Stizoptera bichenovii</i>
Gray-headed Silverbill (<i>Odontospiza griseicapilla</i>)	<i>Spermestes griseicapilla</i>
Madagascar Munia (<i>Lonchura nana</i>)	<i>Lepidopygia nana</i>
Java Sparrow (<i>Lonchura oryzivora</i>)	<i>Padda oryzivora</i>
Timor Sparrow (<i>Lonchura fuscata</i>)	<i>Padda fuscata</i>
Streak-headed Munia (<i>Lonchura tristissima</i>)	<i>Mayrimunia tristissima</i>
Gouldian Finch (<i>Erythrura gouldiae</i>)	<i>Chloebia gouldiae</i>
Gray-headed Oliveback (<i>Nesocharis capistrata</i>)	<i>Delacourella capistrata</i>
Black-faced Waxbill (<i>Estrilda erythronotos</i>)	<i>Brunhilda erythronotos</i>
Black-cheeked Waxbill (<i>Estrilda charmosyna</i>)	<i>Brunhilda charmosyna</i>
Lavender Waxbill (<i>Estrilda coerulescens</i>)	<i>Glaucestrilda caerulescens</i>
Black-tailed Waxbill (<i>Estrilda perreini</i>)	<i>Black-tailed Waxbill (Glaucestrilda perreini)</i>
Cinderella Waxbill (<i>Estrilda thomensis</i>)	<i>Glaucestrilda thomensis</i>

Green Avadavat (<i>Sporaeginthus formosus</i>)	<i>Amandava Formosa</i>
Zebra Waxbill (<i>Sporaeginthus subflavus</i>)	<i>Amandava subflava</i>
Elegant Euphonia (<i>Euphonia elegantissima</i>)	<i>Chlorophonia elegantissima</i>
Antillean Euphonia (<i>Euphonia musica</i>)	<i>Chlorophonia musica</i>
Golden-rumped Euphonia (<i>Euphonia cyanocephala</i>)	<i>Chlorophonia cyanocephala</i>
Mountain Serin (Mountain) [chaseni] (<i>Chrysocorythus estherae chaseni</i>)	<i>Chrysocorythus estherae orientalis</i>
Five-striped Sparrow (<i>Amphispiza quinquestriata</i>)	<i>Amphispizopsis quinquestriata</i>
Flame-crested Tanager (<i>Tachyphonus cristatus</i>)	<i>Loriotus cristatus</i>
Yellow-crested Tanager (<i>Tachyphonus rufiventer</i>)	<i>Loriotus rufiventer</i>
White-shouldered Tanager (<i>Tachyphonus luctuosus</i>)	<i>Loriotus luctuosus</i>
Yellow-green Chlorospingus (<i>Chlorospingus flavovirens</i>)	Yellow-green Tanager (<i>Bangsia flavovirens</i>)
Blue-and-yellow Tanager (<i>Pipraeidea bonariensis</i>)	<i>Rauenia bonariensis</i>
Pin-tailed Green Pigeon [laotinus] (<i>Treron apicauda laotinus</i>)	<i>Treron apicauda laotianus</i>
Curl-crested Aracari (<i>Pteroglossus beauharnaesii</i>)	<i>Pteroglossus beauharnaisii</i>
Rufous Woodpecker [squamigularis] (<i>Micropternus brachyurus squamigularis</i>)	<i>Micropternus brachyurus badius</i>
Black-and-gold Cotinga (<i>Tijuca atra</i>)	<i>Lipaugus ater</i>
Gray-winged Cotinga (<i>Tijuca condita</i>)	<i>Lipaugus conditus</i>
Steller's Jay (Central American) [teotepecencis] (<i>Cyanocitta stelleri teotepecencis</i>)	<i>Cyanocitta stelleri teotepecensis</i>
Yellow-billed Blue-Magpie [schaferi] (<i>Urocissa flavirostris schaeferi</i>)	<i>Urocissa flavirostris schaeferi</i>
Black-throated Parrotbill (Orange-eared) [crocotius] (<i>Suthora nipalensis crocotius</i>)	<i>Suthora nipalensis crocotia</i>
Gray-crowned Crocias (<i>Crocias langbianis</i>)	<i>Laniellus langbianis</i>

Spotted Crocias (<i>Crocias albonotatus</i>)	<i>Laniellus albonotatus</i>
Asian Pied Starling (Asian) [sordidus] (<i>Gracupica contra sordidus</i>)	<i>Gracupica contra sordida</i>
Gray Bushchat [harringtoni] (<i>Saxicola ferreus harringtoni</i>)	<i>Saxicola ferreus harringtoni</i>
Common Chaffinch (Common) [transcaspica] (<i>Fringilla coelebs transcaspica</i>)	<i>Fringilla coelebs transcaspia</i>
Blue-capped Tanager (<i>Thraupis cyanocephala</i>)	<i>Sporathraupis cyanocephala</i>
Black-chested Mountain-tanager (<i>Cnemathraupis eximia</i>)	<i>Tephrophilus wetmorei</i>
Blue Finch (<i>Porphyrospiza caerulescens</i>)	<i>Rhopospina caerulescens</i>
Band-tailed Sierra-finch (<i>Porphyrospiza alaudina</i>)	<i>Rhopospina alaudina</i>
Carbonated Sierra-finch (<i>Porphyrospiza carbonaria</i>)	<i>Rhopospina carbonaria</i>

IOC Taxonomy Changes

Implemented changes in IOC 11.2 taxonomy. In addition to the changes noted below there are many species sequence changes in this update. For full details of the IOC changes see the [IOC website](#)

New Species and Sub-species

Species/Sub-species Name
Eastern Buzzard [burmanicus] (<i>Buteo japonicus burmanicus</i>)
Moluccan Scops Owl (Moluccan) [bouruensis] (<i>Otus magicus bouruensis</i>)
African Green Bee-eater [flavoviridis] (<i>Merops viridissimus flavoviridis</i>)
Northern Sooty Woodpecker [mayri] (<i>Mulleripicus funebris mayri</i>)
Northern Sooty Woodpecker [parkesi] (<i>Mulleripicus funebris parkesi</i>)
Urubamba Antpitta [occabambae] (<i>Grallaria occabambae occabambae</i>)
Urubamba Antpitta [marcapatensis] (<i>Grallaria occabambae marcapatensis</i>)
Chami Antpitta (<i>Grallaria alvarezii</i>)
Equatorial Antpitta (<i>Grallaria saturata</i>)
Chachapoya Antpitta (<i>Grallaria gravesii</i>)
Panao Antpitta (<i>Grallaria oneilli</i>)
Oxapampa Antpitta (<i>Grallaria centralis</i>)
Ayacucho Antpitta (<i>Grallaria ayacuchensis</i>)
Puno Antpitta (<i>Grallaria sinaensis</i>)
Satin Berrypecker (<i>Melanocharis citreola</i>)
Thick-billed Berrypecker [interposita] (<i>Rhamphocharis crassirostris interposita</i>)
Kilombero Cisticola (<i>Cisticola bakerorum</i>)
White-tailed Cisticola (<i>Cisticola anderseni</i>)
Graceful Prinia [ashi] (<i>Prinia gracilis ashi</i>)
Coconut Lorikeet [caeruleiceps] (<i>Trichoglossus haematodus caeruleiceps</i>)
Coconut Lorikeet [micropteryx] (<i>Trichoglossus haematodus micropteryx</i>)
Berthelot's Pipit [madeirensis] (<i>Anthus berthelotii madeirensis</i>)
Berthelot's Pipit [berthelotii] (<i>Anthus berthelotii berthelotii</i>)

New Groups

Group Name
Crested Coua (Crested) (<i>Coua cristata cristata/dumonti</i>)
Crested Coua (Chestnut-vented) (<i>Coua cristata pyropyga/maxima</i>)
Green-fronted Hummingbird (Green-fronted) (<i>Leucolia viridifrons viridifrons</i>)
Green-fronted Hummingbird (villadai) (<i>Leucolia viridifrons villadai</i>)
White-bellied Hummingbird (chionogaster) (<i>Elliotomyia chionogaster chionogaster</i>)
White-bellied Hummingbird (hypoleuca) (<i>Elliotomyia chionogaster hypoleuca</i>)
Common Paradise-Kingfisher (Common) (<i>Tanysiptera galatea [galatea-group]</i>)
Common Paradise-Kingfisher (Rossel) (<i>Tanysiptera galatea rosseliana</i>)
Blue-backed Parrot (Blue-backed) (<i>Tanygnathus sumatranus [everetti-group]</i>)
Blue-backed Parrot (Azure-rumped) (<i>Tanygnathus sumatranus sumatranus/burbidgii</i>)
Western Fire-eye (maura Group) (<i>Pyriglena maura [maura-group]</i>)
Plain-brown Woodcreeper (Line-throated) (<i>Dendrocincla fuliginosa fuliginosa/rufolivacea</i>)
Plain-brown Woodcreeper (atrirostris/trumaii) (<i>Dendrocincla fuliginosa atrirostris/trumaii</i>)
Dusky-capped Woodcreeper (Rondonia) (<i>Lepidocolaptes fuscicapillus fuscicapillus</i>)
Dusky-capped Woodcreeper (Layard's) (<i>Lepidocolaptes fuscicapillus layardi</i>)
White-chinned Thistletail (fumigata) (<i>Asthenes fuliginosa fumigata</i>)
White-chinned Thistletail (fuliginosa) (<i>Asthenes fuliginosa fuliginosa</i>)
White-chinned Thistletail (peruviana/plengei) (<i>Asthenes fuliginosa peruviana/plengei</i>)
Yellow-bellied Whistler (fallax) (<i>Pachycephala philippinensis fallax</i>)
Yellow-bellied Whistler (illex) (<i>Pachycephala philippinensis illex</i>)
Yellow-bellied Whistler (philippinensis Group) (<i>Pachycephala philippinensis [philippinensis-group]</i>)
Australasian Figbird (flaviventris Group) (<i>Sphecotheres vieilloti [flaviventris-group]</i>)
Australasian Figbird (salvadorii) (<i>Sphecotheres vieilloti salvadorii</i>)
Australasian Figbird (vieilloti) (<i>Sphecotheres vieilloti vieilloti</i>)
Canada Jay (Boreal) (<i>Perisoreus canadensis [canadensis-group]</i>)
Canada Jay (Rocky Mts.) (<i>Perisoreus canadensis capitalis/bicolor</i>)
Island Leaf Warbler (Peleng) (<i>Phylloscopus poliocephalus suaramerdu</i>)
Island Leaf Warbler (Taliabu) (<i>Phylloscopus poliocephalus emilsalimi</i>)
Tickell's Leaf Warbler (Tickell's) (<i>Phylloscopus affinis affinis/perflavus</i>)
Tickell's Leaf Warbler (Alpine) (<i>Phylloscopus affinis occisinensis</i>)
Northern Yellow White-eye (senegalensis/demeryi) (<i>Zosterops senegalensis senegalensis/demeryi</i>)
Northern Yellow White-eye (quanzae Group) (<i>Zosterops senegalensis [quanzae-group]</i>)
Northern Yellow White-eye (jacksoni/gerhardi) (<i>Zosterops senegalensis jacksoni/gerhardi</i>)
Striated Wren-Babbler (minuta/fortichi) (<i>Ptilocichla mindanensis minuta/fortichi</i>)

Striated Wren-Babbler (mindanensis/basilanica) (*Ptilocichla mindanensis mindanensis/basilanica*)
 Rufous-backed Sibia (Rufous-backed) (*Leioptila annectens [annectens-group]*)
 Rufous-backed Sibia (Dalat) (*Leioptila annectens eximia*)
 Island Thrush (Taliabu) (*Turdus poliocephalus sukahujan*)
 Buzzing Flowerpecker (obscurum/cagayanense) (*Dicaeum hypoleucum obscurum/cagayanense*)
 Buzzing Flowerpecker (pontifex) (*Dicaeum hypoleucum pontifex*)
 Buzzing Flowerpecker (hypoleucum/mindanense) (*Dicaeum hypoleucum hypoleucum/mindanense*)
 Black-throated Sunbird (Black-throated) (*Aethopyga saturata [saturata-group]*)
 Black-throated Sunbird (Dalat) (*Aethopyga saturata johnsi*)
 Philippine Fairy-bluebird (cyanogastra) (*Irena cyanogastra cyanogastra*)
 Philippine Fairy-bluebird (ellae) (*Irena cyanogastra ellae*)
 Philippine Fairy-bluebird (melanochlamys/hogstraali) (*Irena cyanogastra melanochlamys/hogstraali*)
 Long-billed Pipit (East African) (*Anthus similis [nivescens-group]*)
 Masked Flowerpiercer (cyanea Group) (*Diglossa cyanea [cyanea-group]*)
 Masked Flowerpiercer (melanopsis) (*Diglossa cyanea melanopsis*)
 American Barn Owl (White-winged) (*Tyto furcata furcata*)
 Rufous-fronted Thornbird (specularis) (*Phacellodomus rufifrons specularis*)
 Carrion Crow (corone) (*Corvus corone corone*)
 Carrion Crow (orientalis) (*Corvus corone orientalis*)
 Little Slaty Flycatcher (samarensis) (*Ficedula basilanica samarensis*)
 Little Slaty Flycatcher (basilanica) (*Ficedula basilanica basilanica*)
 Blue-backed Parrot (Azure-rumped) (*Tanygnathus sumatranus sumatranus*)
 White-browed Fulvetta (White-throated) (*Fulvetta vinipectus vinipectus/kangrae*)
 White-browed Fulvetta (Chinese) (*Fulvetta vinipectus bieti/perstriata*)
 White-browed Fulvetta (Vietnam) (*Fulvetta vinipectus valentinae*)
 White-browed Fulvetta (Chin Hills) (*Fulvetta vinipectus ripponi*)
 White-browed Fulvetta (Naga Hills) (*Fulvetta vinipectus austeni*)
 White-browed Fulvetta (Bhutan) (*Fulvetta vinipectus chumbiensis*)
 Striated Yuhina (Grey-crowned) (*Staphida castaniceps [striata-group]*)
 Striated Yuhina (Rufous-crowned) (*Staphida castaniceps castaniceps*)
 Happy Wren (Mainland) (*Pheugopedius felix [felix-group]*)
 Happy Wren (Tres Marias Is.) (*Pheugopedius felix lawrencii*)
 Blue-throated Bue Flycatcher (Blue-throated) (*Cyornis rubeculoides rubeculoides*)
 Blue-throated Blue Flycatcher (Notch-throated) (*Cyornis rubeculoides dialilaemus/rogersi*)
 Red-lored Amazon (Red-lored) (*Amazona autumnalis autumnalis/salvini*)
 Red-lored Parrot (Lilacine) (*Amazona autumnalis lilacina*)

Blue-crowned Parakeet (Blue-headed) (*Thectocercus acuticaudatus acuticaudatus/neumanni*)

Blue-crowned Parakeet (Blue-crowned) (*Thectocercus acuticaudatus [haemorrhous-group]*)

Black-throated Parrotbill (Orange-eared) (*Suthora nipalensis humii/crocotia*)

Black-throated Parrotbill (Black-throated) (*Suthora nipalensis nipalensis/garhwalensis*)

Beautiful Sibia (Black-eared) (*Heterophasia pulchella nigroaurita*)

Beautiful Sibia (Grey-eared) (*Heterophasia pulchella pulchella*)

Streak-throated Barwing (Grey-chested) (*Actinodura waldeni daflaensis*)

Streak-throated Barwing (Rufous-chested) (*Actinodura waldeni [waldeni-group]*)

Hume's Warbler (Western) (*Phylloscopus humei humei*)

Hume's Warbler (Eastern) (*Phylloscopus humei mandellii*)

Jerdon's Babbler (Irrawaddy) (*Chrysomma altirostre altirostre*)

Jerdon's Babbler (Indus) (*Chrysomma altirostre scindicum*)

Jerdon's Babbler (Himalayan) (*Chrysomma altirostre griseigulare*)

Chestnut-tailed Starling (Western) (*Sturnia malabarica malabarica*)

Chestnut-tailed Starling (Eastern) (*Sturnia malabarica nemoricola*)

Deleted Groups

(N.B. These will still be in the database but marked “not in taxonomy”)

Group Name	Reason
Crested Coua (Crested) (<i>Coua cristata</i> [<i>cristata</i> -group])	Ssp <i>maxima</i> moved to another group
Crested Francolin (Kirk's) (<i>Dendroperdix sephaena rovuma/spilogaster</i>)	Spilogaster moved to <i>sephaena</i> -group Kirks's becomes monotypic
Common Gull (Common) (<i>Larus canus canus/heinei</i>)	Subspecies are now treated as monotypic groups
Double-crested Cormorant (Dark-crested) (<i>Nannopterum auritum</i> [<i>auritum</i> -group])	No longer listed in Clements checklist
Double-crested Cormorant (White-crested) (<i>Nannopterum auritum cincinatum/albociliatum</i>)	“
Plain-brown Woodcreeper (Line-throated) (<i>Dendrocincla fuliginosa</i> [<i>fuliginosa</i> -group])	Group split into two new groups, <i>fuliginosa/rufolivacea</i> and <i>atirostris/trumaii</i>
Canada Jay (Northern) (<i>Perisoreus canadensis</i> [<i>canadensis</i> -group])	Group members re-assigned
Canada Jay (Rocky Mts.) (<i>Perisoreus canadensis capitalis/albescens</i>)	“
Reed Parrotbill (Northern) (<i>Calamornis heudei polivanovi/mongolicus</i>)	Ssp <i>mongolicus</i> no longer accepted
Limestone Wren-babbler (Greyish) (<i>Gypsophila crispifrons crispifrons/annamensis</i>)	Group members split as species
Grey-throated White-eye (Grey-throated) (<i>Zosterops rendovae rendovae/oblitus</i>)	Group members split as monotypic species
Pied Myna (Asian) (<i>Gracupica contra</i> [<i>contra</i> -group])	Member of group ssp <i>floweri</i> split as monotypic species
Crested Coua (Crested) (<i>Coua cristata</i> [<i>cristata</i> -group])	ssp <i>maxima</i> moved to group Crested Coua (Chestnut-vented) (<i>Coua cristata pyropyga/maxima</i>)
Red-legged Thrush (Western) (<i>Turdus plumbeus plumbeus/schistaceus</i>)	<i>plumbeus</i> becomes a monotypic group, <i>schistaceus</i> moved to <i>rubripes</i> group
Philippine Fairy-bluebird (cyanogastra/ellae) (<i>Irena cyanogastra cyanogastra/ellae</i>)	group members are now monotypic groups
Long-billed Pipit (Nicholson's) (<i>Anthus similis</i> [<i>nicholsoni</i> -group])	Group members split between Long-billed Pipit (East African) (<i>Anthus similis</i> [<i>nivescens</i> -group]) and Nicholson's Pipit (<i>Anthus nicholsoni</i>)
Copper Pheasant (Scintillant) (<i>Syrmaticus soemmerringii</i> [<i>scintillans</i> -group])	No longer listed as a group in Clements

Copper Pheasant (Copper) (<i>Syrnaticus soemmerringii soemmerringii</i>)	“
Copper Pheasant (White-rumped) (<i>Syrnaticus soemmerringii ijimae</i>)	“
White-tufted Grebe (Chilean) (<i>Rollandia rolland chilensis/morrisoni</i>)	“
White-tufted Grebe (Falkland) (<i>Rollandia rolland rolland</i>)	“
Japanese Wood Pigeon (Japanese) (<i>Columba janthina janthina</i>)	“
Japanese Wood-pigeon (Red-headed) (<i>Columba janthina nitens</i>)	“
Mindanao Bleeding-heart (Leyte) (<i>Gallicolumba crinigera leytensis</i>)	“
Mindanao Bleeding-heart (Mindanao) (<i>Gallicolumba crinigera crinigera/bartletti</i>)	“
Pin-tailed Green-Pigeon (Pin-tailed) (<i>Treron apicauda apicauda/laotianus</i>)	“
Pin-tailed Green-Pigeon (Lowe's) (<i>Treron apicauda lowei</i>)	“
Pink-spotted Fruit-Dove (Pink-spotted) (<i>Ptilinopus perlatus perlatus/zonurus</i>)	“
Pink-spotted Fruit-Dove (Huon) (<i>Ptilinopus perlatus plumbeicollis</i>)	“
Spotted Imperial Pigeon (Spotted) (<i>Ducula carola carola</i>)	“
Spotted Imperial Pigeon (Black-breasted) (<i>Ducula carola nigrorum/mindanensis</i>)	“
Black-throated Coucal (Black-throated) (<i>Centropus leucogaster leucogaster/efulenensis</i>)	“
Black-throated Coucal (Neumann's) (<i>Centropus leucogaster neumanni</i>)	“
Long-tailed Potoo (Long-tailed) (<i>Nyctibius aethereus longicaudatus/chocoensis</i>)	“
Long-tailed Potoo (Large-tailed) (<i>Nyctibius aethereus aethereus</i>)	“
Ameline Swiftlet (Gray) (<i>Aerodramus amelis amelis</i>)	“
Ameline Swiftlet (Palawan) (<i>Aerodramus amelis palawanensis</i>)	“
Blue-tailed Hummingbird (Blue-tailed) (<i>Saucerottia cyanura cyanura/impatiens</i>)	“
Blue-tailed Hummingbird (Guatemalan) (<i>Saucerottia cyanura guatemalae</i>)	“
Snowy-bellied Hummingbird (Northern) (<i>Saucerottia edward niveoventer</i>)	“

Snowy-bellied Hummingbird (Southern) (<i>Saucerottia edward</i> [<i>edward-group</i>])	No longer listed as a group in Clements
Andean Emerald (Andean) (<i>Uranomitra franciae franciae/cyanocollis</i>)	“
Andean Emerald (Ecuadorian) (<i>Uranomitra franciae viridiceps</i>)	“
Golden-tailed Sapphire (Northern) (<i>Chrysuronia oenone oenone</i>)	“
Golden-tailed Sapphire (Southern) (<i>Chrysuronia oenone josephinae</i>)	No longer listed as a group in Clements
White-throated Rail (Aldabra) (<i>Dryolimnas cuvieri aldabranus/abbotti</i>)	“
White-throated Rail (White-throated) (<i>Dryolimnas cuvieri cuvieri</i>)	“
Red-wattled Lapwing (Red-wattled) (<i>Vanellus indicus [indicus-group]</i>)	“
Red-wattled Lapwing (Black-necked) (<i>Vanellus indicus atronuchalis</i>)	“
Barred Buttonquail (Dusky) (<i>Turnix suscitator powelli</i>)	“
Barred Buttonquail (Barred) (<i>Turnix suscitator [suscitator-group]</i>)	“
White-faced Storm-Petrel (White-faced) (<i>Pelagodroma marina [marina-group]</i>)	“
White-faced Storm-Petrel (Kermadec) (<i>Pelagodroma marina albiclunis</i>)	“
Snow Petrel (Lesser) (<i>Pagodroma nivea nivea</i>)	“
Snow Petrel (Greater) (<i>Pagodroma nivea major</i>)	“
Common Diving-Petrel (Falkland) (<i>Pelecanoides urinatrix berard</i>)	No longer listed as a group in Clements
Common Diving Petrel (Subantarctic) (<i>Pelecanoides urinatrix exsul/dacunhae</i>)	“
Common Diving-Petrel (Common) (<i>Pelecanoides urinatrix [urinatrix-group]</i>)	“
Little Pied Cormorant (Little Pied) (<i>Microcarbo melanoleucos melanoleucos/brevicauda</i>)	“
Little Pied Cormorant (Little Shag) (<i>Microcarbo melanoleucos brevirostris</i>)	“
Australian Masked-Owl (New Guinea) (<i>Tyto novaehollandiae calabyi</i>)	“
Australian Masked-Owl (Tasmanian) (<i>Tyto novaehollandiae castanops</i>)	“
Australian Masked Owl (Australian) (<i>Tyto novaehollandiae [novaehollandiae-group]</i>)	“

Crested Owl (Northern) (<i>Lophostrix cristata stricklandi</i>)	“
Crested Owl (Southern) (<i>Lophostrix cristata cristata/wedeli</i>)	“
Spectacled Owl (Spectacled) (<i>Pulsatrix perspicillata [perspicillata-group]</i>)	“
Spectacled Owl (Short-browed) (<i>Pulsatrix perspicillata pulsatrix</i>)	“
Masked Trogon (Masked) (<i>Trogon personatus [personatus-group]</i>)	“
Masked Trogon (Highland) (<i>Trogon personatus temperatus</i>)	“
Whyte's Barbet (Sowerby's) (<i>Stactolaema whytii [sowerbyi-group]</i>)	No longer listed as a group in Clements
Whyte's Barbet (Whyte's) (<i>Stactolaema whytii whytii</i>)	“
Black-throated Barbet (Black-throated) (<i>Tricholaema melanocephala [melanocephala-group]</i>)	“
Black-throated Barbet (Yellow-cheeked) (<i>Tricholaema melanocephala flavibuccalis</i>)	“
West Indian Woodpecker (West Indian) (<i>Melanerpes superciliaris [superciliaris-group]</i>)	“
West Indian Woodpecker (Cayman) (<i>Melanerpes superciliaris caymanensis</i>)	“
Brown-capped Pygmy Woodpecker (Indian) (<i>Yungipicus nanus [nanus-group]</i>)	“
Brown-capped Pygmy Woodpecker (Sri Lanka) (<i>Yungipicus nanus gymnophthalmos</i>)	“
Freckle-breasted Woodpecker (Freckle-breasted) (<i>Dendrocopos analis analis/longipennis</i>)	“
Freckle-breasted Woodpecker (Andaman Pied) (<i>Dendrocopos analis andamanensis</i>)	“
Little Woodpecker (Northern) (<i>Dryobates passerinus [passerinus-group]</i>)	“
Little Woodpecker (Southern) (<i>Dryobates passerinus olivinus</i>)	“
Black Lory (Western) (<i>Chalcopsitta atra atra/bernsteini</i>)	“
Black Lory (Eastern) (<i>Chalcopsitta atra insignis</i>)	“
White-bellied Cuckooshrike (Papuan) (<i>Coracina papuensis [papuensis-group]</i>)	“
White-bellied Cuckooshrike (White-bellied) (<i>Coracina papuensis robusta</i>)	“
Yellow-bellied Prinia (Sind) (<i>Prinia flaviventris sindiana</i>)	Now included in [flaviventris Group]
Yellow-bellied Prinia (Bornean) (<i>Prinia flaviventris latrunculus</i>)	“

Hume's Warbler (Hume's) (<i>Phylloscopus humei humei</i>)	No longer listed as a group in Clements
Hume's Warbler (Mandelli's) (<i>Phylloscopus humei mandellii</i>)	“
Rose-crowned Fruit-Dove (Rose-crowned) (<i>Ptilinopus regina [regina-group]</i>)	“
Rose-crowned Fruit-Dove (Gray-capped) (<i>Ptilinopus regina xanthogaster/rosepileum</i>)	“
Variable Goshawk (Variable) (<i>Accipiter hiogaster [hiogaster-group]</i>)	<i>Accipiter [hiogaster-group]</i> and Variable Goshawk (Gray-throated) (<i>Accipiter hiogaster [griseogularis-group]</i>) merged into a new single group
Variable Goshawk (Gray-throated) (<i>Accipiter hiogaster [griseogularis-group]</i>)	“
Speckled Mousebird (Western) (<i>Colius striatus nigricollis/leucophthalmus</i>)	No longer listed as a group in Clements
Speckled Mousebird (Southern) (<i>Colius striatus [striatus-group]</i>)	“
Speckled Mousebird (Eastern) (<i>Colius striatus [leucotis-group]</i>)	“
Yellow-throated Woodpecker (Yellow-throated) (<i>Piculus flavigula flavigula/magnus</i>)	“
Yellow-throated Woodpecker (Red-throated) (<i>Piculus flavigula erythropis</i>)	“
Blue-backed Parrot (Azure-rumped) (<i>Tanygnathus sumatranus sumatranus/burbidgii</i>)	<i>burbidgii</i> moved to <i>everetti-group</i>
Red-lored Amazon (Salvin's) (<i>Amazona autumnalis lilacina/salvini</i>)	ssp. <i>salvini</i> included in a group with <i>autumnalis</i> , <i>lilacina</i> treated as a monotypic group
Red-lored Amazon (Yellow-cheeked) (<i>Amazona autumnalis autumnalis</i>)	“
Blue-crowned Parakeet (Blue-crowned) (<i>Thectocercus acuticaudatus [acuticaudatus-group]</i>)	Groups redefined; ssp. <i>koenigi</i> and <i>neoxenus</i> moved to <i>haemorrhous-group</i>
Blue-crowned Parakeet (Highland) (<i>Thectocercus acuticaudatus neumanni</i>)	“
Black-throated Parrotbill (Black-throated) (<i>Suthora nipalensis [nipalensis-group]</i>)	ssp. <i>nipalensis</i> moves to <i>nipalensis/garhwalensis</i> group; <i>crocotius</i> to <i>humii/crocotia</i> group
Black-throated Parrotbill (Orange-eared) (<i>Suthora nipalensis humii</i>)	“

Deleted Species and Sub-species

(N.B. These will still be in the database but marked “not in taxonomy”)

Species/Sub-species Name	Reason
Graceful Prinia [carlo] (<i>Prinia gracilis carlo</i>)	Included in nominate <i>gracilis</i>
Delicate Prinia [irakensis] (<i>Prinia lepida irakensis</i>)	Included in nominate <i>lepida</i>
Black-fronted White-eye [tenuifrons] (<i>Zosterops chrysolaeus tenuifrons</i>)	Included in nominate <i>chrysolaeus</i>
Black-fronted White-eye [pallidogularis] (<i>Zosterops chrysolaeus pallidogularis</i>)	Included in <i>delicatulus</i>
Pied Myna (Asian) [sordida] (<i>Gracupica contra sordida</i>)	Included in nominate <i>contra</i>
Happy Wren [magdalenae] (<i>Pheugopedius felix magdalenae</i>)	Included in <i>lawrencii</i>
Dunnock [meinertzhageni] (<i>Prunella modularis meinertzhageni</i>)	Included in nominate <i>modularis</i>
White-winged Grosbeak [merzbacheri] (<i>Mycerobas carnipes merzbacheri</i>)	Included in nominate <i>carnipes</i>

Splits

Species	Split From
Kai Coucal (<i>Centropus spilopterus</i>)	Kai Coucal (<i>Centropus spilopterus</i>)
Sunda Collared Dove (<i>Streptopelia bitorquata</i>)	Island Collared Dove (<i>Streptopelia bitorquata</i>)
Philippine Collared Dove (<i>Streptopelia dusumieri</i>)	“
Burmese Collared Dove (<i>Streptopelia xanthocyclus</i>)	Eurasian Collared Dove (<i>Streptopelia decaocto</i>)
Ryukyu Green Pigeon (<i>Treron permagnus</i>) with ssp. <i>permagnus</i> , <i>medioximus</i>	Whistling Green Pigeon (<i>Treron formosae</i>)
Taiwan Green Pigeon (<i>Treron formosae</i>) with ssp. <i>formosae</i> , <i>filipinus</i>	“
Raiatea Fruit Dove (<i>Ptilinopus chrysogaster</i>)	Grey-green Fruit Dove (<i>Ptilinopus purpuratus</i>)
Geelvink Fruit Dove (<i>Ptilinopus speciosus</i>)	Yellow-bibbed Fruit Dove (<i>Ptilinopus solomonensis</i>)
Geelvink Imperial Pigeon (<i>Ducula geelvinkiana</i>)	Spice Imperial Pigeon (<i>Ducula myristicivora</i>)
Malabar Imperial Pigeon (<i>Ducula cuprea</i>)	Mountain Imperial Pigeon (<i>Ducula badia</i>)
New Caledonian Buttonquail (<i>Turnix novaecaledoniae</i>)	Painted Buttonquail (<i>Turnix varius</i>)
Common Gull (<i>Larus canus</i>) with ssp. <i>canus</i> , <i>heinei</i> , <i>kamtschatschensis</i>	Mew Gull (<i>Larus canus</i>)
Short-billed Gull (<i>Larus brachyrhynchus</i>)	“
West Solomons Boobook (<i>Ninox jacquinoti</i>) with ssp. <i>eichhorni</i> , <i>mono</i> , <i>jacquinoti</i> , <i>floridae</i>	Solomons Boobook (<i>Athene jacquinoti</i>)
Guadalcanal Owl (<i>Ninox granti</i>)	“
Malaita Owl (<i>Ninox malaitae</i>)	“
Makira Owl (<i>Ninox roseoaxillaris</i>)	“
Banggai Scops Owl (<i>Otus mendeni</i>)	Sulawesi Scops Owl (<i>Otus manadensis</i>)
Ethiopian Bee-eater (<i>Merops lafresnayii</i>)	Blue-breasted Bee-eater (<i>Merops variegatus</i>)
African Green Bee-eater (<i>Merops viridissimus</i>) with ssp. <i>viridissimus</i> , <i>flavoviridis</i> , <i>cleopatra</i>	Green Bee-eater (<i>Merops orientalis</i>)
Arabian Green Bee-eater (<i>Merops cyanophrys</i>) with ssp. <i>cyanophrys</i> , <i>muscatensis</i>	“
Asian Green Bee-eater (<i>Merops orientalis</i>) with ssp. <i>beludschicus</i> , <i>orientalis</i> , <i>ceylonicus</i> , <i>ferrugineiceps</i>	“
Usambara Barbet (<i>Trachyphonus usambara</i>)	D'Arnaud's Barbet (<i>Trachyphonus darnaudii</i>)
Sumatran Woodpecker (<i>Picus dedemi</i>)	Grey-headed Woodpecker (<i>Picus canus</i>)
Northern Sooty Woodpecker (<i>Mulleripicus funebris</i>) with ssp. <i>mayri</i> , <i>funebris</i> , <i>parkesi</i>	Sooty Woodpecker (<i>Mulleripicus funebris</i>)
Southern Sooty Woodpecker (<i>Mulleripicus fuliginosus</i>)	“

Comoros Black Parrot (<i>Coracopsis sibilans</i>)	Lesser Vasa Parrot (<i>Coracopsis nigra</i>)
Simeulue Parrot (<i>Psittinus abbotti</i>)	Blue-rumped Parrot (<i>Psittinus cyanurus</i>)
Stella's Lorikeet (<i>Charmosyna stellae</i>) with ssp. <i>goliathina</i> , <i>wahnesi</i> , <i>stellae</i>	Papuan Lorikeet (<i>Charmosyna papou</i>)
Sula Lorikeet (<i>Saudareos flavoviridis</i>)	Citrine Lorikeet (<i>Saudareos flavoviridis</i>)
Yellow-cheeked Lorikeet (<i>Saudareos meyeri</i>)	“
Sierra Nevada Antpitta (<i>Grallaria spatiator</i>)	Rufous Antpitta (<i>Grallaria rufula</i>)
Perija Antpitta (<i>Grallaria saltuensis</i>)	“
Muisca Antpitta (<i>Grallaria rufula</i>)	“
Junin Antpitta (<i>Grallaria obscura</i>)	“
Cajamarca Antpitta (<i>Grallaria cajamarcae</i>)	“
Urubamba Antpitta (<i>Grallaria occabambae</i>)	“
Bolivian Antpitta (<i>Grallaria cochabambae</i>)	“
Moluccan Myzomela (<i>Myzomela simplex</i>) with ssp. <i>mortyana</i> , <i>simplex</i>	Dusky Myzomela (<i>Myzomela obscura</i>)
Red-tinged Myzomela (<i>Myzomela rubrotincta</i>)	“
Biak Myzomela (<i>Myzomela rubrobrunnea</i>)	“
Reddish Myzomela (<i>Myzomela erythrina</i>) with ssp. <i>erythrina</i> , <i>lavongai</i> , <i>cantans</i> , <i>vinacea</i>	Red Myzomela (<i>Myzomela cruentata</i>)
Rennell Gerygone (<i>Gerygone citrina</i>)	Fan-tailed Gerygone (<i>Gerygone flavolateralis</i>)
Thick-billed Berrypecker (<i>Rhamphocharis crassirostris</i>)	Spotted Berrypecker (<i>Rhamphocharis crassirostris</i>)
Spotted Berrypecker (<i>Rhamphocharis piperata</i>)	“
Western Crested Berrypecker (<i>Paramythia olivacea</i>)	Crested Berrypecker (<i>Paramythia montium</i>)
Eastern Crested Berrypecker (<i>Paramythia montium</i>)	“
West African Batis (<i>Batis occulta</i>)	Fernando Po Batis (<i>Batis poensis</i>)
Biak Triller (<i>Lalage leucoptera</i>)	Black-browed Triller (<i>Lalage atrovirens</i>)
Giant Grey Shrike (<i>Lanius giganteus</i>)	Chinese Grey Shrike (<i>Lanius sphenocercus</i>)
Timor Oriole (<i>Oriolus melanotis</i>)	Olive-brown Oriole (<i>Oriolus melanotis</i>)
Wetar Oriole (<i>Oriolus finschi</i>)	“
Biak Fantail (<i>Rhipidura kordensis</i>)	Northern Fantail (<i>Rhipidura rufiventris</i>)
Tenggara Paradise Flycatcher (<i>Terpsiphone floris</i>) with ssp. <i>sumbaensis</i> , <i>floris</i>	Blyth's Paradise Flycatcher (<i>Terpsiphone affinis</i>)
Tanimbar Monarch (<i>Carterornis castus</i>)	White-naped Monarch (<i>Carterornis pileatus</i>)
Mussau Flycatcher (<i>Myiagra hebetior</i>)	Velvet Flycatcher (<i>Myiagra hebetior</i>)
Velvet Flycatcher (<i>Myiagra eichhorni</i>)	“
Djaul Flycatcher (<i>Myiagra cervinicolor</i>)	“

Malayan Black Magpie (<i>Platysmurus leucopterus</i>)	Black Magpie (<i>Platysmurus leucopterus</i>)
Bornean Black Magpie (<i>Platysmurus aterrimus</i>)	“
Small Crow (<i>Corvus samarensis</i>) with ssp. <i>sierramadrensis</i> , <i>samarensis</i>	Slender-billed Crow (<i>Corvus enca</i>)
Palawan Crow (<i>Corvus pusillus</i>)	“
Halmahera Paradise Crow (<i>Lycocorax pyrrhopterus</i>) with ssp. <i>morotensis</i> , <i>pyrrhopterus</i>	Paradise-crow (<i>Lycocorax pyrrhopterus</i>)
Obi Paradise Crow (<i>Lycocorax obiensis</i>)	“
Black-capped Robin (<i>Heteromyias armiti</i>) with ssp. <i>rothschildi</i> , <i>armiti</i>	Ashy Robin (<i>Heteromyias albispecularis</i>)
Arabian Lark (<i>Eremalauda eremodites</i>)	Dunn's Lark (<i>Eremalauda dunnii</i>)
Sumatran Bulbul (<i>Ixos sumatranus</i>)	Sunda Bulbul (<i>Ixos virescens</i>)
Camiguin Bulbul (<i>Hypsipetes catarmanensis</i>)	Yellowish Bulbul (<i>Hypsipetes everetti</i>)
Siberian House Martin (<i>Delichon lagopodum</i>)	Common House Martin (<i>Delichon urbicum</i>)
Lompobattang Leaf Warbler (<i>Phylloscopus sarasinorum</i>)	Sulawesi Leaf Warbler (<i>Phylloscopus sarasinorum</i>)
Sulawesi Leaf Warbler (<i>Phylloscopus nesophilus</i>)	“
Delicate Prinia (<i>Prinia lepida</i>) with ssp. <i>akyildizi</i> , <i>carpenter</i> , <i>lepida</i> , <i>stevensi</i>	Graceful Prinia (<i>Prinia gracilis</i>)
Brown-tailed Apalis (<i>Apalis flavocincta</i>) with ssp. <i>viridiceps</i> , <i>flavocincta</i>	Yellow-breasted Apalis (<i>Apalis flavida</i>)
Calabarzon Babbler (<i>Sterrhoptilus affinis</i>)	Black-crowned Babbler (<i>Sterrhoptilus nigrocapitatus</i>)
Visayan Babbler (<i>Sterrhoptilus nigrocapitatus</i>) with ssp. <i>nigrocapitatus</i> , <i>boholensis</i>	“
Green-fronted White-eye (<i>Zosterops minor</i>) with ssp. <i>minor</i> , <i>rothschildi</i>	Black-fronted White-eye (<i>Zosterops minor</i>)
Black-fronted White-eye (<i>Zosterops chrysolaeus</i>) with ssp. <i>chrysolaeus</i> , <i>gregarius</i> , <i>delicatulus</i>	“
Oya Tabu White-eye (<i>Zosterops crookshanki</i>)	Capped White-eye (<i>Zosterops fuscicapilla</i>)
Bougainville White-eye (<i>Zosterops hamlini</i>)	Grey-throated White-eye (<i>Zosterops rendovae</i>)
Guadalcanal White-eye (<i>Zosterops oblitus</i>)	“
Grey-hooded Babbler (<i>Cyanoderma bicolor</i>) with ssp. <i>bicolor</i> , <i>rufum</i>	Chestnut-winged Babbler (<i>Cyanoderma erythropterus</i>)
Sunda Scimitar Babbler (<i>Pomatorhinus bornensis</i>) with ssp. <i>occidentalis</i> , <i>bornensis</i>	Chestnut-backed Scimitar Babbler (<i>Pomatorhinus montanus</i>)
Javan Scimitar Babbler (<i>Pomatorhinus montanus</i>) with ssp. <i>montanus</i> , <i>ottolanderi</i>	“

Malayan Black-capped Babbler (<i>Pellorneum nigrocapitatum</i>)	Black-capped Babbler (<i>Pellorneum capistratum</i>)
Javan Black-capped Babbler (<i>Pellorneum capistratum</i>)	“
Bornean Black-capped Babbler (<i>Pellorneum capistratoides</i>) with ssp. <i>capistratoides</i> , <i>morrelli</i>	“
Tanzanian Illadopsis (<i>Illadopsis distans</i>)	Pale-breasted Illadopsis (<i>Illadopsis rufipennis</i>)
Palawan Fairy-bluebird (<i>Irena tweeddalii</i>)	Asian Fairy-bluebird (<i>Irena puella</i>)
White-browed Gnatcatcher (<i>Polioptila bilineata</i>) with ssp. <i>brodkorbi</i> , <i>superciliaris</i> , <i>cinericia</i> , <i>bilineata</i> , <i>daguae</i>	Tropical Gnatcatcher (<i>Polioptila plumbea</i>)
Bahama Nuthatch (<i>Sitta insularis</i>)	Brown-headed Nuthatch (<i>Sitta pusilla</i>)
Siamese Pied Myna (<i>Gracupica floweri</i>)	Pied Myna (<i>Gracupica contra</i>)
Javan Pied Myna (<i>Gracupica jalla</i>)	“
Indian Pied Myna (<i>Gracupica contra</i>) with ssp. <i>contra</i> , <i>superciliaris</i>	“
Visayan Rhabdornis (<i>Rhabdornis rabori</i>)	Stripe-breasted Rhabdornis (<i>Rhabdornis inornatus</i>)
Taiwan Thrush (<i>Turdus niveiceps</i>)	Island Thrush (<i>Turdus poliocephalus</i>)
Visayan Shama (<i>Copsychus superciliaris</i>)	White-browed Shama (<i>Copsychus luzoniensis</i>)
Dayak Blue Flycatcher (<i>Cyornis montanus</i>)	Javan Blue Flycatcher (<i>Cyornis banyumas</i>)
Flores Jungle Flycatcher (<i>Cyornis oscillans</i>)	Russet-backed Jungle Flycatcher (<i>Cyornis oscillans</i>)
Sumba Jungle Flycatcher (<i>Cyornis stresemanni</i>)	“
Crocker Jungle Flycatcher (<i>Cyornis ruficrissa</i>) with ssp. <i>ruficrissa</i> , <i>isola</i>	Rufous-tailed Jungle Flycatcher (<i>Cyornis ruficauda</i>)
Sulu Jungle Flycatcher (<i>Cyornis ocularis</i>)	“
Philippine Jungle Flycatcher (<i>Cyornis ruficauda</i>) with ssp. <i>ruficauda</i> , <i>zamboanga</i> , <i>boholensis</i> , <i>samarensis</i>	“
Chinese Vivid Niltava (<i>Niltava oatesi</i>)	Vivid Niltava (<i>Niltava vivida</i>)
Taiwan Vivid Niltava (<i>Niltava vivida</i>)	“
Okinawa Robin (<i>Larvivora namiyei</i>)	Ryukyu Robin (<i>Larvivora komadori</i>)
Atlas Wheatear (<i>Oenanthe seebohmi</i>)	Northern Wheatear (<i>Oenanthe oenanthe</i>)
Maghreb Wheatear (<i>Oenanthe halophila</i>)	Mourning Wheatear (<i>Oenanthe lugens</i>)
Basalt Wheatear (<i>Oenanthe warriae</i>)	“
Blue-winged Leafbird (<i>Chloropsis moluccensis</i>) with ssp. <i>chlorocephala</i> , <i>kinneari</i> , <i>auropectus</i> , <i>serithai</i> , <i>moluccensis</i> , <i>viridinucha</i>	Blue-winged Leafbird (<i>Chloropsis cochinchinensis</i>)
Javan Leafbird (<i>Chloropsis cochinchinensis</i>)	“
Greyish-crowned Leafbird (<i>Chloropsis lazulina</i>) with ssp. <i>melliana</i> , <i>lazulina</i>	Orange-bellied Leafbird (<i>Chloropsis hardwickii</i>)

Yellow-crowned Flowerpecker (<i>Dicaeum anthonyi</i>)	Flame-crowned Flowerpecker (<i>Dicaeum anthonyi</i>)
Flame-crowned Flowerpecker (<i>Dicaeum kampalili</i>) with ssp. <i>masawan</i> , <i>kampalili</i>	“
Yellow-chinned Sunbird (<i>Anthreptes rectirostris</i>)	Grey-chinned Sunbird (<i>Anthreptes rectirostris</i>)
Grey-chinned Sunbird (<i>Anthreptes tephrolaemus</i>)	“
Stripe-breasted Seedeater (<i>Crithagra striatipectus</i>)	Reichard's Seedeater (<i>Crithagra reichardi</i>)
Indonesian Serin (<i>Chrysocorythus estherae</i>) with ssp. <i>vanderbilti</i> , <i>estherae</i> , <i>orientalis</i> , <i>renatae</i>	Mountain Serin (<i>Chrysocorythus estherae</i>)
Mindanao Serin (<i>Chrysocorythus mindanensis</i>)	“
West Mexican Euphonia (<i>Euphonia godmani</i>)	Scrub Euphonia (<i>Euphonia affinis</i>)
Chestnut-capped Warbler (<i>Basileuterus delatirii</i>) with ssp. <i>delatirii</i> , <i>mesochrysus</i> , <i>actuosus</i>	Rufous-capped Warbler (<i>Basileuterus rufifrons</i>)
Cinnamon-bellied Saltator (<i>Saltator grandis</i>) with ssp. <i>vigorsii</i> , <i>plumbiceps</i> , <i>richardsoni</i> , <i>grandis</i> , <i>yucatanensis</i> , <i>hesperis</i> , <i>brevicaudus</i>	Greyish Saltator (<i>Saltator coerulescens</i>)
Olivaceous Saltator (<i>Saltator olivascens</i>) with ssp. <i>plumbeus</i> , <i>brewsteri</i> , <i>olivascens</i>	“
Blue-grey Saltator (<i>Saltator coerulescens</i>) with ssp. <i>azarae</i> , <i>mutus</i> , <i>superciliaris</i> , <i>coerulescens</i>	“
St. Kitts Bullfinch (<i>Melopyrrha grandis</i>)	Puerto Rican Bullfinch (<i>Melopyrrha portoricensis</i>)

Lumps

Species	Lumped into
Alpine Leaf Warbler (<i>Phylloscopus occisinensis</i>)	Tickell's Leaf Warbler (<i>Phylloscopus affinis</i>)

Sub-Species Reassigned to New Species

Subspecies	Moved to
Sulawesi Scops Owl (Kalidupa) (<i>Otus manadensis kalidupae</i>)	Moluccan Scops Owl (<i>Otus magicus</i>)

Family Reassignments

Species	Old Family	New Family
Cerulean Flycatcher (<i>Eutrichomyias rowleyi</i>)	<i>Monarchidae</i>	<i>Rhipiduridae</i>
Boulder Chat (<i>Pinarornis plumosus</i>)	<i>Muscicapidae</i>	<i>Turdidae</i>

Common Name changes

Old Common Name	New Common Name
Madagascan Pochard (<i>Aythya innotata</i>)	Madagascar Pochard
Malaysian Partridge (<i>Arborophila campbelli</i>)	Malayan Partridge
Hose's Partridge (<i>Rhizothera dulitensis</i>)	Dulit Partridge
Malaysian Crested Argus (<i>Rheinardia nigrescens</i>)	Malayan Crested Argus
Madagascan Partridge (<i>Margaroperdix madagarensis</i>)	Madagascar Partridge
Madagascan Nightjar (<i>Caprimulgus madagascariensis</i>)	Madagascar Nightjar
Madagascan Spinetail (<i>Zoonavena grandidieri</i>)	Madagascar Spinetail
Madagascan Cuckoo (<i>Cuculus rochii</i>)	Madagascar Cuckoo
Madagascan Sandgrouse (<i>Pterocles personatus</i>)	Madagascar Sandgrouse
Madagascan Green Pigeon (<i>Treron australis</i>)	Madagascar Green Pigeon
Madagascan Blue Pigeon (<i>Alectroenas madagascariensis</i>)	Madagascar Blue Pigeon
Madagascan Wood Rail (<i>Mentocrex kiolooides</i>)	Madagascar Wood Rail
Madagascan Flufftail (<i>Sarothrura insularis</i>)	Madagascar Flufftail
Madagascan Rail (<i>Rallus madagascariensis</i>)	Madagascar Rail
Madagascan Grebe (<i>Tachybaptus pelzelinii</i>)	Madagascar Grebe
Madagascan Buttonquail (<i>Turnix nigricollis</i>)	Madagascar Buttonquail
Madagascan Plover (<i>Charadrius thoracicus</i>)	Madagascar Plover
Madagascan Jacana (<i>Actophilornis albinucha</i>)	Madagascar Jacana
Madagascan Snipe (<i>Gallinago macrodactyla</i>)	Madagascar Snipe
Madagascan Pratincole (<i>Glareola ocularis</i>)	Madagascar Pratincole
Madagascan Ibis (<i>Lophotibis cristata</i>)	Madagascar Ibis
Madagascan Harrier-hawk (<i>Polyboroides radiatus</i>)	Madagascar Harrier-hawk
Madagascan Serpent Eagle (<i>Eutriorchis astur</i>)	Madagascar Serpent Eagle
Madagascan Cuckoo-hawk (<i>Aviceda madagascariensis</i>)	Madagascar Cuckoo Hawk
Madagascan Sparrowhawk (<i>Accipiter madagascariensis</i>)	Madagascar Sparrowhawk
Madagascan Fish Eagle (<i>Haliaeetus vociferoides</i>)	Madagascar Fish Eagle
Madagascan Buzzard (<i>Buteo brachypterus</i>)	Madagascar Buzzard
Madagascan Owl (<i>Asio madagascariensis</i>)	Madagascar Owl
Madagascan Hoopoe (<i>Upupa marginata</i>)	Madagascar Hoopoe
Madagascan Pygmy Kingfisher (<i>Corythornis madagascariensis</i>)	Madagascar Pygmy Kingfisher
Bolivian White-crowned Tapaculo (<i>Scytalopus bolivianus</i>)	Bolivian Tapaculo

Northern White-crowned Tapaculo (<i>Scytalopus atratus</i>)	White-crowned Tapaculo
Crimson-hooded Myzomela (<i>Myzomela kuehni</i>)	Wetar Myzomela
Madagascar Cuckooshrike (<i>Cebalepyris cinereus</i>)	Madagascar Cuckooshrike
Cerulean Paradise Flycatcher (<i>Eutrichomyias rowleyi</i>)	Cerulean Flycatcher
Djaul Flycatcher (<i>Myiagra cervinicolor</i>)	Dyaul Flycatcher
Large-spotted Nutcracker (<i>Nucifraga multipunctata</i>)	Kashmir Nutcracker
Madagascar Lark (<i>Eremopterix hova</i>)	Madagascar Lark
Madagascar Swamp Warbler (<i>Acrocephalus newtoni</i>)	Madagascar Swamp Warbler
Madagascar Yellowbrow (<i>Crossleyia xanthophrys</i>)	Madagascar Yellowbrow
Madagascar Cisticola (<i>Cisticola cherina</i>)	Madagascar Cisticola
Deignan's Prinia (<i>Prinia polychroa</i>)	Brown Prinia
Rusty-throated Wren-babbler (<i>Spelaeornis badeigularis</i>)	Mishmi Wren-Babbler
Madagascar Starling (<i>Hartlaubius auratus</i>)	Madagascar Starling
Gould's Nightingale-thrush (<i>Catharus dryas</i>)	Yellow-throated Nightingale-Thrush
Sclater's Nightingale-Thrush (<i>Catharus maculatus</i>)	Speckled Nightingale-Thrush
Madagascar Magpie-robin (<i>Copsychus albospecularis</i>)	Madagascar Magpie-Robin
Streak-breasted Jungle Flycatcher (<i>Eumyias additus</i>)	Buru Jungle Flycatcher
Madagascar Stonechat (<i>Saxicola sibilla</i>)	Madagascar Stonechat
Madagascar Mannikin (<i>Lepidopygia nana</i>)	Madagascar Mannikin
Madagascar Wagtail (<i>Motacilla flaviventris</i>)	Madagascar Wagtail
White-winged Diuca Finch (<i>Idiopsar speculifer</i>)	Glacier Finch
Short-tailed Finch (<i>Idiopsar brachyurus</i>)	Boulder Finch
Common Diuca Finch (<i>Diuca diuca</i>)	Diuca Finch

Scientific name changes

Old Scientific Name	New Scientific Name
Spruce Grouse (<i>Falcapennis canadensis</i>)	<i>Canachites canadensis</i>
Crested Francolin (<i>Dendroperdix sephaena</i>)	<i>Ortygornis sephaena</i>
Grey Francolin (<i>Francolinus pondicerianus</i>)	<i>Ortygornis pondicerianus</i>
Swamp Francolin (<i>Francolinus gularis</i>)	<i>Ortygornis gularis</i>
Coqui Francolin (<i>Peliperdix coqui</i>)	<i>Campocolinus coqui</i>
White-throated Francolin (<i>Peliperdix albogularis</i>)	<i>Campocolinus albogularis</i>
Schlegel's Francolin (<i>Peliperdix schlegelii</i>)	<i>Campocolinus schlegelii</i>
Brown Quail (<i>Coturnix ypsilophora</i>)	<i>Synoicus ypsilophorus</i>
Snow Mountain Quail (<i>Anurophasis monorthonyx</i>)	<i>Synoicus monorthonyx</i>
King Quail (<i>Excalfactoria chinensis</i>)	<i>Synoicus chinensis</i>
Blue Quail (<i>Excalfactoria adansonii</i>)	<i>Synoicus adansonii</i>
Magenta-throated Woodstar (<i>Calliphlox bryantae</i>)	<i>Philodice bryantae</i>
Purple-throated Woodstar (<i>Calliphlox mitchellii</i>)	<i>Philodice mitchellii</i>
Oberholser's Fruit Dove (<i>Ptilinopus epius</i>)	<i>Ptilinopus gularis</i>
King Quail [australis] (<i>Synoicus chinensis australis</i>)	<i>Synoicus chinensis victoriae</i>
All Storm Petrel <i>Oceanodroma</i>	become <i>Hydrobates</i>
Red-legged Cormorant (<i>Phalacrocorax gaimardi</i>)	<i>Poikilocarbo gaimardi</i>
Brandt's Cormorant (<i>Phalacrocorax penicillatus</i>)	<i>Urile penicillatus</i>
Red-faced Cormorant (<i>Phalacrocorax urile</i>)	<i>Urile urile</i>
Pelagic Cormorant (<i>Phalacrocorax pelagicus</i>)	<i>Urile pelagicus</i>
Pallas's Cormorant (<i>Phalacrocorax perspicillatus</i>)	Spectacled Cormorant (<i>Urile perspicillatus</i>)
European Shag (<i>Phalacrocorax aristotelis</i>)	<i>Gulosus aristotelis</i>
Flightless Cormorant (<i>Phalacrocorax harrisi</i>)	<i>Nannopterum harrisi</i>
Neotropic Cormorant (<i>Phalacrocorax brasilianus</i>)	<i>Nannopterum brasilianum</i>
Double-crested Cormorant (<i>Phalacrocorax auritus</i>)	<i>Nannopterum auritum</i>
Rock Shag (<i>Phalacrocorax magellanicus</i>)	<i>Leucocarbo magellanicus</i>
Himalayan Buzzard (<i>Buteo burmanicus</i>)	<i>Buteo reffectus</i>
Collared Owlet [pardalotum] (<i>Taenioptynx brodiei pardalotum</i>)	<i>Taenioptynx brodiei pardalotus</i>
Sunda Owlet (<i>Taenioptynx sylvaticum</i>)	<i>Taenioptynx sylvaticus</i>
Jamaican Owl (<i>Pseudoscops grammicus</i>)	<i>Asio grammicus</i>
Philippine Dwarf Kingfisher (South) (<i>Ceyx melanurus mindanensis</i>)	<i>Ceyx melanurus platenae</i>
Pygmy Lorikeet (<i>Charmosyna wilhelminae</i>)	<i>Charminetta wilhelminae</i>
Red-fronted Lorikeet (<i>Charmosyna rubronotata</i>)	<i>Hypocharmosyna rubronotata</i>
Red-flanked Lorikeet (<i>Charmosyna placentis</i>)	<i>Hypocharmosyna placentis</i>
Blue-fronted Lorikeet (<i>Charmosyna toxopei</i>)	<i>Charmosynopsis toxopei</i>

Fairy Lorikeet (<i>Charmosyna pulchella</i>)	<i>Charmosynopsis pulchella</i>
Striated Lorikeet (<i>Charmosyna multistriata</i>)	<i>Synorhacma multistriata</i>
Duchess Lorikeet (<i>Charmosyna margarethae</i>)	<i>Charmosynoides margarethae</i>
Meek's Lorikeet (<i>Charmosyna meeki</i>)	<i>Vini meeki</i>
Red-chinned Lorikeet (<i>Charmosyna rubrigularis</i>)	<i>Vini rubrigularis</i>
Palm Lorikeet (<i>Charmosyna palmarum</i>)	<i>Vini palmarum</i>
Red-throated Lorikeet (<i>Charmosyna amabilis</i>)	<i>Vini amabilis</i>
New Caledonian Lorikeet (<i>Charmosyna diadema</i>)	<i>Vini diadema</i>
Collared Lory (<i>Phigys solitarius</i>)	<i>Vini solitaria</i>
Goldie's Lorikeet (<i>Psitteuteles goldiei</i>)	<i>Glossoptilus goldiei</i>
Mindanao Lorikeet (<i>Trichoglossus johnstoniae</i>)	<i>Saudareos johnstoniae</i>
Citrine Lorikeet (<i>Trichoglossus flavoviridis</i>)	<i>Saudareos flavoviridis</i>
Iris Lorikeet (<i>Psitteuteles iris</i>)	<i>Saudareos iris</i>
Ornate Lorikeet (<i>Trichoglossus ornatus</i>)	<i>Saudareos ornatus</i>
White-lored Antpitta (<i>Myrmothera fulviventris</i>)	<i>Hylopezus fulviventris</i>
Little Ground Tyrant (<i>Muscisaxicola fluviatilis</i>)	<i>Syrtidicola fluviatilis</i>
Rufous-webbed Bush Tyrant (<i>Polioxolmis rufipennis</i>)	<i>Cnemarchus rufipennis</i>
Fire-eyed Diucon (<i>Xolmis pyrope</i>)	<i>Pyrope pyrope</i>
Grey Monjita (<i>Xolmis cinereus</i>)	<i>Nengetus cinereus</i>
Black-crowned Monjita (<i>Xolmis coronatus</i>)	<i>Neoxolmis coronatus</i>
Rusty-backed Monjita (<i>Xolmis rubetra</i>)	<i>Neoxolmis rubetra</i>
Salinas Monjita (<i>Xolmis salinarum</i>)	<i>Neoxolmis salinarum</i>
Flammulated Flycatcher (<i>Deltarhynchus flammulatus</i>)	<i>Ramphotrigo flammulatum</i>
Tawny-crowned Greenlet (<i>Hylophilus ochraceiceps</i>)	<i>Tunchiornis ochraceiceps</i>
Lesser Greenlet (<i>Hylophilus decurtatus</i>)	<i>Pachysylvia decurtata</i>
Dusky-capped Greenlet (<i>Hylophilus hypoxanthus</i>)	<i>Pachysylvia hypoxantha</i>
Buff-cheeked Greenlet (<i>Hylophilus muscicapinus</i>)	<i>Pachysylvia muscicapina</i>
Golden-fronted Greenlet (<i>Hylophilus aurantiifrons</i>)	<i>Pachysylvia aurantiifrons</i>
Rufous-naped Greenlet (<i>Hylophilus semibrunneus</i>)	<i>Pachysylvia semibrunnea</i>
Banded Martin (<i>Riparia cincta</i>)	<i>Neophedina cincta</i>
Brazza's Martin (<i>Phedina brazzae</i>)	<i>Phedinopsis brazzae</i>
Black-capped Swallow (<i>Notiochelidon pileata</i>)	<i>Atticora pileata</i>
White-thighed Swallow (<i>Neochelidon tibialis</i>)	<i>Atticora tibialis</i>
Black-collared Swallow (<i>Atticora melanoleuca</i>)	<i>Pygochelidon melanoleuca</i>
Blue-and-white Swallow (<i>Notiochelidon cyanoleuca</i>)	<i>Pygochelidon cyanoleuca</i>
Pale-footed Swallow (<i>Notiochelidon flavipes</i>)	<i>Orochelidon flavipes</i>
Brown-bellied Swallow (<i>Notiochelidon murina</i>)	<i>Orochelidon murina</i>
Andean Swallow (<i>Haplochelidon andecola</i>)	<i>Orochelidon andecola</i>
Ruby-crowned Kinglet (<i>Regulus calendula</i>)	<i>Corthylio calendula</i>
Apo Myna (<i>Basilornis mirandus</i>)	<i>Goodfellowia miranda</i>

Java Sparrow (<i>Lonchura oryzivora</i>)	<i>Padda oryzivora</i>
Timor Sparrow (<i>Lonchura fuscata</i>)	<i>Padda fuscata</i>
Streak-headed Mannikin (<i>Lonchura tristissima</i>)	<i>Mayrimunia tristissima</i>
White-spotted Mannikin (<i>Lonchura leucosticta</i>)	<i>Mayrimunia leucosticte</i>
Elegant Euphonia (<i>Euphonia elegantissima</i>)	<i>Chlorophonia elegantissima</i>
Antillean Euphonia (<i>Euphonia musica</i>)	<i>Chlorophonia musica</i>
Golden-rumped Euphonia (<i>Euphonia cyanocephala</i>)	<i>Chlorophonia cyanocephala</i>
Five-striped Sparrow (<i>Amphispiza quinquestriata</i>)	<i>Amphispizopsis quinquestriata</i>